

PRODUCT CATALOGUE

||||| 2023

CETA FORM



Workshop Equipment | Hand Tools | Automotive Tools

www.cetaform.com





CETA FORM

Dear Ceta Form friend,

During the 2 years since the launch of our last catalogue, we have experienced a string of events like the pandemics, conflicts in different areas of the World, energy crisis etc. All these factors are causing a great stress on supply chains. We are happy to inform you that Ceta Form has invested into a new additional factory and a lot of modern equipment in this period. Now, we have further in-house manufacturing capabilities like hot forging, blow molding, etc.

The strategy is simple, to be a more integrated manufacturer and to increase the ratio of manufactured products in-house. This way we would be able to position our company as a secure supply source ideally located very close to Europe.


Keep watching Ceta Form, one of the fastest growing tool brands in Europe.

With Best Regards
Cemil Tayman — CEO



CONTENTS

About Ceta Form	2-5
New Products	6-9
Table Key	10-11
Products	12-314
Discontinued Products	316
Numerical Index	317-326
Tecnical Tables	327-328
Ceta Form Warranty	329

1	TOOL CONTAINERS AND ASSORTMENTS		12-87
2	WRENCHES AND HEX KEYS		88-109
3	SOCKETS AND ACCESSORIES		110-147
4	TORQUE WRENCHES		148-153
5	SCREWDRIVERS AND BITS		154-187
6	PLIERS AND CUTTERS		188-205
7	VDE 1000V INSULATED TOOLS AND MULTIMETERS		206-223
8	ELECTRONIC SCREWDRIVERS AND PLIERS		224-235
9	PLUMBING TOOLS		236-239
10	CUTTING TOOLS AND FILES		240-255
11	HAMMERS AND CHISELS		256-261
12	SPECIALIST AUTOMOTIVE TOOLS		262-287
13	MEASURING TOOLS		288-295
14	GENERAL MAINTENANCE AND WORKSHOP TOOLS		296-314

HAND TOOL EXPERT

Over the last 47 years, Ceta Form has established its position as a leading manufacturer of hand tools.


We design and produce high quality hand tools for the professional users in all sectors at our modern factories. In addition to our large domestic dealer network, we have distributors in 45 different countries with a dedicated sales office in UK.



FROM PROFESSIONALS
FOR PROFESSIONALS

FOLLOW THE INNOVATIONS FROM OUR DIGITAL PAGES

www.cetaform.com



WHY CETA FORM



Comprehensive Product Range

Our offer more than 4.000 lines in 15 product families. Thanks to the breadth of our range, we help our customers to operate with less suppliers and reduce their operating costs. . . a one-stop shop for hand-tools.



Innovative Company

Ceta Form is an innovator. We are constantly introducing new products with outstanding features to our range, in order to provide added value for the end-user.



Product/Packaging Design

Ceta Form is a leader in the area of product design. Our tools are a perfect blend of functionality and aesthetics. Once customers experience the added efficiency from a good design, they stick with Ceta Form for life. Our packaging concept is also in-line with our tools: convincing, lean and clear.



Quality Manufacturer

Ceta Form is an ISO 9001 certified manufacturer. We use the highest quality materials and employ modern equipment in our production, utilizing strict quality controls in all critical processes. Result: our return ratio is less than 0.5%.



Logistics

Almost every product listed in our catalogue is available ex stock in our warehouse. This enables us to make rapid deliveries from our stock with a very high percentage fulfillment rate.



POS Display Solutions

We provide high-impact display systems for point of sale. We make it easier for the consumers to understand and purchase Ceta Form products – ultimately increasing your revenue per sqm.



In-Depth Training Programs

We believe that tailoring training programs to suit our customers is the key to in-depth product knowledge. Training programs can be run either in our own factory which is equipped with modern training facilities or our customers' premises.



Sales Support Department

Our experienced staff are here to respond to all your questions/queries. We treat all of our customers as we would our friends. We want to make working with Ceta Form a pleasure, a partnership for life.

FAIRS



MANUFACTURING COMPETENCE

With almost 50 years of experience in the development and production of hand tools and tool trolleys, Ceta Form stands for high quality standards and manufacturing excellence. In 2 different production locations, we run a variety of production technologies under one roof. Being an integrated manufacturer, we are able to keep a close eye on all critical processes.

■ DEVELOPMENT AND DESIGN



■ HOT FORGING



■ TOOL AND DIE MAKING



■ MACHINING



■ ROBOTIC GRINDING



■ SHEET METAL FORMING



■ PLASTIC INJECTION MOLDING



■ BLOW MOLDING



■ PLASTISOL DIPPING



■ LOGISTICS



3 PRODUCTION AND LOGISTICS LOCATIONS

Ceta Form operates in 3 different locations which are in Istanbul and conveniently located for our international visitors.

FACTORY-1: PRODUCTION, LOGISTICS AND ADMINISTRATION




CERTIFIED QUALITY


Ceta Form operates according to international management standards and internal product standards which often exceed DIN/ISO standards. Most of our insulated tools for working on live electricity are also VDE tested and certified.



FACTORY-2: HOT FORGING



FZ WAREHOUSE: INTERNATIONAL LOGISTICS



Extended Range of 1000V Insulated Tools

Ultimate safety with comfort

Considering the ever-increasing hybrid and electric vehicle sector, we have extended our successful range of 1000V insulated tools. The range now includes mechanics tools such as wrenches, sockets and torque wrenches in an insulated design for safe live working. Like all our insulated tools, the new tools are also manufactured to EN 60900 standard and individually tested to 1000V AC and 1500V DC.

DuoTech



Page 208



1000 V
EN 60900

C-Plus Screwdrivers in a Completely New Design

Better in every detail

Our popular C-Plus screwdriver range has undergone a major redesign process. The new handle design offers even better handling ergonomics compared to the previous version. Moreover the new 3K molding technology used in the production of these screwdrivers enable us achieve an even higher molding quality hence better haptics. Available in 4 different variants two of which are new.

C-Plus

3K
TECHNOLOGY




Standard

Page 156



Diamond Tip

Page 162



Impact

Page 161



VDE 1000V

Page 208

Redesigned Range of Cordless LED Work Lamps

Powerful and uniform illumination

Ceta Form has invested into a joint venture in Asia specialized in the production of LED work lamps in 2021. In this catalogue, we are pleased to show the first range manufactured in this plant – truly better in design and performance. Thanks to the capabilities this new plant will provide, we aim to be an important player in the ever growing LED work lamp market.



UP TO IP65 / IK07
PROTECTION



USPTYPE C



180° PIVOT
JOINT



RECHARGEABLE



MAGNETIC BASE
AND BACK



TOP LIGHT

E25-MMAX Multi-Purpose Electrician Pliers

7 FUNCTION IN
ONE TOOL

- Cable cutting
- Cable stripping
- Crimping terminals
- Bolt cutting
- Wire cutting
- Holding
- Cable bending



Page 214

1000 V
EN 60900

Page 194

Forged in Germany

Combination Pliers and Side Cutters

High leverage design now standard

The E01H and E06H series pliers and cutters launched 2 years back, which incorporate an eccentric joint have received great interest and appreciation from our customers thanks to easier and effortless cutting. We are happy to inform you that the top selling E01 and E06 line of pliers and cutters will be manufactured in this design as of Q.1 / 2023 at no extra cost. Hence, E01H and E06H codes will be discontinued.



Page 191

Navigating through the catalogue

Category code

□ **E06-11 Series**

Product description

□ **Diagonal Cutters**
(Chrome Finish/DuoTech Handles)

Product standards

□ DIN ISO 5749



Forged in Germany

Product specific information



Information Symbols



Display pack symbols

Suitable for cutting soft and hard wire

Specifications

Item codes

Yellow highlight:

New product within an existing range

CODE NO	mm "	Ø mm	
□ E06-11-0140	140 - 5-1/2"	1.8	6
E06-11-0160	160 - 6"	2.0	6
□ E06-11-0180	180 - 7"	2.5	6

Minimum order=Pack quantity

Unit price

Technical data

Pack quantity

Can't find the product you are looking for?

Please check our substituted product index on page 277 of our catalogue.

Info Symbols

	New product		Set with an updated content		Display carded product
	New product within an existing range	ex code C20-TS16 ex C20 Series	Code change		Plastic boxed display package
	Product with a new design		Product limited with stocks		Color boxed product
	New design available by a future date		Display pack saving		Pop-up display packed product
	Cancellation planned for a future date		Special price offer		Pack quantity
	Out of warranty		Bulk quantity package		Manufactured from blanks forged in Germany

Tip Profiles

	Slotted		TORX		External Hexagon		XZN (Spline)
	Phillips		TORX with safety pin		Internal Hexagon		TORQ-SET
	Pozidriv		TORX Plus		Internal Square		TRI-WING
	Slotted / Pozidriv		TORX IPR		External square		RIBE

Dimensions

	1/4" Square Drive (Female)		Male square drive		Width across flats (mm)		External Circlip
	3/8" Square Drive (Female)		Female square drive		Width across flats (inches)		Internal Circlip
	1/2" Square Drive (Female)		Width across flats (mm)		Metric hexagon screw		Width of cutter blades
	3/4" Square Drive (Female)		Width across flats (inches)		AF hexagon screw		Width of tape measure blades
	1" Square Drive (Female)		Maximum opening (mm)		12 point socket (metric)		Blade length of snips
	1/4" Square Drive (Male)		Maximum opening (inches)		12 point socket (AF)		Width of chisel blades
	3/8" Square Drive (Male)		Width across flats (mm)		Round file		Length (mm)
	1/2" Square Drive (Male)		Width across flats (inches)		Round file		Length (inches)
	3/4" Square Drive (Male)		Maximum opening (mm)		Square file		Length (mm-inch)
	1" Square Drive (Male)		Maximum opening (inches)		Three square file		Saw blade length
	1/4" Hexagon Drive		Diameter (mm)		Hand files		Maximum height (mm)
	5/16" Hexagon Drive		Diameter (inches)		Half round file		Weight gr
	10 mm Hexagon Drive		Maximum diameter (mm)		Rectangular profile		Weight kg

Pliers

	Ø mm Medium hard wire diameter		Ø mm Alu+Cu cable diameter		mm ² Max stripping capacity		Flat section jaws
	Ø mm Hard wire diameter		Ø mm ² Alu+Cu cable cross section		Bevelled cutting edges		Half-round jaws
	Ø mm Piano wire diameter		Ø mm Wire rope diameter		Flush cutting edges		Round jaws

Other Symbols


	Spring		Right cut snips		Quick release function		Engine
	gr Head weight (hammers)		Left cut snips		Ratcheting ring		Diesel
	Impact socketry		Straight cut snips		Switch pawl		Timing Belt
	Magnetic		Engineer's files		Flexible head		Timing Chain
	Insulated tools for high voltage		Saw files		Speed wrench		
	StainlessSteel Stainless steel		Rasps		±3 % Tolerance of torque wrenches		

CETA FORM



TOOL CONTAINERS AND ASSORTMENTS

■ Mobile Workshop Storages	16
■ Workbenches	24
■ Tool Panels and Hooks	26
■ Accessories	28
■ Spare Parts	29
■ Tool Chests and Caddy Trolleys	30
■ Raptor Tool Cases	32
■ Plastic Tool Boxes	33
■ Textile Tool Bags	34
■ Tool Sets	36
■ CFS Tool Modules	40
■ General Purpose Tool Sets	59
■ Aerospace Tool Sets	72
■ Automotive Tool Sets	74



01 Tool Containers and Assortments

GT-MAX Roller Cabinets

The ultimate in tool storage



We believe the ultimate in hand tools deserves the ultimate in tool storage. Therefore after endless hours, weeks and months of research and many user interviews we have developed the new GT-MAX roller cabinet series.

This range addresses even the most diverse user needs in the typical Ceta Form cabinet build quality. As you flip through the catalogue, you will see a lot of variants for different user profiles. The cabinets can also be fitted with a selection of CFS tool modules larger than ever (pages 40 – 56) and a range of accessories ((pages 28 – 29).

Experience the new dimension in tool storage by yourself.



SAFE

Three-staged locking system prevents tilting, unintentional opening of drawers and secures the tools.



VERSATILE

6, 7 or 8 drawers? Standard body or Jumbo body? Your preferred color configuration? All possible in the GT-MAX range.



ADAPTABLE

Euro perforated side wall and a large range of accessories allow for a totally custom-built cabinet. CFS tool module system for the final touch.



TOUGH

Torsion resistant profile construction from heavy gauge steel and plastic protection on all corners against impacts.



For purchase quantities of 5 and more, we can manufacture in your corporate colours (please indicate the RAL code)

Comparison of Features

GTMAX

GTPLUS

GT


Series	A01M	A01	A02
Drawers	6 / 7 / 8	6 / 7 / 8 / 11	3 / 5 / 6
Inside dimension	525 x 385 / 700 x 385 mm	525 x 385 / 700 x 385 mm	525 x 385 mm
Top Tray	Plastic	PVC Mat	PVC Mat
Colours	Black	Anthracite Gray / Red	Anthracite Gray / Red
Safety concept	3-stage (incl. anti-tilting protection)	2-stage	2-stage
Wheels	dia. 125 mm	dia. 125 mm	dia. 100 mm
Parking Brake	1	1	1
Drawer extension	100%	100%	100%
Drawer load max.	25 / 50 kg	25 / 50 kg	25 kg

CFS


All Ceta Form cabinets in above product families can easily be equipped by CFS Ceta Form foam system tool modules. Our tool cabinets equipped with CFS modules offer unmatched traceability and efficiency in MRO and manufacturing environments.

Please refer to page pages (40 - 56) for the details of our CFS programme.



01 Tool Containers and Assortments

Mobile Workshop Storage

A01M Series

GT-MAX Roller Cabinets (Empty)

GTMAX



Body:

- Torsion resistant profile construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Built-in side panel with Euro perforation for mounting optional accessories
- Plastic protection on all corners against impacts
- High quality ABS Workshop, housings for screwdrivers and small parts

Drawers:

- Central locking with cylinder lock
- Individual drawer lock system on each drawer to prevent unintentional opening
- Anti-tilting system which prevents opening of more than 1 drawer at a time
- Low friction telescopic ball-bearing slides allowing 100% opening of drawers
- Load capacity per drawer: 25 kg (50 kg for h 210 mm drawers)

Wheel System:


- Two fixed and 2 swiveling (one with brake) wheels, Ø125 mm
- High quality TPU material resistant to chemicals

Accessories:

- Can be equipped with Ceta Form CFS Tool Modules (pages 40 - 56)
- Compatible with an extensive range of accessories (pages 28 - 29)
- Delivery with 2 pieces of A01M-CH spray can holder



RAL 9005



CODE NO	A01M-06	A01M-07	A01M-08
	6 Drawers: 4x type 1, H: 70 mm 1x type 3, H: 110 mm 1x type 5, H: 210 mm	7 Drawers: 5x type 1, H: 70 mm 1x type 3, H: 110 mm 1x type 4, H: 135 mm	8 Drawers: 7x type 1, H: 70 mm 1x type 2, H: 90 mm
HxWxD / mm	1018x746x458	1018x746x458	1018x746x458
	67	67	70

Mobile Workshop Storage

A01M-J Series

GT-MAX Jumbo Roller Cabinets (Empty)

GTMAX

Body:

- Torsion resistant profile construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Built-in side panel with Euro perforation for mounting optional accessories
- Plastic protection on all corners against impacts
- High quality ABS Workshop, housings for screwdrivers and small parts

Drawers:

- Central locking with cylinder lock
- Individual drawer lock system on each drawer to prevent unintentional opening
- Anti-tilting system which prevents opening of more than 1 drawer at a time
- Low friction telescopic ball-bearing slides allowing 100% opening of drawers
- Load capacity per drawer: 25 kg

Wheel System:

- Two fixed and 2 swiveling (one with brake) wheels, Ø125 mm
- High quality TPU material resistant to chemicals

Accessories:


- Can be equipped with Ceta Form CFS Tool Modules (pages 40 - 56)
- Compatible with an extensive range of accessories (pages 28 - 29)
- Delivery with 2 pieces of A01M-CH spray can holder



RAL 9005




700x370 mm



CODE NO

A01M-07J

A01M-08J


7 Drawers:

- 5x type 1, H: 70 mm
- 1x type 2, H: 110 mm
- 1x type 4, H: 135 mm

8 Drawers:

- 7x type 1, H: 70 mm
- 1x type 3, H: 90 mm

HxWxD / mm

1018x922x458

1018x922x458



77

80

01 Tool Containers and Assortments

Mobile Workshop Storage

A01 Series

GT-PLUS Roller Cabinets (Empty)

GT PLUS



Body:

- Torsion resistant profile construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Built-in side panel with spray can holder
- Recessed Workshop ensuring a convenient working area

Drawers:


- Central locking with cylinder lock
- Individual drawer lock system on each drawer to prevent unintentional opening
- Low friction telescopic ball-bearing slides allowing 100% opening of drawers
- Each drawer can accommodate 3 SBS EVA tool modules
- Load capacity per drawer: 25 kg (50 kg for h 210 mm drawers)

Wheel System:

- Two fixed and 2 swiveling (one with brake) wheels, Ø125 mm
- High quality TPU material resistant to chemicals

Accessories:

- Can be equipped with Ceta Form CFS Tool Modules (pages 40 - 56)
- Compatible with tool chest A06-04 for capacity expansion ((page 30)
- Compatible with A01-PS tool panels (page 27)



CODE NO	A01-06	A01-07	A01-08
	6 Drawer	7 Drawer	8 Drawer
	4x type1, H: 70 mm 1x type3, H: 110 mm 1x type5, H: 210 mm	5x type1, H: 70 mm 1x type3, H: 110 mm 1x type4, H: 135 mm	7x type1, H: 70 mm 1x type2, H: 90 mm
HxWxD / mm	975x710x450	975x710x450	975x710x450
kg	60	62	72

Mobile Workshop Storage

A01-J Series

GT-PLUS Jumbo Roller Cabinets (Empty)

GT PLUS



Body:

- Torsion resistant profile construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Built-in side panel with spray can holder
- Recessed Workshop ensuring a convenient working area

Drawers:

- Central locking with cylinder lock
- Individual drawer lock system on each drawer to prevent unintentional opening
- Low friction telescopic ball-bearing slides allowing 100% opening of drawers
- Each drawer can accommodate 4 SBS EVA tool modules
- Load capacity per drawer: 25 kg

Wheel System:

- Two fixed and 2 swiveling (one with brake) wheels, Ø125 mm
- High quality TPU material resistant to chemicals

Accessories:

- Can be equipped with Ceta Form CFS Tool Modules (pages 40 - 56)
- Compatible with tool chest A06-04JS for capacity expansion (page 30)
- Compatible with A01-PM tool panels (page 27)




RAL 7021

RAL 3020




700x370 mm



CODE NO

A01-07J

A01-08J



7 Drawer

8 Drawer

5x type1, H: 70 mm

7x type1, H: 70 mm

1x type2, H: 110 mm

1x type3, H: 90 mm

1x type4, H: 135 mm

HxWxD / mm

975x890x450

975x890x450



72

74

01 Tool Containers and Assortments

Mobile Workshop Storage

A02 Series

GT Roller Cabinets (Empty)



Body:

- Torsion resistant profile construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Recessed Workshop ensuring a convenient working area
- A02-04 with an integrated locker for bulky parts

Drawers:




- Central locking with cylinder lock
- Low friction telescopic ball-bearing slides allowing 100% opening of drawers
- Load capacity per drawer: 25 kg (50 kg for h 210 mm drawers)

Wheel System:


- Two fixed and 2 swiveling (one with brake) wheels, Ø100 mm
- High quality TPU material resistant to chemicals

Accessories:

- Can be equipped with Ceta Form CFS Tool Modules (pages 40 - 56)
- Compatible with tool chest A06-04 for capacity expansion (page 30)



CODE NO	A02-04	A02-05	A02-06
	3 Drawer 3x type1, H: 70 mm	5 Drawer 4x type1, H: 70 mm 1x type3, H: 210 mm	6 Drawer 5x type1, H: 70 mm 1x type2, H: 130 mm
HxWxD / mm	825x630x450	825x630x450	825x630x450
kg	38	47	49



Mobile Workshop Storage

A03-SD

Basic Tool Cart (Standard Duty)

- Sturdy and dependable construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Recessed Workshop ensuring a convenient working area
- All Workshops covered with a PVC mat
- Adjustable central tray location
- Two fixed and 2 swiveling (one with brake) wheels, Ø100 mm
- Maximum static load capacity: 300 kg (distributed between 3 shelves)
- Flat-pack design, easy and low cost to ship; quick and easy to assemble



RAL 7021

CODE NO	HxWxD / mm	kg
A03-SD	930 x 760 x 460	29

A03-ID

Basic Tool Cart (Heavy Duty)

- Sturdy and dependable construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Recessed Workshop ensuring a convenient working area
- All Workshops covered with a PVC mat
- Two fixed and 2 swiveling (one with brake) wheels, Ø125 mm
- Maximum static load capacity: 450 kg (distributed between 2 shelves)



RAL 7021

CODE NO	HxWxD / mm	kg
A03-ID	950 x 910 x 560	35

01 Tool Containers and Assortments

Mobile Workshop Storage

A01-W Series

GT-PLUS XL Roller Cabinets (Empty) - 6 Drawers

GT PLUS



Body:

- Torsion resistant profile construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Side section with two compartments
- Lockable door for the side section
- **A01-06W:** Recessed Workshop
- **A01-06WW:** Multiplex wood workshop (oil treated)

Drawers:

- Central locking with cylinder lock
- Individual drawer lock system on each drawer to prevent unintentional opening
- Low friction telescopic ball-bearing slides allowing 100% opening of drawers
- Load capacity per drawer: 25 kg (50 kg for h 210 mm drawers)

Wheel System:

- Two fixed and 2 swiveling (one with brake) wheels, Ø125 mm
- High quality TPU material resistant to chemicals

Accessories:

- Can be equipped with Ceta Form CFS Tool Modules (pages 40 - 56)
- A01-W Series compatible with tool chest A06-08JX for capacity expansion (page 30)
- Compatible with A01-PL tool panel (page 27)




A01-06W




RAL 7021


RAL 3020



525x370 mm



A01-06WW
Wood Workshop

CODE NO	HxWxD / mm		 kg
A01-06W	997x1085x450	6 Drawer 4x type1, H: 70 mm 1x type3, H: 110 mm 1x type5, H: 210 mm	74
A01-06WW	997x1085x450	6 Drawer 4x type1, H: 70 mm 1x type3, H: 110 mm 1x type5, H: 210 mm	82

Mobile Workshop Storage

A01-11 Series

GT-PLUS Jumbo XL Roller Cabinets (Empty) – 11 Drawers

GT PLUS

“The wide body roller cabinet for maximum capacity requirements”


Body:

- Torsion resistant profile construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Recessed Workshop ensuring a convenient working area
- A01-11: Recessed Workshop
- A01-11W: Multiplex wood workshop (oil treated)

Drawers:

- Central locking with cylinder lock
- Individual drawer lock system on each drawer to prevent unintentional opening
- Low friction telescopic ball-bearing slides allowing 100% opening of drawers
- Load capacity per drawer: 25 kg (50 kg for h 210 mm drawers)

Wheel System:

- Two fixed and 2 swiveling (one with brake) wheels, Ø125 mm
- High quality TPU material resistant to chemicals

Accessories:



- Can be equipped with Ceta Form CFS Tool Modules (pages 40 - 56)
- Compatible with A01-PL tool panel (page 27)



525x370 mm



350x370 mm


A01-11


RAL 7021

RAL 3020



A01-11W
Wood Workshop

CODE NO	HxWxD / mm	526 mm 385 mm	395 mm 385 mm	kg
A01-11	1020x1085x500	5 Drawer 3x type1, H: 70 mm 1x type2, H: 110 mm 1x type3, H: 210 mm	5 Drawer 3x type1, H: 70 mm 1x type2, H: 110 mm 1x type3, H: 210 mm	90
		Extra 1x wide drawer 982x385 mm, H: 90 mm		
A01-11W	1020x1085x500	5 Drawer 3x type1, H: 70 mm 1x type2, H: 110 mm 1x type3, H: 210 mm	5 Drawer 3x type1, H: 70 mm 1x type2, H: 110 mm 1x type3, H: 210 mm	96.6
		Extra 1x wide drawer 982x385 mm, H: 90 mm		

01 Tool Containers and Assortments

Workbenches

A17L-NW

Workbench (Wood Workshop)

- Stable steel framework, rigid structure
- Multiplex wood workshop (oil treated)
- Can be bolted to the floor
- Flat-pack design, easy and low cost to ship; quick and easy to assemble

Production in custom dimensions is possible, please consult your sales representative.



CODE NO	HxWxD / mm	
A17L-NW	950 x 1700 x 700	45

A17L-NS

Workbench (Stainless Steel Workshop)



- All structural specs same as A17L-NW
- Stainless steel Workshop

CODE NO	HxWxD / mm	
A17L-NS	950 x 1700 x 700	59

A17L-NG

Workbench (Galvanized Steel Workshop)



- All structural specs same as A17L-NW
- Galvanized steel Workshop

CODE NO	HxWxD / mm	
A17L-NG	950 x 1700 x 700	64

Workbenches

A17D Series

Heavy Duty Workbenches - 3 Drawers

- Stable steel framework, rigid structure
- Multiplex wood workshop, oil treated (optionally available in galvanized steel and stainless steel)
- 3 drawers - 100% opening - can be equipped with CFS Tool Modules (pages 40 - 56)
- Can be bolted to the floor



A17D-S



A17D-G




A17D-W

CODE NO	HxWxD / mm	Workshop	kg
A17D-W	950 x 1700 x 700	Wooden	69
A17D-S	950 x 1700 x 700	Stainless Steel	84
A17D-G	950 x 1700 x 700	Galvanized	89



RAL 7021

RAL 3020



525x370 mm

A17D-P Series

Heavy Duty Workbenches (with Tool Panel) - 3 Drawers

- Stable steel framework, rigid structure
- Multiplex wood workshop, oil treated (optionally available in galvanized steel and stainless steel)
- Integrated heavy duty tool panel A20-170 (page 27)
- 3 drawers - 100% opening - can be equipped with CFS Tool Modules (pages 40 - 56)
- Can be bolted to the floor

Delivery without hooks, please order separately (page 29)



A17D-SP



A17D-GP




A17D-WP

CODE NO	HxWxD / mm	Workshop	kg
A17D-WP	950 x 1700 x 730	Wooden	88
A17D-SP	950 x 1700 x 730	Stainless Steel	103
A17D-GP	950 x 1700 x 730	Galvanized	108



RAL 7021

RAL 3020



525x370 mm

01 Tool Containers and Assortments

Tool Panels

A20-200SH

Tool Panel With Shutter (Empty) – L

- Euro perforation compatible with A7H series Ceta Form hooks
- Sturdy and dependable steel construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Aluminium shutter, vertically adjustable, with lock
- Suitable for wall mounting

Delivery without hooks, please order separately (page 27)



CODE NO	WxHxD / mm	kg
A20-200SH	2000 x 900 x 215	51



A20-110SH

Tool Panel With Shutter (Empty) – M

- All structural specs same as A20-200SH
- Smaller dimensions compared to A20-200SH



CODE NO	WxHxD / mm	kg
A20-110SH	1140 x 900 x 215	30



Tools on the panel illustrated above are for image purpose only, actual delivery without any tools

Tool Panels and Hooks

A20 Series

Perforated Tool Panels

- Euro perforation compatible with A17H series Ceta Form hooks
- Sturdy and dependable construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- A20-170 also compatible to A17L series workbenches

Delivery without hooks, please order separately

CODE NO	HxW / mm	kg
A20-100	1000 x 700	9
A20-170	1700 x 900	19



A01-PS

Perforated Tool Panel for GT-PLUS Series

- Euro perforation
- Compatible with standard width GT-PLUS cabinets (A01-06, 07, 08)
- Delivery without any accessories or tools

Delivery without hooks, please order separately



CODE NO	HxW / mm	kg
A01-PS	600 x 620	5

A01-PM

Perforated Tool Panel for GT-PLUS Series - Jumbo

- Euro perforation
- Compatible with GT-PLUS Jumbo cabinets (A01-07J, 08J)
- Delivery without any accessories or tools

Delivery without hooks, please order separately



CODE NO	HxW / mm	kg
A01-PM	600 x 796	6.5

A01-PL

Perforated Tool Panel for GT-PLUS Series - XL

- Euro perforation
- Compatible with XL width GT-PLUS cabinets (A01-06W, A01-06WW, A01-11, A01-11W)

Delivery without hooks, please order separately



CODE NO	HxW / mm	kg
A01-PL	600 x 1128	7.7

A17H Series

Hooks for Perforated Panels



- Particularly for use on side and rear tool panels of tool cabinets and panels for workbenches, suitable for Euro perforations

CODE NO	L / mm	kg
A17H-S25	25	12 •
A17H-S50	50	12 •
A17H-D50	50	12 •

01 Tool Containers and Assortments

Accessories

A01M-LD

Lateral Door for GT-MAX Series (Lockable)

- For right side panel on GT-MAX and GT-MAX Jumbo Series (A01M-06,07,08 and A01M-07J, 08J)
- 95 mm clear depth and approximately 750 mm usable height



CODE NO

A01M-LD



1

A01M-DH

Document Holder for GT-MAX Series

- For right side panel on GT-MAX and GT-MAX Jumbo Series (A01M-06,07,08 and A01M-07J, 08J)
- For A4 size documents



CODE NO

A01M-DH



1

A01M-CH

Spray Can Holder for GT-MAX Series

- For right side panel on GT-MAX and GT-MAX Jumbo Series (A01M-06,07,08 and A01M-07J, 08J)



CODE NO

A01M-CH



1

A01-PM Series

PVC Mat for Cabinet Workshops

- **A01-PM/S:** for A01 and A02 Series
- **A01-PM/J:** for A01-J Series
- **A01-PM/W:** for A01-W Series
- **A01-PM/XL:** A01-11 Series
- Textured design



CODE NO

HxW / mm



A01-PM/S

445 x 625

1

A01-PM/J

445 x 800

1

A01-PM/W

445 x 1080

1

A01-PM/XL

495 x 1080

1

A01M-PR

Paper Reel Holder for GT-MAX Series

- For right side panel on GT-MAX and GT-MAX Jumbo Series (A01M-06,07,08 and A01M-07J, 08J)
- For paper reels with a Ø up to 300 mm and width up to 290 mm
- Delivery without paper reel



CODE NO

A01M-PR



1



Spare Parts

A-SL

Spare Lock



CODE NO	FOR	
A-SL	GT-MAX, GT-PLUS, GT Series	1

A-SH

Spare Handle (for Roller Cabinets)



CODE NO	FOR	
A-SH	GT-MAX, GT-PLUS, GT Series	1

A-SW100 Series

Spare Wheels - Ø100
(for GT Series and A03-SD)

CODE NO	TYPE	Ø / mm	
A-SW100	Wheel only	100	1
A-SW100F	Fixed	100	1
A-SW100S	Swiveling	100	1
A-SW100SB	Swiveling with Brake	100	1

A-STR-4045

Telescopic Slide (Pair)

new



- Fits to GT-MAX, GT-PLUS and GT roller cabinets

CODE NO	LxW / mm	
A-STR-4045	400x45	1

A-SW Series

Spare Worktops (for GT-MAX & GT-MAX Jumbo Series)



CODE NO	HxWxD / mm	FOR	
A-SWS-01M	35x745x455	GT-MAX	1
A-SWJ-01M	35x920x455	GT-MAX Jumbo	1

A-SW125 Series

Spare Wheels - Ø125
(for GT-MAX, GT-Plus Series and A03-ID)

CODE NO	TYPE	Ø / mm	
A-SW125	Wheel only	125	1
A-SW125F	Fixed	125	1
A-SW125S	Swiveling	125	1
A-SW125SB	Swiveling with Brake	125	1

01 Tool Containers and Assortments


Tool Chests / Trolley

A06-04

Tool Chest (Empty) - 4 Drawers



- Sturdy and dependable construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- 80 mm deep top locker with integrated locking mechanism
- Low friction telescopic ball-bearing slides allowing 100% opening of drawers
- Load capacity per drawer: 25 kg
- Easily fits onto GT and GT-PLUS cabinets allowing capacity expansion
- Integrated carrying handles


CODE NO	HxWxD / mm		 kg
A06-04	492 x 625 x 442	4 Drawer: 3x tip 1, H: 70 mm 1x tip 2, H: 90 mm	35

A06-04JS

Jumbo Tool Chest (Empty) - 4 Drawers



- All structural specs same as A06-04 but with different dimensions
- Easily fits onto GT-PLUS Jumbo cabinets allowing capacity expansion



CODE NO	HxWxD / mm		 kg
A06-04JS	492 x 800 x 442	4 Drawer: 3x tip 1, H: 70 mm 1x tip 2, H: 90 mm	42

A06-08JX

Jumbo Tool Chest (Empty) - 8 Drawers



- All structural specs same as A06-04 but with different dimensions and more drawers
- Easily fits onto GT-PLUS A01-06W cabinets allowing capacity expansion

CODE NO	HxWxD / mm		
A06-08JX	492 x 1075 x 442	4 Drawer: 3x tip 1, H: 70 mm 1x tip 2, H: 90 mm	4 Drawer: 3x tip 3, H: 70 mm 1x tip 4, H: 90 mm

A06-CT

Caddy Trolley (for Tool Chests)



- Sturdy and dependable construction from heavy gauge steel
- Particularly for use with tool chests A06-04 and A06-04JS
- Two fixed and 2 swiveling (one with brake) wheels, Ø100 mm
- Convenient fold-away handle
- Worktop covered with a PVC mat
- Maximum static load capacity: 350 kg

CODE NO	HxWxD / mm	 kg
A06-CT	165 x 810 x 450	12

Tool Boxes / Cantilever Tool Boxes

A07-02

Tool Box (Empty) - 2 Drawers



- Sturdy and dependable construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- 95 mm deep top locker with integrated locking mechanism
- Low friction telescopic ball-bearing slides allowing 100% opening of drawers
- Extra latches for added security
- Carrying handles, dip coated
- Internal dimensions of drawers: 485x200x45 x1, 485x200x55 x1

CODE NO	HxWxD / mm		
A07-02	250 x 565 x 255	1	11

A07-03

Tool Box (Empty) - 3 Drawers



- All structural specs same as A07-02 but with different dimensions and more drawers
- Internal dimensions of drawers: 485x200x45 x2, 485x200x55 x1

CODE NO	HxWxD / mm		
A07-03	300 x 565 x 255	1	11.5

A07-0301

Aerospace Tool Box (Empty) - 3 Drawers



- Sturdy and dependable construction from heavy gauge steel
- Corrosion resistant and scratch-proof mat powder coated
- Textured Aluminium sheeting on the lid, galvanized steel reinforcement at the bottom part
- 95 mm deep top locker and integrated extra storage area under the lid
- Low friction telescopic ball-bearing slides allowing 100% opening of drawers
- High quality latches and extra lock bar to secure all drawers with a padlock
- Carrying handles, dip coated
- Internal dimensions of drawers: 485x200x45 x2, 485x200x55 x1

CODE NO	HxWxD / mm		
A07-0301	310 x 560 x 230	1	14

A25 Series

Cantilever Tool Boxes



- Foldout construction for easy access to the tools in the box
- Large storage capacity
- Dependable sheet steel construction, scratch-proof powder coated
- Padlock clasp (delivery without padlock)

CODE NO	WxHxD / mm	TRAYS	
A25-5	420 x 195 x 200	5	1
A25-5L	510 x 195 x 200	5	1

01 Tool Containers and Assortments

RAPTOR Tool Case Programme

Ceta Form has introduced a new tool case programme for professionals working in challenging conditions. Look after your tools with Raptor – a highly versatile case for technicians, engineers and maintenance operatives.



IP67

- ✓ Waterproof design
- ✓ Customizable tool fixing system
- ✓ Impact resistant material
- ✓ Stackability
- ✓ Soft grip handle

A32 Raptor Tool Case (Empty)



CODE NO	WxHxD / mm	
A32	530 x 400 x 180	1

A32H Raptor Tool Case - Mobility (Empty)



CODE NO	WxHxD / mm	
A32H	530 x 400 x 230	1

A32/T Add On Telescopic Wheel Kit for A32



CODE NO	WxHxD / mm	
A32/T	320 x 490 / 920 x 70	1

Plastic Tool Boxes

A27-PL Series

Plastic Tool Boxes

- Compact dimensions with highest possible storage capacity
- Two organizers on top with lids
- Removable tote tray
- Sturdy plastic latches
- Padlock clasp (padlock not supplied)



A27-22PL



A27-19PL



A27-16PL

CODE NO	WxHxD / mm	
A27-16PL	434 x 239 x 194	8 •
A27-19PL	494 x 263 x 250	8 •
A27-22PL	582 x 310 x 293	6 •

A27J-28

28" Portable Tool Chest

new

- High quality plastic wheels
- Safe and reliable metal carry handle for mobility
- Built-in organizer on top
- Sturdy latches



CODE NO	WxHxD / mm	
A27J-28	595 x 420 x 380	1

01 Tool Containers and Assortments

Textile Tool Bags

A26-ET01

Technician's Tool Bag – Plus



- Made of high strength polyester fabric
- Fold-out front pouch allows for easy access to tools
- Large selection of tool and pen pouches in the front section
- Extra removable tool panel in front section with tool pouches and elastic loops
- Lined inside pouch for laptop and DIN A4 documents
- Water splash protected bottom
- Shoulder strap and two carry loops



CODE NO	WxHxD / mm	
A26-ET01	440 x 340 x 200	1

A26-IT01

Technician's Tool Bag



- Made of high strength polyester fabric
- Easily accessible front section with a large selection of tool pouches and elastic loops
- Back inside section for laptop and DIN A4 documents
- Extra rear and front pockets with zipper
- Water splash protected bottom
- Shoulder strap and two carry loops



CODE NO	WxHxD / mm	
A26-IT01	460 x 340 x 150	1

A26-BP01

Technician's Backpack



- Made of high strength polyester fabric
- Easily accessible front section with a large selection of tool pouches
- Back inside section for laptop and DIN A4 documents
- Water splash protected bottom
- Extra side and front pockets
- Adjustable chest and waist strap
- Padded back for increased comfort



CODE NO	WxHxD / mm	
A26-BP01	355 x 460 x 225	1

Textile Tool Bags

A26-TB Series

Tool Bags



A26-TB12



A26-TB19

- Made of high strength polyester fabric
- Generous interior storage area for bulky tools
- Exterior and interior tool pockets
- Extra exterior pockets with zipper
- Water splash protected bottom
- Shoulder strap and two carry loops

CODE NO	WxHxD / mm	
A26-TB12	300 x 190 x 150	1
A26-TB19	500 x 280 x 260	1

A26-PB01

Belt Pouch

new


- Made of high strength polyester fabric
- Easy to reach tool pockets for up to 6 tools
- Metal belt clip

CODE NO	WxH / mm	
A26-PB01	170x330	1

01 Tool Containers and Assortments

Tool Sets

A50M-98A07

98 Piece Mechanic's Tool Set

98 PIECE

- The perfect tool kit for professional mechanics in the industry and trade
- All tools in the set are genuine industrial quality unlike most other combination tool kits on the market
- Delivered in 3 drawer tool box A07-03
- All tools in foam inlays



CODE NO	PIECES	WxHxD / mm
A50M-98A07	98	300x565x255



B01 12 PC
6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22 mm



LT/900 9 PC
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



LT/700L 8 PC
T9, T10, T15, T20, T25, T27, T30, T40



C02-H 12 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm



C22-H 18 PC
8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm



C01-80
38 mm



C21-80



C01-40



C01-70 2 PC
50 mm, 150 mm



C21-40



C21-70 2 PC
125 mm, 250 mm



C01-12



C21-12



C01-20



F10 4 PC
3.0x75, 4.0x100, 5.5x125, 6.5x150 mm



F14 2 PC
PH1x80, PH2x100 mm



6105CP
3 mm



E01-41-0180
180 mm



E06-41-0160
160 mm



E15-41-0160
160 mm



F10/TP
5.5 x 25 mm



F14/TP
PH2 x 25 mm



L25-200-2
24x200 mm



L29-4
4 mm



L31 4 PC
3, 4, 5, 6 mm



P05-0519
5M x 19 mm



P15 2 PC
15, 30 cm



P54-205
Metric - 20 Blade



L01-500
500 gr



L12-40
Ø 40 mm



E50-240-2
240 mm



E30-54-0250
250 mm



R11-PEN



J45CPM
18 mm

Tool Sets

A50AS-159A07**159 Piece Aerospace Tool Set**

- The perfect tool kit for aircraft mechanics
- All tools in the set are genuine industrial quality
- Delivered in 3 drawer tool box A07-0301 developed particularly for the aerospace industry
- All tools in foam inlays

CODE NO	PIECES	WxHxD / mm
A50AS-159A07	159	310 x 560 x 230

159 PIECE

B01AS
7/32 inch



B01A 15 PC
1/4, 9/32, 5/16, 11/32, 3/8, 7/16,
1/2, 9/16, 5/8, 11/16, 3/4, 13/16,
7/8, 15/16, 1 inch



B09SA 9 PC
7/32, 15/64, 1/4, 9/32, 5/16, 11/32,
3/8, 7/16, 1/2 inch



B07A 3 PC
1/4x5/16, 3/8x7/16, 1/2x9/16 inch



F26/BR2



C02A-B 10 PC
3/16, 7/32, 1/4, 9/32, 5/16,
11/32, 3/8, 7/16, 1/2, 9/16 inch



C04A-B 10 PC
3/16, 7/32, 1/4, 9/32, 5/16,
11/32, 3/8, 7/16, 1/2, 9/16 inch



C02UA 9 PC
7/32, 1/4, 9/32, 5/16, 3/8, 11/32,
7/16, 1/2, 9/16 inch



C08AS-H 11 PC
1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4, 5/16 inch



C01-T90



C01-70 4 PC
50, 75, 100, 150 mm



C01-75F
150 mm



C12A-B 13 PC
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8,
11/16, 3/4, 13/16, 7/8, 15/16, 1 inch



C14A-B 13 PC
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8,
11/16, 3/4, 13/16, 7/8, 15/16, 1 inch



BT/8003



C01-92
D:1/4" < E:3/8"



C11-91
D:3/8" > E:1/4"



C11-T90



C11-36MR
250 mm



C11-50MR
420 mm



C11-70 3 PC
75, 150, 250 mm



C11-80



E01-44-0160
160 mm



E06-44-0160
160 mm



E15-44-0160
160 mm



B21-B 2 PC
150 mm, 250 mm



E50-2 2 PC
140 mm, 240 mm



E30-54-0250
250 mm



E80-230R
230 mm



F26/RDS 12 in 1



F10 2 PC
5.5x100, 12x250 mm



F14
PH2x100 mm



Z/12



Z/55



K99-F2M 9 PC
0.05, 1/16, 5/64, 3/32, 7/64, 1/8,
9/64, 5/32, 3/16 inch



L12-40
Ø 40 mm



L35A-51 5 PC
Chisel and Punch Set - US Spec.



R20R
Ø 50 -25/90cm



R15-1000
1000 gr



R16-700
500 gr



R36-1



L02-12
340 gr



3100/TF2



R.P6
250 lumens

01 Tool Containers and Assortments

Tool Sets

A50M-43

43 PIECE

43 Piece Mechanic's Tool Set

- The perfect tool kit for professional mechanics in the industry and trade
- All tools in the set are of genuine industrial quality unlike most other combination tool kits on the market
- Available in different tool boxes and tool cases



43 Piece Tool Set

Sets in Tool Boxes

Contents Only

(A50M-43+A25-5L)

(A50M-43+A27-19PL)

(A50M-43+A32)

(A50M-43+A32H)



CODE NO

A50M-43

A50M-43A25

A50M-43A27

A50M-43A32

A50M-43A32H

A50M-80PH4

new

80 Piece Universal Tool Set

- The perfect tool kit for professional users in the industry and trade
- All tools in the set are genuine industrial quality unlike most other combination tool kits on the market
- Rigid and durable high density Polyethylene (HDPE) case

This set is the upgraded actual version of the successful A50M-75PH2 and will replace it as of January 2023.



CODE NO	PIECES	WxHxD / mm
A50M-80PH4	80	440x320x100



C22-H 14 PC ○ $\frac{1}{2}$
8, 10, 11, 12, 13, 14, 15, 16, 17, 18,
19, 21, 22, 24 mm

C21-80 $\frac{1}{2}$ "

C11-92 $\frac{3}{8}$ "
D:3/8" x E:1/2"



C21-70 2 PC
125 mm, 250 mm

C21-14N $\frac{1}{2}$ 

E01-41-0180
180 mm



E30-54-0250
250 mm



B01 8 PC
8, 10, 11, 12, 13, 14, 17, 19 mm



J45C
18 mm



LT/9 9 PC ○
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



L01-300
300 gr



P05-0519
5M x 19 mm



F10 3 PC
2.5x75, 4.0x100, 5.5x125 mm



F14 2 PC ⊕
PH1x80, PH2x100 mm




6105CP 
3.0 x140 mm

F26/BT CB/ST31 31 PC     

R11-MINI

01 Tool Containers and Assortments



CETA FORM Tool Modules

Traceability and efficiency at its best

Today's complex MRO and manufacturing environments require intelligent tool storage systems. Particularly in aerospace and automotive industries, this necessity is even higher.


The Ceta Form Foam System (CFS) addresses these requirements in a perfect way. It ensures that no tool is left where it may pose a security risk. Therefore the highest degree of traceability and efficiency is guaranteed.

Get organized and have full control over your tools with CFS tool modules.



B99-E41

41 Piece Wrench Set



CODE NO	PIECES
B99-E41	41

- B01** 21 PC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm Combination Wrenches
- B09** 10 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32 mm Double Open End Wrenches
- B14** 10 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32 mm Double Ring End Wrenches

EL-E34

34 Piece Tool Set



CODE NO	PIECES
EL-E34	34

- E01-41** 180 mm Combination Pliers
- E06-41** 160 mm Diagonal Cutter
- E15-41** 200 mm Long Nose Pliers
- E16-41** 200 mm Bent Long Nose Pliers
- E30-54** 250 mm Water Pump Pliers (Box Joint)
- E50-2** 240 mm Grip Pliers (Curved Jaws)
- E65-44** 180 mm External Circlip Pliers (Straight-with Spring)
- E66-44** 180 mm External Circlip Pliers (Bent-with Spring)
- E67-44** 180 mm Internal Circlip Pliers (Straight-without Spring)
- E68-44** 180 mm Internal Circlip Pliers (Bent-without Spring)
- N12-10** Hose Clamp Pliers (for Spring Band Hose Clamps)
- J45CPM** C-Pro Utility Knife (Metal Body) - 18 mm
- J45-R** 10 PC: 18 mm Utility Knife Blade
- L01-500** Machinist's Hammer - 500 gr
- L12-40** Soft Face Hammer - Ø40 mm
- L12-R40** Spare Plastic Heads (for L12-40) - Single
- L25-200-2** Flat Chisel - 24x200 mm
- L29-4** Centre Punch - Ø4 x 120 mm
- L31** 4 PC: Ø(3, 4, 5, 6) x 150 mm Parallel Pin Punch
- P05-0519** Compact Tape Measure (5 M x 19 mm)
- P15-030** Stainless Steel Rule - 30 cm
- P54-205** Feeler Gauge (Metric) - 20 Leaf (0,05 - 1,0 mm)

F99-E95

95 Piece Screwdriver and L/T Key Set



CODE NO	PIECES
F99-E95	95

- F10** 4 PC: 3x75, 4x100, 5.5x125, 6.5x150 mm C-PLUS Slotted Screwdrivers
- F14** 2 PC: PH1x80, PH2x100 mm C-PLUS Phillips Screwdrivers
- F10/TP** 5.5x25 mm C-PLUS Slotted Stubby Screwdriver
- F14/TP** PH2x25 mm C-PLUS Phillips Stubby Screwdriver
- F18** 7 PC: T10x80, T15x80, T20x100, T25x100, T27x115, T30x115, T40x130 mm C-PLUS TORX Screwdrivers
- F20** 5 PC: (6, 7, 8, 10, 13)x125 mm C-PLUS Nut Drivers
- H01** 4 PC: 1.5x40, 2x60, 2.5x80, 3x80 mm Electronics Slotted Screwdrivers
- H02** 2 PC: PH00x60, PH0x60 mm Electronics Phillips Screwdrivers
- K10** 6 PC: 2x100, 2.5x100, 3x100, 4x150, 5x150, 6x200 mm T-Handle Hexagon Key
- LT/900** 9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Ball End Hexagon L Key Set (Long Arm)
- LT/700L** 8 PC: T9, T10, T15, T20, T25, T27, T30, T40 TORX L Key Set (Long Arm)
- F26/BT** C-PLUS Bit Driver - 1/4" x 100 mm
- CB/ST31** 31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder
- F26/RDS** 12-in-1: Stubby Ratchet Bit Driver Set
- F26/BR2** Reversible Bit Ratchet#2 - 1/4" x 90 mm
- 6105CP** Voltage Tester (for 110 to 250V-VDE Approved)



700x370 mm



Choose from almost 100 variants of modules or let us design to your specific configuration.

The use of two color allows the user to instantly detect a missing tool.

Chemically resistant, durable yet flexible foam inlays. Finger spaces for easy removal of tools



175x370 mm



350x370 mm



525x370 mm



700x370 mm

KNR-E37

37 Piece Tool Set



CODE NO	2023	PIECES
KNR-E37		37
K20	4 PC: (7, 8, 10, 13)x125 mm T-Handle Nut Drivers	
K10	6 PC: 2x100, 2.5x100, 3x100, 4x150, 5x150, 6x200mm T-Handle Hexagon Keys	
K12	7 PC: T10x100, T15x100, T20x150, T25x150, T27x150, T30x150, T40x150 mm T-Handle TORX Keys	
N12-05	Antifreeze Tester - 200 mm	
N14-0615	Oil Filter Band Wrench - Ø 60-100 mm	
N14-06R	4 PC: Spare Strap (for N14-0615)	
N21-10	Brake Caliper Brush - 220 mm	
N31-1105	5 PC: Trim and Upholstery Removal Set	
N31-12	Trim Clip Removal Tool - 150 mm	
R11-PEN	Stylus LED Flashlight - 100 lumen	
R15-1000	Magnetic Pick-Up Tool (Cap.: 1000 gr)	
R36-1	Straight Pick	
R36-2	Angle Pick	
R36-3	90° Pick	
R36-4	Hook Pick	
R37-25	Seal Scraper - 25 x 150 mm	

JLR-E62

62 Piece Tool Set



CODE NO	2023	PIECES
JLR-E62		62
J55-108H	Hand File (Bastard) - 20 x 200 mm	
J56-108H	Half-Round File (Bastard) - 20 x 200 mm	
J57-108H	Round File (Bastard) - Ø7.5 x 200 mm	
J58-108H	Square File (Bastard) - 8 x 200 mm	
J59-108H	Three Square File (Bastard) - 15 x 200 mm	
J75-R06	6 PC: Needle File Set	
J45CPM	C-Pro Utility Knife (Metal Body) - 18 mm	
J45-R	10 PC: Utility Knife Blade - 18 mm	
L01-500	Machinist's Hammer - 500 gr	
L12-40	Soft Face Hammer - Ø 40 mm	
L12-R40	Spare Plastic Head - Ø 40 mm (Single)	
L25-200-2	Flat Chisel - 24x 200 mm	
L29-4	Centre Punch - Ø4 x 120 mm	
L31	4 PC: Ø(3, 4, 5, 6) x 150 mm Parallel Pin Punch	
P05-0519	Compact Tape Measure (5 M x 19 mm)	
P15-030	Stainless Steel Rule - 30 cm	
P54-205	Feeler Gauge (Metric) - 20 Leaf (0.05 - 1.0 mm)	
R11-PEN	Stylus LED Flashlight - 100 lumen	
R15-1000	Magnetic Pick-Up Tool (Cap: 1000 gr) - 400 mm	
A205210	19 PC: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm HSS Drill Bit Set	
R35CT	Carbide Tipped Scrubber - 145 mm	
R36-1	Straight Pick	
R36-2	Angle Pick	
R36-3	90° Pick	
R36-4	Hook Pick	
R37-25	Seal Scraper - 25 x 150 mm	
R40-4	Steel Wire Brush (4 Row) - 275 mm	


CF-E105

105 Piece Screwdriver and 1/2" Drive Socket Bit Set



CODE NO	2023	PIECES
CF-E105		105
F10	4 PC: 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm C-PLUS Slotted Screwdrivers	
F14	2 PC: PH1x80, PH2x100 mm C-PLUS Phillips Screwdrivers	
F10/TP	5.5 x 25 mm C-PLUS Slotted Stubby Screwdriver	
F14/TP	PH2 x 25 mm C-PLUS Phillips Stubby Screwdriver	
F18	7 PC: T10x80, T15x80, T20x100, T25x100, T27x115, T30x115, T40x130 C-PLUS TORX Screwdrivers	
F26/BT	Bit Driver - 1/4" x 100 mm	
CB/ST31	31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder	
F26/RDS	12-in-1: Stubby Ratchet Bit Driver Set	
F26/BR2	Reversible Bit Ratchet#2 - 1/4" x 90 mm	
6105CP	Voltage Tester (for 110 to 250V-VDE Approved)	
G09-11	Car Electric Circuit Tester - 6/24 DC (V)	
LT/900	9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Ball End Hexagon L Key Set (Long Arm)	
LT/700L	8 PC: T9, T10, T15, T20, T25, T27, T30, T40 TORX L Key Set (Long Arm)	
C285-H	7 PC: (5, 6, 7, 8, 10, 12, 14) x 55 mm 1/2" Drive Hexagon Socket Bits - Short	
C285-T	9 PC: (T20, T25, T27, T30, T40, T45, T50, T55, T60) x 55mm 1/2" Drive TORX Socket Bits - Short	
C285-TL	4 PC: (T30, T40, T45, T50) x 100 mm 1/2" Drive TORX Socket Bits - Long	
C285-XL	3 PC: (M6, M8, M14) x 100 mm 1/2" Drive XZN Socket Bits - Long	
C285-XXL	2 PC: (M10, M12) x 140 mm 1/2" Drive XZN Socket Bits - Extra Long	
C285-X16	M16 x 55 mm 1/2" Drive XZN Socket Bits - Short	


01 Tool Containers and Assortments



B01-E21/2

21 Piece Combination Wrench Set

new




CODE NO	PIECES
B01-E21/2	21

B01 **21 PC:** 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm Combination Wrenches

B99-E24

24 Piece Combination and Double Open End Wrench Set




CODE NO	PIECES
B99-E24	24

B01 **16 PC:** 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm Combination Wrenches
B09 **8 PC:** 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm Double Open End Wrenches

B99-E241

24 Piece Combination and Double Ring End Wrench Set




CODE NO	PIECES
B99-E241	24

B01 **16 PC:** 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm Combination Wrenches
B14 **8 PC:** 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm Double Ring End Wrenches

B99-E32

32 Piece Wrench Set




CODE NO	PIECES
B99-E32	32

B01 **16 PC:** 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm Combination Wrenches
B09 **8 PC:** 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm Double Open End Wrenches
B14 **8 PC:** 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm Double Ring End Wrenches

B99A-E26

26 Piece Combination and Double Open End Wrench Set - SAE



CODE NO	PIECES
B99A-E26	26

B01A **16 PC:** 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1 1/16, 1 1/8, 1 1/4 inch Combination Wrenches - SAE
B09A **10 PC:** 1/4x5/16, 5/16x3/8, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/16x1-1/8 inch Double Open End Wrenches - SAE

B99A-E31

31 Piece Wrench Set - SAE



CODE NO	PIECES
B99A-E31	31

B01AS 7/32 inch Combination Wrench (12 Point - Short) - SAE
B01A **15 PC:** 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch Combination Wrenches - SAE
B07A **4 PC:** 1/4x5/16, 5/16x11/32, 3/8x7/16, 1/2x9/16 inch Ratchet Ring Wrenches (Straight)- SAE
B09SA **9 PC:** 7/32, 15/64, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 inch Short Angle Open End Wrenches - SAE
B21-B **2 PC:** 150, 250 mm Adjustable Wrenches (Phosphated)

BC-E08

8 Piece Tool Set



CODE NO	PIECES
BC-E08	8

B01 **3 PC:** 27, 30, 32 mm Combination Wrenches
B14 **2 PC:** 24x27, 30x32 mm Double Ring End Wrenches
C21-79W 1/2" Drive Wobble Extension Bar - 500 mm
C31-40 3/4" Drive Sliding T-Handle- 500 mm
N23-0750 Tyre Lever - 500 mm

BC-E081

8 Piece Tool Set



CODE NO	PIECES
BC-E081	8

B01 **3 PC:** 27, 30, 32 mm Combination Wrenches
B14 **2 PC:** 21x23, 24x26 mm Double Ring End Wrenches
C21-79W 1/2" Drive Wobble Extension Bar - 500 mm
C31-40 3/4" Drive Sliding T-Handle- 500 mm
N23-0750 Tyre Lever - 500 mm





525x370 mm

C99-E68H2

68 Piece 1/4" + 1/2" Drive 6-Point Socket Set



CODE NO	PIECES
C99-E68H2	68

C02-H	11 PC: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 1/4" Drive 6-Point Socket
C01-12	1/4" Drive Quick Release Reversible Ratchet
C01-20	1/4" Drive Spinner Handle (120 mm)
C01-40	1/4" Drive Sliding T-Handle (115 mm)
C01-73	1/4" Drive Extension Bar (100 mm)
C01-80	1/4" Drive Universal Joint
F26/BT	C-PLUS Bit Driver - 1/4" x 100 mm
BT/8001	1/4" Drive Bit Holder Socket (for 1/4" Bits)
CB/610	3 PC: 4, 5.5, 6.5 mm Slotted Bits
CB/250	2 PC: PH1, PH2 Phillips Bits
CB/350	2 PC: PZ1, PZ2 Pozidriv Bits
CB/800	6 PC: T10, T15, T20, T25, T30, T40 TORX Bits
CB/1800	4 PC: 3, 4, 5, 6 mm Hexagon Bits
C22-H	16 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm 1/2" Drive 6-Point Sockets
C21-12	1/2" Drive Quick Release Reversible Ratchet
C21-40	1/2" Drive Sliding T-Handle (250 mm)
C21-70	2 PC: 125, 250 mm 1/2" Drive Extension Bar
C21-80	1/2" Drive Universal Joint
BT/8007	1/2" Drive Bit Holder Socket (for 5/16" Bits)
CB/516SL	10 mm 5/16" Slotted Bit (Impact Grade)
CB/516PH	3 PC: PH2, PH3, PH4 5/16" Phillips Bits (Impact Grade)
CB/516TX	4 PC: T30, T40, T45, T50 5/16" TORX Bits (Impact Grade)
CB/516HX	3 PC: 5, 6, 8 mm 5/16" Hexagon Bits (Impact Grade)

BC-E40

40 Piece C-GEAR Ratcheting Combination Wrench and 1/2" Drive Socket Bit Set



CODE NO	PIECES
BC-E40	40

B05	6 PC: 8, 10, 12, 13, 17, 19 mm C-GEAR Ratcheting Combination Wrenches (Straight)
B19	10x11 mm Flare Nut Wrench
C28S-T	8 PC: (T25, T27, T30, T40, T45, T50, T55, T60) x 55 mm 1/2" Drive TORX Socket Bits - Short
C28S-H	9 PC: (5, 6, 7, 8, 10, 12, 14, 17, 19) x 55 mm 1/2" Drive Hexagon Socket Bits - Short
C28S-HBXL	4 PC: (6, 7, 8, 10 mm) x 140 mm 1/2" Drive Ball End Hexagon Socket Bits - Extra long
C28S-X	7 PC: (M5, M6, M8, M10, M12, M14, M16) x 55 mm 1/2" Drive XZN Socket Bits - Short
C28S-XL	2 PC: (M8, M14) x 100 mm 1/2" Drive XZN Socket Bits - Long
C28S-XXL	2 PC: (M10, M12) x 140 mm 1/2" Drive XZN Socket Bits - Extra Long
C68-X18	M18 x 78 mm 1/2" Drive Impact XZN Socket Bit

C99A-E96BMR

96 Piece 1/4" + 1/2" Drive 12-Point Socket Set- SAE



CODE NO	PIECES
C99A-E96BMR	96

C02A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Sockets - SAE
C04A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Deep Sockets - SAE
C08S-S	3 PC: 4, 5.5, 6.5 mm 1/4" Drive Slotted Socket Bits
C08S-PH	2 PC: PH1, PH2 1/4" Drive Phillips Socket Bits
C08S-PZ	2 PC: PZ1, PZ2 1/4" Drive Pozidriv Socket Bits
C08S-T	8 PC: T8, T10, T15, T20, T25, T27, T30, T40 1/4" Drive TORX Socket Bits
C08AS-H	11 PC: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 inch 1/4" Drive Hexagon Socket Bits - SAE
C01-T90	1/4" Drive T90 Sealed Reversible Ratchet
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-40	1/4" Drive Sliding T-Handle (115 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-75F	1/4" Drive Flexible Extension Bar- 150 mm
C01-80	1/4" Drive Universal Joint
C01-92	1/4" Socket Adaptor- (F: 1/4" - M: 3/8")
BT/8001	1/4" Drive Bit Holder Socket (for 1/4" Bits)
CB/800T	7 PC: T10, T15, T20, T25, T27, T30, T40 1/4" TORX Tamper Resistant Bits
C22A-B	15 PC: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4 inch 1-1/4 inch 1/2" Drive 12-Point Sockets - SAE
C21-T90	1/2" Drive T90 Sealed Reversible Ratchet
C21-40	1/2" Drive Sliding T-Handle (250 mm)
C21-70	2 PC: 125, 250 mm 1/2" Drive Extension Bar
C21-80	1/2" Drive Universal Joint
C21-91S	1/2" Drive Socket Adaptor (F: 1/2" - M: 3/8")
C21-92	1/2" Drive Socket Adaptor (F: 1/2" - M: 3/4")
BT/8007	1/2" Drive Bit Holder Socket (for 5/16" Bits)
CB/516SL	10 mm 5/16" Slotted Bit (Impact Grade)
CB/516PH	3 PC: PH2, PH3, PH4 5/16" Phillips Bits (Impact Grade)
CB/516TX	4 PC: T30, T40, T45, T50 5/16" TORX Bits (Impact Grade)
CB/516HX	3 PC: 5, 6, 8 mm 5/16" Hexagon Bits (Impact Grade)

C99-E99H2


99 Piece 1/4" + 1/2" Drive 6-Point Socket Set



CODE NO	PIECES
C99-E99H2	99

C02-H	12 PC: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Drive 6-Point Sockets
C04-H	11 PC: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 1/4" Drive 6-Point Deep Sockets
C08S-S	3 PC: 4, 5.5, 6.5 mm 1/4" Drive Slotted Socket Bits
C08S-PH	2 PC: PH1, PH2 1/4" Drive Phillips Socket Bits
C08S-PZ	2 PC: PZ1, PZ2 1/4" Drive Pozidriv Socket Bits
C08S-T	8 PC: T8, T10, T15, T20, T25, T27, T30, T40 1/4" Drive TORX Socket Bits
C08S-H	5 PC: 3, 4, 5, 6, 8 mm 1/4" Drive Hexagon Socket Bits
C01-12	1/4" Drive Quick Release Reversible Ratchet
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-40	1/4" Drive Sliding T-Handle (115 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-75F	1/4" Drive Flexible Extension Bar- 150 mm
C01-80	1/4" Drive Universal Joint
C01-92	1/4" Socket Adaptor- (F: 1/4" - M: 3/8")
BT/8001	1/4" Drive Bit Holder Socket (for 1/4" Bits)
CB/800T	7 PC: T10, T15, T20, T25, T27, T30, T40 TORX Tamper Resistant Bits
C22-H	18 PC: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm 1/2" Drive 6-Point Sockets
C24-H	3 PC: 13, 17, 19 mm 1/2" Drive 6-Point Deep Sockets
C21-12	1/2" Drive Quick Release Reversible Ratchet
C21-40	1/2" Drive Sliding T-Handle (250 mm)
C21-70	2 PC: 125, 250 mm 1/2" Drive Extension Bar
C21-80	1/2" Drive Universal Joint
C21-91S	1/2" Drive Socket Adaptor (F: 1/2" - M: 3/8")
C21-92	1/2" Drive Socket Adaptor (F: 1/2" - M: 3/4")
BT/8007	1/2" Drive Bit Holder Socket (for 5/16" Bits)
CB/516SL	10 mm 5/16" Slotted Bit (Impact Grade)
CB/516PH	3 PC: PH2, PH3, PH4 5/16" Phillips Bits (Impact Grade)
CB/516TX	4 PC: T30, T40, T45, T50 5/16" TORX Bits (Impact Grade)
CB/516HX	3 PC: 5, 6, 8 mm 5/16" Hexagon Bits (Impact Grade)

01 Tool Containers and Assortments



C99-E115H2

115 Pc. 1/4"+3/8"+1/2" Drive 6-Point Socket Set



CODE NO	PIECES
C99-E115H2	115
C02-H	12 PC: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Drive 6-Point Socket
C04-H	8 PC: 4, 5, 5.5, 6, 7, 8, 9, 10 mm 1/4" Drive 6-Point Deep Sockets
C08S-S	3 PC: 4, 5.5, 6.5 mm 1/4" Drive Slotted Socket Bits
C08S-PH	2 PC: PH1, PH2 1/4" Drive Phillips Socket Bits
C08S-PZ	2 PC: PZ1, PZ2 1/4" Drive Pozidriv Socket Bits
C08S-T	8 PC: T8, T10, T15, T20, T25, T27, T30, T40 1/4" Drive TORX Socket Bits
C08S-H	5 PC: 3, 4, 5, 6, 8 mm 1/4" Drive Hexagon Socket Bits
C01-12	1/4" Drive Quick Release Reversible Ratchet
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-40	1/4" Drive Sliding T-Handle (115 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-75F	1/4" Drive Flexible Extension Bar- 150 mm
C01-80	1/4" Drive Universal Joint
C01-92	1/4" Socket Adaptor- (F: 1/4" - M: 3/8")
BT/8001	1/4" Drive Bit Holder Socket (for 1/4" Bits)
CB/800T	7 PC: T10, T15, T20, T25, T27, T30, T40 TORX Tamper Resistant Bits
C12-H	14 PC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm 3/8" Drive 6-Point Sockets
C14-H	5 PC: 11, 12, 13, 14, 15 mm 3/8" Drive 6-Point Deep Sockets
C11-12	3/8" Drive Quick Release Reversible Ratchet
C11-40	3/8" Drive Sliding T-Handle (200 mm)
C11-70	2 PC: 75, 150 mm 3/8" Drive Extension Bar
C11-80	3/8" Drive Universal Joint
C11-91	3/8" Socket Adaptor- (F: 3/8" - M: 1/4")
C11-92S	3/8" Socket Adaptor- (F: 3/8" - M: 1/2")
C22-H	18 PC: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm 1/2" Drive 6-Point Sockets
C24-H	6 PC: 16, 17, 18, 19, 22, 24 mm 1/2" Drive 6-Point Deep Sockets
C27-R	2 PC: 16, 21 mm 1/2" Drive Spark Plug Sockets (Retaining Rubber)
C21-12	1/2" Drive Quick Release Reversible Ratchet
C21-40	1/2" Drive Sliding T-Handle (250 mm)
C21-70	2 PC: 125, 250 mm 1/2" Drive Extension Bar
C21-80	1/2" Drive Universal Joint
C21-91S	1/2" Drive Socket Adaptor (F:1/2" - M:3/8")
C21-92	1/2" Drive Socket Adaptor (F:1/2" - M:3/4")

C99-E95H2

95 Piece 1/4"+ 1/2" Drive 6-Point Socket Set



CODE NO	PIECES
C99-E95H2	95
C02-H	12 PC: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Drive 6-Point Socket
C06	5 PC: E4, E5, E6, E7, E8 1/4" Drive E-TORX Sockets
C08S-S	5.5 mm 1/4" Drive Slotted Socket Bit
C08S-PH	2 PC: PH1, PH2 1/4" Drive Phillips Socket Bits
C08S-T	9 PC: T6, T7, T8, T9, T10, T15, T20, T25, T27 1/4" Drive TORX Socket Bits
C08S-H	4 PC: 3, 4, 5, 6 mm 1/4" Drive Hexagon Socket Bits
C01-12	1/4" Drive Quick Release Reversible Ratchet
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-70	3 PC: 50, 100, 150 mm 1/4" Drive Extension Bar
C01-80	1/4" Drive Universal Joint
C01-92	1/4" Socket Adaptor- (F: 1/4" - M: 3/8")
C11-91	3/8" Socket Adaptor- (F: 3/8" - M: 1/4")
C11-92S	3/8" Socket Adaptor- (F: 3/8" - M: 1/2")
C22-H	17 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm 1/2" Drive 6-Point Sockets
C22-B	17 PC: 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm 1/2" Drive 12-Point Sockets
C26	6 PC: E10, E12, E14, E16, E18, E20 1/2" Drive E-TORX Sockets
C64W-H	2 PC: 17, 19 mm 1/2" Drive DuraMAX Impact Wheel Nut Socket
C21-12	1/2" Drive Quick Release Reversible Ratchet
C21-40	1/2" Drive Sliding T-Handle (250 mm)
C21-70W	3 PC: 50, 125, 250 mm 1/2" Drive Wobble Extension Bars
C21-80	1/2" Drive Universal Joint
C21-91S	1/2" Drive Socket Adaptor (F:1/2" - M:3/8")
C21-92	1/2" Drive Socket Adaptor (F:1/2" - M:3/4")
C31-91	3/4" Drive Socket Adaptor (F:3/4" - M:1/2)
C62-B	2 PC: 32, 36 mm 1/2" Drive 12-Point Impact Socket

C99-E114H2

114 Pc 1/4"+3/8"+1/2" Drive 6-Point Socket Set



CODE NO	PIECES
C99-E114H2	114
B17	4 PC: E6xE8, E10xE12, E14xE18, E20xE24 E-TORX Ring Wrenches
C02-H	12 PC: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Drive 6-Point Socket
C06	5 PC: E4, E5, E6, E7, E8 1/4" Drive E-TORX Sockets
C08S-S	3 PC: 4.0, 5.5, 6.5 mm 1/4" Drive Slotted Socket Bits
C08S-PH	2 PC: PH1, PH2 1/4" Drive Phillips Socket Bits
C08S-PZ	2 PC: PZ1, PZ2 1/4" Drive Pozidriv Socket Bits
C08S-H	5 PC: 3, 4, 5, 6, 8 mm 1/4" Drive Hexagon Socket Bits
C01-12	1/4" Drive Quick Release Reversible Ratchet
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-40	1/4" Drive Sliding T-Handle (115 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-80	1/4" Drive Universal Joint
C01-92	1/4" Socket Adaptor- (F: 1/4" - M: 3/8")
C12-H	12 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm 3/8" Drive 6-Point Sockets
C16	4 PC: E10, E11, E12, E14 3/8" Drive E-TORX Sockets
C11-12	3/8" Drive Quick Release Reversible Ratchet
C11-70	3 PC: 75, 150, 250 mm 3/8" Drive Extension Bar
C11-80	3/8" Drive Universal Joint
C11-91	3/8" Socket Adaptor- (F: 3/8" - M: 1/4")
C11-92S	3/8" Socket Adaptor- (F: 3/8" - M: 1/2")
C22-B	20 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32 mm 1/2" Drive 12-Point Sockets
C26	4 PC: E16, E18, E20, E24 1/2" Drive E-TORX Sockets
C64W-H	2 PC: 17, 19 mm 1/2" Drive DuraMAX Impact Wheel Nut Socket
C21-12	1/2" Drive Quick Release Reversible Ratchet
C21-40	1/2" Drive Sliding T-Handle (250 mm)
C21-70W	3 PC: 50, 125, 250 mm 1/2" Drive Wobble Extension Bars
C21-80	1/2" Drive Universal Joint
C21-91S	1/2" Drive Socket Adaptor (F:1/2" - M:3/8")
C21-92	1/2" Drive Socket Adaptor (F:1/2" - M:3/4")
C62-B	3 PC: 32, 34, 36 mm 1/2" Drive 12-Point Impact Sockets
C31-91	3/4" Drive Socket Adaptor (F:3/4" - M:1/2)
CB/800	5 PC: T5, T6, T7, T8, T9 TORX Bits
CB/800T	7 PC: T10, T15, T20, T25, T27, T30, T40 TORX Tamper Resistant Bits
BT/8001	1/4" Drive Bit Holder Socket (for 1/4" Bits)



525x370 mm

C99-E77H2

77 Pc 1/4" + 1/2" Drive 6-Point Socket and Socket Bits Set



CODE NO	PIECES
C99-E77H2	77
C02-H	12 PC: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Drive 6-Point Socket
C04-H	11 PC: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 1/4" Drive 6-Point Deep Sockets
C08S-S	3 PC: 4, 5.5, 6.5 mm 1/4" Drive Slotted Socket Bits
C08S-PH	2 PC: PH1, PH2 1/4" Drive Phillips Socket Bits
C08S-PZ	2 PC: PZ1, PZ2 1/4" Drive Pozidriv Socket Bits
C08S-H	5 PC: 3, 4, 5, 6, 8 mm 1/4" Drive Hexagon Socket Bits
C01-12	1/4" Drive Quick Release Reversible Ratchet
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-40	1/4" Drive Sliding T-Handle (115 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-80	1/4" Drive Universal Joint
C01-92	1/4" Socket Adaptor- (F: 1/4" - M: 3/8")
C22-H	17 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm 1/2" Drive 6-Point Sockets
C28S-H	8 PC: 5, 6, 7, 8, 10, 12, 14, 17 mm 1/2" Drive Hexagon Socket Bits
C64W-H	2 PC: 17, 19 mm 1/2" Drive DuraMAX Impact Wheel Nut Socket
C21-12	1/2" Drive Quick Release Reversible Ratchet
C21-40	1/2" Drive Sliding T-Handle (250 mm)
C21-70	2 PC: 125, 250 mm 1/2" Drive Extension Bars
C21-71W	50 mm 1/2" Drive Wobble Extension Bar
C21-80	1/2" Drive Universal Joint
C21-91S	1/2" Drive Socket Adaptor (F: 1/2" - M: 3/8")
C21-92	1/2" Drive Socket Adaptor (F: 1/2" - M: 3/4")

C99-E79H2


79 Piece 3/8" Drive 6-Point Socket and TORX Tool Set



CODE NO	PIECES
C99-E79H2	79
B17	4 PC: E6xE8, E10xE12, E14xE18, E20xE24 E-TORX Ring Wrenches
B19	10x11 mm Flare Nut Wrench
C06	5 PC: E4, E5, E6, E7, E8 1/4" Drive E-TORX Sockets
C12-H	15 PC: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm 3/8" Drive 6-Point Sockets
C14-H	4 PC: 10, 11, 12, 13 mm 3/8" Drive 6-Point Deep Sockets
C12U-B	10 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 3/8" Drive 12-Point Jointed Sockets
C16	4 PC: E10, E11, E12, E14 3/8" Drive E-TORX Sockets
C18S-H	9 mm 3/8" Drive Hexagon Socket Bits
C18S-T	4 PC: T40, T45, T50, T55 3/8" Drive TORX Socket Bits
C11-12	3/8" Drive Quick Release Reversible Ratchet
C11-40	3/8" Drive Sliding T-Handle (200 mm)
C11-70	3 PC: 75, 150, 250 mm 3/8" Drive Extension Bar
C11-80	3/8" Drive Universal Joint
C11-91	3/8" Socket Adaptor- (F: 3/8" - M: 1/4")
C11-92S	3/8" Socket Adaptor- (F: 3/8" - M: 1/2")
C26	4 PC: E16, E18, E20, E24 1/2" Drive E-TORX Sockets
C28S-T	3 PC: T50, T55, T60 1/2" Drive TORX Socket Bits
CB/800	4 PC: T6, T7, T8, T9 TORX Bits
CB/800T	7 PC: T10, T15, T20, T25, T27, T30, T40 TORX Tamper Resistant Bits
BT/8001	1/4" Drive Bit Holder Socket (for 1/4" Bits)
CB/3000G	3 PC: (M6, M8, M10) x 30 mm H10 Drive XZN (Spline) Bits- Short
BT/8005	3/8" Drive Bit Holder Socket (for H10 Bits)


C99A-E115BMR

115 Pc 1/4" + 3/8" Drive 12-Point Socket Set- SAE



CODE NO	PIECES
C99A-E115BMR	115
C02A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Sockets - SAE
C02UA-B	9 PC: 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Joint Sockets - SAE
C04A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Deep Sockets - SAE
C08AS-H	11 PC: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 inch 1/4" Drive Hexagon Socket Bits - SAE
C01-T90	1/4" Drive T90 Sealed Reversible Ratchet
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-75F	1/4" Drive Flexible Extension Bar- 150 mm
C01-80	1/4" Drive Universal Joint
C01-92	1/4" Socket Adaptor- (F: 1/4" - M: 3/8")
C12A-B	13 PC: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch 3/8" Drive 12-Point Sockets - SAE
C14A-B	13 PC: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch 3/8" Drive 12-Point Deep Sockets - SAE
C11-T90	3/8" Drive T90 Sealed Reversible Ratchet
C11-36MR	3/8" Drive Swivel Handle - 215 mm
C11-50MR	3/8" Drive Speeder Brace - Metal Palm Handle (420 mm)
C11-70	3 PC: 75, 150, 250 mm 3/8" Drive Extension Bar
C11-80	3/8" Drive Universal Joint
C11-91	3/8" Socket Adaptor- (F: 3/8" - M: 1/4")
CB/ST31	31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder
F26/BR2	Reversible Bit Ratchet#2 - 1/4" x 90 mm
BT/8001	1/4" Drive Bit Holder Socket (for 1/4" Bits)
BT/8003	3/8" Drive Bit Holder Socket (for 1/4" Bits)

01 Tool Containers and Assortments



CF-E108

108 Piece Screwdriver and TORX Tool Set



CODE NO	2023	PIECES
CF-E108		108
F10	4 PC: 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm C-PLUS Slotted Screwdrivers	
F14	2 PC: PH1x80, PH2x100 mm C-PLUS Phillips Screwdrivers	
F10/TP	5.5 x 25 mm C-PLUS Slotted Stubby Screwdriver	
F14/TP	PH2 x 25 mm C-PLUS Phillips Stubby Screwdriver	
F26/BT	C-PLUS Bit Driver - 1/4" x 100 mm	
CB/ST31	31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder	
F26/RDS	12-in-1: Stubby Ratchet Bit Driver Set	
F26/BR2	Reversible Bit Ratchet#2 - 1/4" x 90 mm	
6105CP	Voltage Tester (for 110 to 250V-VDE Approved)	
G09-11	Car Electric Circuit Tester - 6/24 DC (V)	
F18	7 PC: T10x80, T15x80, T20x100, T25x100, T27x115, T30x115, T40x130 mm C-PLUS TORX Screwdrivers	
LT/900	9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Ball End Hexagon L Key Set (Long Arm)	
LT/700L	8 PC: T9, T10, T15, T20, T25, T27, T30, T40 TORX L Key Set (Long Arm)	
C06	6 PC: E4, E5, E6, E7, E8, E10 1/4" Drive E-TORX Sockets	
C26	6 PC: E12, E14, E16, E18, E20, E24 1/2" Drive E-TORX Sockets	
C285-T	9 PC: (T20, T25, T27, T30, T40, T45, T50, T55, T60) x 55 mm 1/2" Drive TORX Socket Bits - Short	
C285-TL	4 PC: (T30, T40, T45, T50) x 100 mm 1/2" Drive TORX Socket Bits - Long	
C285-XL	4 PC: (M6, M8, M10, M12) x 100 mm 1/2" Drive XZN Socket Bits - Long	

EF-E27

27 Piece Tool Set



CODE NO	PIECES
EF-E27	27
4100M	4 PC: 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm TOREX Slotted Screwdrivers
4200M	2 PC: PH1x80, PH2x100 mm TOREX Phillips Screwdrivers
1300M	5 PC: (6, 7, 8, 10, 13)x125 mm TOREX Nut Drivers
LT/9	9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Hexagon L Key Set (Short Arm)
6105CP	Voltage Tester (for 110 to 250V-VDE Approved)
E01-41	180 mm Combination Pliers
E06-41	160 mm Diagonal Cutter
E15-41	160 mm Long Nose Pliers
E30-54	250 mm Water Pump Pliers (Box Joint)
L01-500	Machinist's Hammer - 500 gr
L25-200-2	Flat Chisel - 24x 200 mm

F99-E81

81 Piece Screwdriver and T-Handle Key Set



CODE NO	2023	PIECES
F99-E81		81
F10	4 PC: 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm C-PLUS Slotted Screwdrivers	
F14	2 PC: PH1x80, PH2x100 mm C-PLUS Phillips Screwdrivers	
F10/TP	5.5 x 25 mm C-PLUS Slotted Stubby Screwdriver	
F14/TP	PH2 x 25 mm C-PLUS Phillips Stubby Screwdriver	
F20	5 PC: (6, 7, 8, 10, 13)x125 mm C-PLUS Nut Drivers	
K10	6 PC: 2x100, 2.5x100, 3x100, 4x150, 5x150, 6x200 mm T-Handle Hexagon Key	
LT/900	9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Ball End Hexagon L Key Set (Long Arm)	
LT/700L	8 PC: T9, T10, T15, T20, T25, T27, T30, T40 TORX L Key Set (Long Arm)	
F26/BT	C-PLUS Bit Driver - 1/4" x 100 mm	
CB/ST31	31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder	
F26/RDS	12-in-1: Stubby Ratchet Bit Driver Set	
6105CP	Voltage Tester (for 110 to 250V-VDE Approved)	

F99A-E80

80 Piece Screwdriver and L/T Key Set - SAE



CODE NO	2023	PIECES
F99A-E80		80
F10	4 PC: 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm C-PLUS Slotted Screwdrivers	
F14	2 PC: PH1x80, PH2x100 mm C-PLUS Phillips Screwdrivers	
F10/TP	5.5 x 25 mm C-PLUS Slotted Stubby Screwdriver	
F14/TP	PH2 x 25 mm C-PLUS Phillips Stubby Screwdriver	
F20A	3 PC: (1/4, 5/16, 3/8 inch)x125 mm C-PLUS Nut Drivers - SAE	
K10A	7 PC: 5/64x100, 3/32x100, 1/8x100, 5/32x150, 3/16x150, 1/4x150, 5/16x200 mm T-Handle Hexagon Keys - SAE	
LT/900AF	9 PC: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 inch Ball End Hexagon L Key Set (Long Arm) - SAE	
LT/700L	8 PC: T9, T10, T15, T20, T25, T27, T30, T40 TORX L Key Set (Long Arm)	
F26/BT	C-PLUS Bit Driver - 1/4" x 100 mm	
CB/ST31	31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder	
F26/RDS	12-in-1: Stubby Ratchet Bit Driver Set	
6105CP	Voltage Tester (for 110 to 250V-VDE Approved)	

FLR-E36

36 Piece Tool Set



CODE NO	2023	PIECES
FLR-E36		36
F20	4 PC: (7, 8, 10, 13)x125 mm C-PLUS Nut Drivers	
J45CPM	C-Pro Utility Knife (Metal Body) - 18 mm	
J45-R	10 PC: 18 mm Utility Knife Blade	
L01-500	Machinist's Hammer - 500 gr	
L12-40	Soft Face Hammer - Ø 40 mm	
L12-R40	Spare Plastic Head - Ø 40 mm (Single)	
L25-200-2	Flat Chisel - 24x 200 mm	
L29-4	Centre Punch - Ø4 x 120 mm	
L31	4 PC: Ø(3, 4, 5, 6) x 150 mm Parallel Pin Punch	
N21-10	Brake Caliper Brush - 220 mm	
N31-12	Trim Clip Removal Tool - 150 mm	
P05-0519	Compact Tape Measure (5 M x 19 mm)	
P15-030	Stainless Steel Rule - 30 cm	
P54-205	Feeler Gauge (Metric) - 20 Leaf (0.05 - 1.0 mm)	
R11-PEN	Stylus LED Flashlight - 100 Lumen	
R15-1000	Magnetic Pick-Up Tool (Cap.: 1000 gr)	
R36-1	Straight Pick	
R36-2	Angle Pick	
R36-3	90° Pick	
R36-4	Hook Pick	
R37-25	Seal Scraper - 25 x 150 mm	

F99-E79

79 Piece Screwdriver and L/T Key Set



CODE NO	2023	PIECES
F99-E79		79
F10	4 PC: 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm C-PLUS Slotted Screwdrivers	
F14	2 PC: PH1x80, PH2x100 mm C-PLUS Phillips Screwdrivers	
F10/TP	5.5 x 25 mm C-PLUS Slotted Stubby Screwdriver	
F14/TP	PH2 x 25 mm C-PLUS Phillips Stubby Screwdriver	
F26/BT	C-PLUS Bit Driver - 1/4" x 100 mm	
CB/ST31	31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder	
F26/RDS	12-in-1: Stubby Ratchet Bit Driver Set	
F26/BR2	Reversible Bit Ratchet#2 - 1/4" x 90 mm	
6105CP	Voltage Tester (for 110 to 250V-VDE Approved)	
G09-11	Car Electric Circuit Tester - 6/24 DC (V)	
F18	7 PC: T10x80, T15x80, T20x100, T25x100, T27x115, T30x115, T40x130 mm C-PLUS TORX Screwdrivers	
LT/900	9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Ball End Hexagon L Key Set (Long Arm)	
LT/700L	8 PC: T9, T10, T15, T20, T25, T27, T30, T40 TORX L Key Set (Long Arm)	



EF-E34

34 Piece Tool Set



CODE NO	2023	PIECES
EF-E34		34
F10	2 PC: 5.5x100, 8.0x150 mm C-PLUS Slotted Screwdrivers	
F14	3 PC: PH0x80, PH1x100, PH2x125 mm C-PLUS Phillips Screwdrivers	
3100/TF2	PH2/6.0 x 175 mm Reversible Screwdriver	
Z/12	PH1/PH2 x 100 mm Offset Phillips Screwdriver	
Z/40	4.0/4.0 x 100 mm Offset Slotted Screwdriver	
LT/900AF	9 PC: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 inch Ball End Hexagon L Key Set (Long Arm)-SAE	
K99-F2M	9 PC: 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16 inch Foldup Hexagon Key Set (Metal Body)-SAE	
E01-44	180 mm Combination Pliers	
E06-44	160 mm Diagonal Cutter	
E15-44	200 mm Long Nose Pliers	
E16-44	160 mm Bent Long Nose Pliers	
E30-54	250 mm Water Pump Pliers (Box Joint)	
E80-230R	Wire Twisting Pliers (Reversible) - 230 mm	
E50-2	2 PC: 140, 190 mm Grip Pliers (Curved Jaws)	

EF-E72

72 Piece Tool Set



CODE NO	2023	PIECES
EF-E72		72
F10	4 PC: 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm C-PLUS Slotted Screwdrivers	
F14	2 PC: PH1x80, PH2x100 mm C-PLUS Phillips Screwdrivers	
LT/900	9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Ball End Hexagon L Key Set (Long Arm)	
CB/ST31	31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder	
6105CP	Voltage Tester (for 110 to 250V-VDE Approved)	
E01-41	180 mm Combination Pliers	
E06-41	160 mm Diagonal Cutter	
E15-41	160 mm Long Nose Pliers	
E30-54	250 mm Water Pump Pliers (Box Joint)	
J45C	Compact Utility Knife - 18 mm	
J45-R	10 PC: Utility Knife Blade - 18 mm	
L01-500	Machinist's Hammer - 500 gr	
L25-200-2	Flat Chisel - 24x 200 mm	
L29-4	Centre Punch - Ø4 x 120 mm	
L31	4 PC: Ø(3, 4, 5, 6) x 150 mm Parallel Pin Punch	
P05-0519	Compact Tape Measure (5 M x 19 mm)	
P15-030	Stainless Steel Rule- 30 cm	
P54-205	Feeler Gauge (Metric) - 20 Leaf (0,05 - 1,0 mm)	

E99-E10

10 Piece Pliers Set



CODE NO	PIECES
E99-E10	10
E01-41	180 mm Combination Pliers
E06-41	160 mm Diagonal Cutter
E15-41	200 mm Long Nose Pliers
E16-41	200 mm Bent Long Nose Pliers
E30-54	250 mm Water Pump Pliers (Box Joint)
E50-2	240 mm Grip Pliers (Curved Jaws)
E65-44	180 mm External Circlip Pliers (Straight-with Spring)
E66-44	180 mm External Circlip Pliers (Bent-with Sprising)
E67-44	180 mm Internal Circlip Pliers (Straight-without Spring)
E68-44	180 mm Internal Circlip Pliers (Bent-without Spring)

EL-E28

28 Piece Tool Set



CODE NO	PIECES
EL-E28	28
E01-41	180 mm Combination Pliers
E06-41	160 mm Diagonal Cutter
E15-41	160 mm Long Nose Pliers
E30-54	250 mm Water Pump Pliers (Box Joint)
E50-2	240 mm Grip Pliers (Curved Jaws)
J45CPM	C-Pro Utility Knife (Metal Body) - 18 mm
J45-R	10 PC: 18 mm Utility Knife Blade
L01-500	Machinist's Hammer - 500 gr
L12-40	Soft Face Hammer - Ø 40 mm
L12-R40	Spare Plastic Head - Ø 40 mm (Single)
L25-200-2	Flat Chisel - 24 x 200 mm
L29-4	Centre Punch - Ø4 x 120 mm
L31	4 PC: Ø(3, 4, 5, 6) x 150 mm Parallel Pin Punch
P05-0519	Compact Tape Measure (5 M x 19 mm)
P15-030	Stainless Steel Rule- 30 cm
P54-205	Feeler Gauge (Metric) - 20 Leaf (0,05 - 1,0 mm)

E55-E07

7 Piece Clamp Grip Pliers Set



CODE NO	PIECES
E55-E07	7
E55-2	2 PC: 2x280 mm Clamp Grip Pliers (C Jaw)
E55P-2	3 PC: 2x180, 300 mm Clamp Grip Pliers (C Jaw - Swivel Tip)
L25-250G-2	Flat Chisel (with Hand Guard) - 28x250 mm
R40-4	Steel Wire Brush (4 Row) - 275 mm

E50-E16

16 Piece Grip Pliers Set



CODE NO	PIECES
E50-E16	16
E30-54	250 mm Water Pump Pliers (Box Joint)
E50-2	3 PC: 140, 190, 240 mm Grip Pliers (Curved Jaws)
E50L-2	2 PC: 170, 230 mm Long Nose Grip Pliers
E51-2	2 PC: 190, 240 mm Grip Pliers (Straight Jaws)
E52-2	240 mm Grip Pliers (Prism Jaws)
E52S-2	240 mm Grip Pliers (Multi-Purpose Jaws)
E56-J1	210 mm Axial Grip Pliers - J Tip
E56-J2	235 mm Axial Grip Pliers - JJ Tip
E56-L1	195 mm Axial Grip Pliers - L Tip
E56-L2	220 mm Axial Grip Pliers - LL Tip
E56-W1	195 mm Axial Grip Pliers - W Tip
J55-112H	Hand File (Bastard) - 30 x 300 mm

01 Tool Containers and Assortments



GB99-E20

20 Piece 1000V Wrench Set

new




CODE NO	PIECES
GB99-E20	20
GB09	9 PC: 8, 10, 11, 12, 13, 14, 17, 19, 22 mm 1000V Open end Wrenches
GB14	6 PC: 10, 12, 13, 14, 17, 19 mm 1000V Ring End Wrenches
GK10	5 PC: 3, 4, 5, 6, 8 mm 1000V T-Handle Hexagon Keys

GF99-E52

52 Piece C-PLUS 1000V Screwdriver Set

new



CODE NO	PIECES
GF99-E52	52
G01	5 PC: 2.5x75, 3.0x100, 4.0x100, 5.5x125, 6.5x150 mm C-PLUS 1000V Slotted Screwdrivers (VDE)
G02	3 PC: PH1x80, PH2x100, PH3x150 mm C-PLUS 1000V Phillips Screwdrivers (VDE)
G04	6 PC: T10x100, T15x100, T20x100, T25x125, T27x150, T30x150 mm C-PLUS 1000V TORX Screwdrivers (VDE)
G07	6 PC: 5.5x125, 6.0x125, 7.0x125, 8.0x125, 10x125, 13x125 mm 1000V Nut Drivers (VDE)
G26/BT	C-PLUS 1000V Bit Driver 1/4" x 100 mm
CB/ST31	31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder

JL-E53

53 Piece Tool Set



CODE NO	PIECES
JL-E53	53
J55-108H	Hand File (Bastard) - 20 x 200 mm
J56-108H	Half-Round File (Bastard) - 20 x 200 mm
J57-108H	Round File (Bastard) - Ø7.5 x 200 mm
J58-108H	Square File (Bastard) - 8 x 200 mm
J59-108H	Three Square File (Bastard) - 15 x 200 mm
J75-R06	6 PC: Needle File Set
J45CPM	C-Pro Utility Knife (Metal Body) - 18 mm
J45-R	10 PC: Utility Knife Blade - 18 mm
L01-500	Machinist's Hammer - 500 gr
L12-40	Soft Face Hammer - Ø 40 mm
L12-R40	Spare Plastic Head - Ø 40 mm (Single)
L25-200-2	Flat Chisel - 24x 200 mm
L29-4	Centre Punch - Ø4 x 120 mm
L31	4 PC: Ø(3, 4, 5, 6) x 150 mm Parallel Pin Punch
P05-0519	Compact Tape Measure (5 M x 19 mm)
P15-030	Stainless Steel Rule- 30 cm
P54-205	Feeler Gauge (Metric) - 20 Leaf (0,05 - 1,0 mm)
A205210	19 PC: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm HSS Drill Bit Set

GC10-E52H2

52 Piece 3/8" + 1/2" Drive 1000V 6-Point Socket Set

new



CODE NO	PIECES
GC10-E52H2	52
GC12-H	16 PC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22 mm 1000V 3/8" Drive 6-Point Socket
GC18S-T	6 PC: (T20, T25, T27, T30, T40, T45)x65 mm 1000V 3/8" Drive TORX Socket Bit
GC18S-X	2 PC: (M8, M10)x75 mm 3/8" Drive 1000V TORX Socket Bit
GC18S-H	4 PC: (4, 5, 6, 8)x65 mm 3/8" Drive 1000V Hexagon Socket Bit
GC11-12	3/8" Drive 1000V Quick Release Reversible Ratchet
GC11-40	3/8" Drive 1000V Sliding T-Handle - 210 mm
GC11-70	2 PC: 80, 155 mm 3/8" Drive 1000V Extension Bar
GC22-H	16 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27, 30, 32 mm 1/2" Drive 1000V 6-Point Socket
GC21-12	1/2" Drive 1000V Quick Release Reversible Ratchet
GC21-40	1/2" Drive 1000V Sliding T-Handle - 205 mm
GC21-70	2 PC: 130, 255 mm 1/2" Drive 1000V Extension Bar

GE99-E08

8 Piece 1000V Tool Set

new




CODE NO	PIECES
GE99-E08	8
G10-18	180 mm 1000V Combination Pliers (VDE)
G12-18	160 mm 1000V Diagonal Cutter (VDE)
G15-18	200 mm 1000V Long Nose Pliers (VDE)
G16-18	200 mm 1000V Bent Long Nose Pliers (VDE)
G30-58-0170	170 mm 1000V RZR Series Cable Shears (VDE)
G25-58-0250	250 mm 1000V Water Pump Pliers (VDE)
G40-48-0145	Multi-Purpose Electrician's Shears - 145 mm
GJ47EK-1	1000V Wire Knife - Straight - 215 mm

LPR-E17

17 Piece Tool Set



CODE NO	PIECES
LPR-E17	17
L02-16	Ball Pein Hammer - 16 Oz/450 gr
L12-40	Soft Face Hammer - Ø 40 mm
L12-R40	Spare Plastic Head - Ø 40 mm (Single)
L29	3 PC: Ø3x110, Ø4x120, Ø5x150 mm Centre Punch
L31	2 PC: Ø(2, 5)x150 mm Parallel Pin Punch
P05A	Compact Tape Measure (Inch/Metric) 5M-16 FT x 19 mm
P15-030	Stainless Steel Rule- 30 cm
P45A	Vernier Caliper - 150 mm
R.P6	Lumax PRO 2AA Focus Flashlight
R15-0500	Magnetic Pick-Up Tool (Cap.: 500 gr)
R16-700	Magnetic Pick-Up and Claw Tool (Cap.: 500 gr)
R20R	Telescoping Inspection Mirror (Round) - Ø 50 - 25/90cm
R35DE	Engineer's Double End Scriber - 235 mm
J47SPQ	Foldable Trimming Knife (Trapezoid Blade)-19 mm



ENJ-E21

21 Piece Tool Set



CODE NO	PIECES
ENJ-E21	21
K20	6 PC: (6, 7, 8, 10, 11, 13)x125 mm T-Handle Nut Driver
E36-54	225 mm Concretors' Nippers (PVC Sleeves)
E50-2	240 mm Grip Pliers (Curved Jaws)
L01-300	Machinist's Hammer - 300 gr
L25-250G-2	28x250 mm Flat Chisel (with Hand Guard)
R40-4	275 mm Steel Wire Brush (4 Row)
R35DE	Engineer's Double End Scriber
N31-1105	5 PC: Trim and Upholstery Removal Set
N31-12	150 mm Trim Clip Removal Tool
J04-250L	250 mm Aviation Tin Snips (Left Cut)
J04-250R	250 mm Aviation Tin Snips (Right Cut)
J81-200	10x200 mm Triangular Scraper

EJ-E07

7 Piece Tool Set



CODE NO	PIECES
EJ-E07	7
E01-41	180 mm Combination Pliers
E30-54	300 mm Water Pump Pliers (Box Joint)
E36-54	280 mm Concretors' Nippers (PVC Sleeves)
J04-250L	250 mm Aviation Tin Snips (Left Cut)
J04-250R	250 mm Aviation Tin Snips (Right Cut)
N33-04	370 mm Bodywork File Holder (Including 9 TPI File)
L20-0401	400 mm Pry Bar (Flat)

N30-E12


12 Piece Bodywork Tool Set



CODE NO	PIECES
N30-E12	12
N33-04	370 mm Bodywork File Holder (Including 9 TPI File)
N33-04R1D	350 mm Car Body File Blade (Diagonal Cut) - 9 TPI
N33-04R1C	350 mm Car Body File Blade (Curved Cut) - 9 TPI
J55-H	3 PC: 300 mm Hand Files (Bastard, Second, Smooth)
N33-02PW	Wedge Dolly (Flat)
N33-02TO	Toe Dolly
N33-02DE	Double End Dolly (Convex and Flat Head)
N33-02UA	Anvil Dolly
N33-02HE	Heel Dolly
N33-02PWC	Wenge Dolly (Convex)

N30-E05


5 Piece Bodywork Tool Set



CODE NO	PIECES
N30-E05	5
N33-03DS	Double Ended Spoon (Angled and Flat Ends)
N33-03SL	General Purpose Spoon (Chequered Face)
N33-03SS	General Purpose Spoon - Short Form
N33-03BI	Bending Iron
N23-0750	Tyre Lever - (500 mm : 20")

N30-E09

9 Piece Bodywork Tool Set



CODE NO	PIECES
N30-E09	9
N33-03DS	Double Ended Spoon (Angled and Flat Ends)
N33-03SL	General Purpose Spoon (Chequered Face)
N33-03SS	General Purpose Spoon - Short Form
N33-03BI	Bending Iron
N33-01BMC2/MS	Bumping Hammer (Milled Round / Flat Square Head)
N33-01BPF	Bumping Hammer (Flat Round / Ball Pein)
L16-40	Rubber Mallet - Ø60 mm
L17-40	Aluminium Hammer - Ø40 mm
N23-0750	Tyre Lever - (500 mm : 20")

N30-E10

10 Piece Bodywork Tool Set




CODE NO	PIECES
N30-E10	10
N33-01BMC2/MS	Bumping Hammer (Milled Round / Flat Square Head)
N33-01BPF	Bumping Hammer (Flat Round / Ball Pein)
L17-40	Aluminium Hammer - Ø40 mm
L12-30	Soft Face Hammer - Ø30 mm
L12-R30	Spare Plastic Heads (for L12-30) - Single
L12DB-45	Dead Blow Hammer - Ø40 mm
L01-300	Machinist's Hammer - 300 gr
N33-02TO	Toe Dolly
N33-02UA	Anvil Dolly
N33-02CW	Wedge Dolly (Curved)

01 Tool Containers and Assortments



B99-E20

20 Pc Combination and Double Open End Wrench Set



CFS




350x370 mm

CODE NO	PIECES
B99-E20	20
B01	12 PC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22 mm Combination Wrenches
B09	8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm Double Open End Wrenches (Long)

B01-E12

12 Piece Combination Wrench Set



new

CODE NO	PIECES
B01-E12	12
B01	12 PC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22 mm Combination Wrenches

B01-E16

16 Piece Combination Wrench Set



CODE NO	PIECES
B01-E16	16
B01	16 PC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm Combination Wrenches

B01A-E14

14 Piece Combination Wrench Set - SAE



new

CODE NO	PIECES
B01A-E14	14
B01A	14 PC: (1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch) Combination Wrenches-SAE

B05-E12

12 Piece C-GEAR Ratcheting Combination Wrench Set (Straight)



CODE NO	PIECES
B05-E12	12
B05	8 PC: 8, 10, 11, 12, 13, 14, 17, 19 mm C-GEAR Ratcheting Combination Wrenches (Straight)
B05-S	3 PC: 1/4"- 10 mm, 3/8"- 13 mm, 1/2"- 19 mm C-GEAR Socket Adaptors
B05-14B	1/4"- 10 mm C-GEAR Bit Adaptor

B06-E12

12 Piece C-GEAR Ratcheting Combination Wrench Set (Flex Head)



CODE NO	PIECES
B06-E12	12
B06	8 PC: 8, 10, 11, 12, 13, 14, 17, 19 mm C-GEAR Ratcheting Combination Wrenches (Flex Head)
B05-S	3 PC: 1/4"- 10 mm, 3/8"- 13 mm, 1/2"- 19 mm C-GEAR Socket Adaptors
B05-14B	1/4"- 10 mm C-GEAR Bit Adaptor

B09-E08

8 Piece Double Open End Wrench Set (Long)



CODE NO	PIECES
B09-E08	8
B09	8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm Double Open End Wrenches (Long)

B09-E12

12 Piece Double Open End Wrench Set (Long)



CODE NO	PIECES
B09-E12	12
B09	12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm Double Open End Wrenches (Long)

B10-E08

8 Piece Double Open End Wrench Set (Short)



new

CODE NO	PIECES
B10-E08	8
B10	8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm Double Open End Wrenches (Short)

**B10-E12**

12 Piece Double Open End Wrench Set (Short)

new

CODE NO	PIECES
B10-E12	12
B10	12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm Double Open End Wrenches (Short)

B14-E08

8 Piece Double Ring End Wrench Set



CODE NO	PIECES
B14-E08	8
B14	8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm Double Ring End Wrenches

B17-E18

18 Piece E-TORX Ring Wrench and Socket Set



CODE NO	PIECES
B17-E18	18
B17	★ 4 PC: E06xE08, E10xE12, E14xE18, E20xE24 E-TORX Double End Wrenches
C06	★ 6 PC: E4, E5, E6, E7, E8, E10 1/4" Drive E-TORX Sockets
C26	★ 8 PC: E10, E12, E14, E16, E18, E20, E22, E24 1/2" Drive E-TORX Sockets

B28-E08

8 Piece Double Ended Offset Socket Wrench Set



CODE NO	PIECES
B28-E08	8
B28	○ 8 PC: 8, 10, 11, 12, 13, 14, 17, 19 mm Double Ended Offset Socket Wrenches

K99-10-E06

6 piece T-Handle Hex Key Set



CODE NO	PIECES
K99-10-E06	6
K10	○ 6 PC: 2, 2.5, 3, 4, 5, 6 mm T-Handle Hexagon Keys

K99-10-E15


15 Piece T-Handle and Ballpoint L Hex Key Set



CODE NO	PIECES
K99-10-E15	15
K10	○ 6 PC: 2, 2.5, 3, 4, 5, 6 mm T-Handle Hexagon Keys
LT/900	○ 9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Ball End Hexagon L Key Set (Long Arm)

K99-10A-E06

6 Piece T-Handle Hex Key Set - SAE

new

CODE NO	PIECES
K99-10A-E06	6
K10A	○ 6 PC: 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 inch T-Handle Hexagon Keys

K99-10A-E15


15 Piece T-Handle and Ballpoint L Hex Key Set - SAE

new

CODE NO	PIECES
K99-10A-E15	15
K10A	○ 6 PC: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 inch T-Handle Hexagon Keys
LT/900AF	○ 9 PC: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 inch Ball End Hexagon L Key Set (Long Arm)

K99-12-E06

6 Piece T-Handle TORX Key Set

new

CODE NO	PIECES
K99-12-E06	6
K12	○ 6 PC: T10, T15, T20, T25, T30, T40 T-Handle TORX Keys

01 Tool Containers and Assortments


CFS



175x370 mm

K99-12-E14

14 Piece T-Handle and L TORX Key Set



CODE NO	PIECES
K99-12-E14	14
K12	6 PC: T10, T15, T20, T25, T30, T40 T-Handle TORX Keys
LT/700L	8 PC: T9, T10, T15, T20, T25, T27, T30, T40 TORX L Key Set (Long Arm)

C00-E26H2

26 Piece 1/4" Drive Socket and Hex Key Set



CODE NO	PIECES
C00-E26H2	26
C02-H	12 PC: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Drive 6-Point Socket
C01-12	1/4" Drive Quick Release Reversible Ratchet
C01-40	1/4" Drive Sliding T-Handle (115 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-80	1/4" Drive Universal Joint
LT/9	9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Hexagon L Key Set (Short Arm)

C00-E52H2


52 Piece 1/4" Drive Socket and Hex Key Set



CODE NO	PIECES
C00-E52H2	52
C02-H	12 PC: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Drive 6-Point Sockets
C04-H	10 PC: 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 1/4" Drive 6-Point Deep Socket
C08S-T	7 PC: T10, T15, T20, T25, T27, T30, T40 1/4" Drive TORX Socket Bits
C08S-H	5 PC: 3, 4, 5, 6, 8 mm 1/4" Drive Hexagon Socket Bits
C08S-S	5.5 mm 1/4" Drive Slotted Socket Bits
C08S-PH	2 PC: PH1, PH2 1/4" Drive Phillips Socket Bits
C01-12	1/4" Drive Quick Release Reversible Ratchet
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-40	1/4" Drive Sliding T-Handle (115 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-80	1/4" Drive Universal Joint
LT/9	9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Hexagon L Key Set (Short Arm)

C00A-E15BT

15 Piece 1/4" Drive Socket Set - SAE



CODE NO	PIECES
C00A-E15BT	15
C02A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Sockets - SAE
C01-T90	1/4" Sealed Reversible Ratchet (Metal Handle)
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-80	1/4" Drive Universal Joint

C00A-E25BT


25 Piece 1/4" Drive Socket Set - SAE



CODE NO	PIECES
C00A-E25BT	25
C02A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Sockets - SAE
C04A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Deep Sockets - SAE
C01-T90	1/4" Sealed Reversible Ratchet (Metal Handle)
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-80	1/4" Drive Universal Joint

C00A-E39BT


39 Piece 1/4" Drive Socket Set - SAE



CODE NO	PIECES
C00A-E39BT	39
C02A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Sockets - SAE
C04A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Deep Sockets - SAE
C08AS-H	11 PC: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 inch 1/4" Drive Hexagon Socket Bits
C01-T90	1/4" Sealed Reversible Ratchet (Metal Handle)
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-70	3 PC: 50, 100, 150 mm 1/4" Drive Extension Bar
C01-75F	1/4" Drive Flexible Extension Bar
C01-35MR	1/4" Drive Swivel Handle (Metal Handle)
C01-80	1/4" Drive Universal Joint

C00C-E45BHT

45 Piece 1/4" Drive Socket Set - Metric / SAE



CODE NO	PIECES
C00C-E45BHT	45
C02-H	10 PC: 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Drive 6-Point Socket
C04-H	10 PC: 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Drive 6-Point Deep Socket
C02A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Sockets - SAE
C04A-B	10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch 1/4" Drive 12-Point Deep Sockets - SAE
C01-T90	1/4" Sealed Reversible Ratchet (Metal Handle)
C01-20	1/4" Drive Spinner Handle (150 mm)
C01-70	2 PC: 50, 150 mm 1/4" Drive Extension Bar
C01-80	1/4" Drive Universal Joint

C10-E18H2

18 Piece 3/8" Drive Socket Set



CODE NO	PIECES
C10-E18H2	18
C12-H	13 PC: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm 3/8" Drive 6-Point Sockets
C11-12	3/8" Drive Quick Release Reversible Ratchet
C11-40	3/8" Drive Sliding T-Handle (200 mm)
C11-70	2 PC: 75, 150 mm 3/8" Drive Extension Bar
C11-80	3/8" Drive Universal Joint

C10A-E17BT

17 Piece 3/8" Drive Socket Set - SAE



CODE NO	PIECES
C10A-E17BT	17
C12A-B	13 PC: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch 3/8" Drive 12-Point Sockets - SAE
C11-T90	3/8" Sealed Reversible Ratchet (Metal Handle)
C11-70	2 PC: 75, 150 mm 3/8" Drive Extension Bar
C11-80	3/8" Drive Universal Joint



C10A-E30BT

30 Piece 3/8" Drive Socket Set - SAE



CODE NO	PIECES
C10A-E30BT	30
C12A-B	13 PC: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch 3/8" Drive 12-Point Sockets - SAE
C14A-B	13 PC: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch 3/8" Drive 12-Point Deep Sockets - SAE
C11-T90	3/8" Sealed Reversible Ratchet (Metal Handle)
C11-70	2 PC: 75, 150 mm 3/8" Drive Extension Bar
C11-80	3/8" Drive Universal Joint

C24-E13H

13 Piece 1/2" Drive Deep Socket Set



CODE NO	PIECES
C24-E13H	13
C24-H	13 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm 1/2" Drive 6-Point Deep Sockets

C28S-E14H

14 Piece 1/2" Hexagon Socket Bits Set



CODE NO	PIECES
C28S-E14H	14
C28S-H	9 PC: (5, 6, 7, 8, 10, 12, 14, 17, 19) x 55 mm 1/2" Drive Hexagon Socket Bits - Short
C28S-HL	5 PC: (5, 6, 8, 10, 12) x 100 mm 1/2" Drive Hexagon Socket Bits - Long

C28S-E29

29 Piece 1/2" Drive TORX/Hex/XZN Socket Bits Set



CODE NO	PIECES
C28S-E29	29
C28S-T	9 PC: (T20, T25, T27, T30, T40, T45, T50, T55, T60) x 55 mm 1/2" Drive TORX Socket Bits - Short
C28S-TL	4 PC: (T30, T40, T45, T50) x 100 mm 1/2" Drive TORX Socket Bits - Long
C28S-H	7 PC: (5, 6, 7, 8, 10, 12, 14) x 55 mm 1/2" Drive Hexagon Socket Bits - Short
C28S-HL	4 PC: (6, 8, 10, 12 mm) x 100 mm 1/2" Drive Hexagon Socket Bits - Long
C28S-XL	5 PC: (M6, M8, M10, M12, M14) x 100 mm 1/2" Drive XZN Socket Bits - Long

C20-E23H2

23 Piece 1/2" Drive Socket Set



CODE NO	PIECES
C20-E23H2	23
C22-H	18 PC: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm 1/2" Drive 6-Point Sockets
C21-12	1/2" Drive Quick Release Reversible Ratchet
C21-40	1/2" Drive Sliding T-Handle (250 mm)
C21-70	2 PC: 125, 250 mm 1/2" Drive Extension Bar
C21-80	1/2" Drive Universal Joint

C20A-E20BT

20 Piece 1/2" Drive Socket Set - SAE



CODE NO	PIECES
C20A-E20BT	20
C22A-B	15 PC: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4 inch 1/2" Drive 12-Point Sockets - SAE
C21-T90	1/2" Sealed Reversible Ratchet (Metal Handle)
C21-40	1/2" Drive Sliding T-Handle (250 mm)
C21-70	2 PC: 125, 250 mm 1/2" Drive Extension Bar
C21-80	1/2" Drive Universal Joint

C28-SSE40

40 Piece H10 TORX/Hex/XZN Bit Set



CODE NO	PIECES
C28-SSE40	40
BT/8005	3/8" Drive Bit Holder Socket (10 mm)
BT/8008	1/2" Drive Bit Holder Socket (10 mm)
CB/1000	7 PC: (T20, T25, T30, T40, T45, T50, T55) x 30 mm H10 Drive Torx Bits - Short
CB/1100G	7 PC: (T20, T25, T30, T40, T45, T50, T55) x 75 mm H10 Drive Torx Bits - Long
CB/2000G	7 PC: (4, 5, 6, 7, 8, 10, 12) x 30 mm H10 Drive Hexagon Bits - Short
CB/2100G	7 PC: (4, 5, 6, 7, 8, 10, 12) x 75 mm H10 Drive Hexagon Bits - Long
CB/3000G	5 PC: (M5, M6, M8, M10, M12) x 30 mm H10 Drive XZN (Spline) Bits - Short
CB/3100G	5 PC: (M5, M6, M8, M10, M12) x 75 mm H10 Drive XZN (Spline) Bits - Long

C62-E10

10 Piece 1/2" Drive Impact Socket Set



CODE NO	PIECES
C62-E10	10
C62-H	10 PC: 13, 15, 16, 17, 18, 19, 21, 22, 24 mm 1/2" Drive 6-Point Impact Sockets
C61-80	1/2" Drive Impact Universal Joint

C64-E10/2

10 Piece 1/2" Impact Deep Socket Set



CODE NO	PIECES
C64-E10/2	10
C64-H	9 PC: 13, 15, 16, 17, 18, 19, 21, 22, 24 mm 1/2" Drive 6-Point Impact Deep Sockets
C61-80	1/2" Drive Impact Universal Joint

new

new

01 Tool Containers and Assortments


CFS



175x370 mm

F99-E701


7 Piece C-PLUS Slotted/PH Screwdriver Set



CODE NO	2023	PIECES
F99-E701		7
F10	5 PC: 3x75, 4x100, 5.5x125, 6.5x 150, 8x150 mm C-PLUS Slotted Screwdrivers	
F14	2 PC: PH1x80, PH2x100 mm C-PLUS Phillips Screwdrivers	

4000M-E701

7 Piece TOREX Slotted/PH Screwdriver Set



CODE NO	PIECES
4000M-E701	7
4100M	5 PC: 3x75, 4x100, 5.5x125, 6.5x 150, 8x150 mm TOREX Slotted Screwdrivers
4200M	2 PC: PH1x80, PH2x100 mm TOREX Phillips Screwdrivers

F99-E3901

39 Piece C-PLUS Slotted/PH Screwdriver and Bit Set



CODE NO	2023	PIECES
F99-E3901		39
F10	4 PC: 3x75, 4x100, 5.5x125, 6.5x 150 mm C-PLUS Slotted Screwdrivers	
F14	2 PC: PH1x80, PH2x100 mm C-PLUS Phillips Screwdrivers	
F26/BT	C-PLUS Bit Driver - 1/4"x100 mm	
CB/ST31	31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder	
6105CP	Voltage Tester (for 110 to 250V-VDE Approved)	

F99-E3902


39 Piece C-PLUS Slotted/PZ Screwdriver and Bit Set



CODE NO	2023	PIECES
F99-E3902		39
F10	4 PC: 3x75, 4x100, 5.5x125, 6.5x 150 mm C-PLUS Slotted Screwdrivers	
F17	2 PC: PZ1x80, PZ2x100 mm C-PLUS Pozidriv Screwdrivers	
F26/BT	C-PLUS Bit Driver - 1/4"x100 mm	
CB/ST31	31 PC: Slotted/PH/PZ/TORX/Hex. Bits, BT/02 Bit Holder	
6105CP	Voltage Tester (for 110 to 250V-VDE Approved)	

F99-E0705


7 Piece C-PLUS TORX Screwdriver Set



CODE NO	2023	PIECES
F99-E0705		7
F18	7 PC: T10x80, T15x80, T20x100, T25x100, T27x115, T30x115, T40x130 mm C-PLUS TORX Screwdrivers	

F99-E0706

7 Piece C-PLUS TORX Tamper Proof Screwdriver Set



CODE NO	2023	PIECES
F99-E0706		7
F19	7 PC: T10x80, T15x80, T20x100, T25x100, T27x115, T30x115, T40x130 mm C-PLUS TORX Tamper Proof Screwdrivers	

4400M-E701

7 Piece TOREX TORX Screwdriver Set



CODE NO	PIECES
4400M-E701	7
4400M	7 PC: T10x80, T15x80, T20x100, T25x100, T27x115, T30x115, T40x130 mm TOREX TORX Screwdrivers

F99-E0507

5 Piece C-PLUS Nut Driver Set



CODE NO	2023	PIECES
F99-E0507		5
F20	5 PC: (6, 7, 8, 10, 13)x125 mm C-PLUS Nut Drivers	

1300M-E501

5 Piece TOREX Nut Driver Set



CODE NO	PIECES
1300M-E501	5
1300M	5 PC: (6, 7, 8, 10, 13)x125 mm TOREX Nut Drivers

**E99-41-E0103**

3 Piece DuoTech Pliers Set (Polished Finish)



CODE NO	PIECES
E99-41-E0103	3
E01-41	180 mm Combination Pliers
E06-41	160 mm Diagonal Cutter
E15-41	160 mm Long Nose Pliers

E99-E0502

2 Piece Water Pump and Grip Pliers Set



CODE NO	PIECES
E99-E0502	2
E30-54	250 mm Water Pump Pliers (Box Joint)
E50-2	240 mm Grip Pliers (Curved Jaws)

E99-44-E0404

4 Piece Circlip Pliers Set



CODE NO	PIECES
E99-44-E0404	4
E65-44	180 mm External Circlip Pliers (Straight-with Spring)
E66-44	180 mm External Circlip Pliers (Bent-with Spiraling)
E67-44	180 mm Internal Circlip Pliers (Straight-without Spring)
E68-44	180 mm Internal Circlip Pliers (Bent-without Spring)

G99-E701

7 Piece C-PLUS 1000V Insulated Slotted/PH Screwdriver Set (VDE Approved)



CODE NO	2023	PIECES
G99-E701		7
G01	4 PC: 3x100, 4x100, 5.5x125, 6.5x 150 mm C-PLUS VDE 1000V Insulated Slotted Screwdrivers	
G02	2 PC: PH1x80, PH2x100 mm C-PLUS VDE 1000V Insulated Phillips Screwdrivers	
6105CP	1 Voltage Tester (for 110 to 250V-VDE Approved)	

G99-18-E0103

3 Piece DuoTech 1000V Insulated Pliers Set (VDE Approved)



CODE NO	PIECES
G99-18-E0103	3
G10-18	180 mm VDE 1000V Insulated Combination Pliers
G12-18	160 mm VDE 1000V Insulated Diagonal Cutter
G15-18	160 mm VDE 1000V Insulated Long Nose Pliers

H99-E06

6 Piece C-TRONIC Precision Pliers and Tweezer Set



CODE NO	PIECES
H99-E06	6
H30S-110SB	Electronics Diagonal Cutter (Small Bevel)-110 mm
H31S-120SB	Electronics End Cutter-120 mm
H33S-120	Electronics Short Needle Nose Pliers (Toothed Gripping Surface)-120 mm
H37-120	Electronics Flat Nose Pliers-120 mm
H43-120-SA	Blunt Shape Tweezers-Serrated (Straight)-120 mm
H43-125B-SA	Blunt Shape Tweezers-Serrated (Bent)-125 mm

H99-31-E0310

10 Piece C-TRONIC Precision Pliers and Screwdriver Set



CODE NO	PIECES
H99-31-E0310	10
H30S-110SB	Electronics Diagonal Cutters (Small Bevel)-110 mm
H33S-120	Electronics Short Needle Nose Pliers (Toothed Gripping Surface)-120 mm
H35S-140	Electronics Long Needle Nose Pliers-140 mm
H01	4 PC: 1.5x40, 2.0x60, 2.5x80, 3.0x80 mm Electronics Slotted Screwdrivers
H02	2 PC: PH00x60, PH0x60 mm Electronics Phillips Screwdrivers
H43-120-SA	Blunt Shape Tweezers-Serrated (Straight)-120 mm

J72-E0811

11 Piece Standard and Needle File Set



CODE NO	PIECES
J72-E0811	11
J55-108H	Hand File (Bastard)-20 x 200 mm
J56-108H	Half-Round File (Bastard)-20 x 200 mm
J57-108H	Round File (Bastard)-Ø7.5 x 200 mm
J58-108H	Square File (Bastard)-8 x 200 mm
J59-108H	Three Square File (Bastard)-15 x 200 mm
J75-R06	6 PC: Needle File Set

JP99-E06

6 Piece Measuring and Cutting Tool Set



CODE NO	PIECES
JP99-E06	6
J04-250S	Aviation Tin Snips (Straight Cut)-250 mm
R35CT	Carbide Tipped Scriber-145 mm
J45C	Compact Utility Knife-18 mm
P05-0519	Compact Tape Measure (5 M x 19 mm)
P15-030	Stainless Steel Rule-30 cm
P54-20S	Feeler Gauge (Metric)-20 Leaf (0,05 - 1,0 mm)

L99-E02

2 Piece Hammer Set



CODE NO	PIECES
L99-E02	2
L01-500	Machinist's Hammer -500 gr
L12-40	Soft Face Hammer -Ø 40 mm

01 Tool Containers and Assortments

CFS
175x370 mm

L99-E08

8 Piece Hammer and Chisel Set



CODE NO	PIECES
L99-E08	8
L01-500	Machinist's Hammer - 500 gr
L12-40	Soft Face Hammer - Ø 40 mm
L25-200-2	Flat Chisel - 24 x 200 mm
L29-4	Centre Punch - Ø4 x 120 mm
L31	4 PC: Ø(3, 4, 5, 6) x 150 mm Parallel Pin Punch

R99-E24

24 Piece General Maintenance Set



CODE NO	PIECES
R99-E24	24
A205210	19 PC: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm Drill Bit Set
R15-MPL	Pocket LED Flashlight (with Magnetic Pickup)
J45C	Compact Utility Knife - 18 mm
P05-0519	Compact Tape Measure (5 M x 19 mm)
P15-030	Stainless Steel Rule- 30 cm
P54-205	Feeler Gauge (Metric) - 20 Leaf (0,05 - 1,0 mm)

R99-E32

32 Piece Drill Bit and Impact Screwdriver Set



CODE NO	PIECES
R99-E32	32
A205210	19 PC: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm Drill Bit Set
R15-1000	Magnetic Pick-Up Tool (Cap: 1000 gr) - 400 mm
F28/BT	5/16" Impact Bit Driver
CB/516SL	10 mm 5/16" Drive Slotted Bit (Impact Grade)
CB/516PH	3 PC: PH2, PH3, PH4
	5/16" Drive Phillips Bits (Impact Grade)
CB/516TX	4 PC: T30, T40, T45, T50
	5/16" Drive TORX Bits (Impact Grade)
CB/516HX	3 PC: 5, 6, 8 mm
	5/16" Drive Hexagon Bits (Impact Grade)

R01-E05

5 Piece Hand Riveter Set



CODE NO	PIECES
R01-E05	5
R01-STD	Hand Riveter (New generation)
BR	4x20 PC: 2.4x6, 3.2x8, 4x12, 4.8x20 mm Blind Riveters

N14-E11

11 Piece Oil Service Tool Set



CODE NO	PIECES
N14-E11	11
N14-061S	Oil Filter Band Wrench (65-100 mm)
N14-10	Oil Drain Plug Wrench- 285 mm (8 x 10 mm)
N14-12S	3 PC: 8, 10, 12 mm
	3/8" Drive Square Oil Drain Plug Socket
N14-12H	5 PC: 8, 10, 12, 14, 17 mm
	3/8" Drive Hexagon Oil Drain Plug Socket
C11-405	3/8" Drive Sliding T-Handle- 165 mm

N23-E05

5 Piece Wheel Service Tool Set



CODE NO	PIECES
N23-E05	5
C64W-H	3 PC: 17, 19, 21 mm
	1/2" Drive DuraMAX Impact Wheel Nut Socket
N23-08TD	Digital Tyre Tread Depth Gauge - (0-25 mm)
N23-0831	Tyre Pressure Gauge (for Cars) 10 - 120 psi

N43-E09

9 Piece Auto Electrician Set



CODE NO	PIECES
N43-E09	9
G09-11	Car Electric Circuit Tester - 6/24 DC (V)
G09-16	Car Electric Circuit Tester - Pro - 3/48 DC (V)
E69-YT1	Crimping Pliers for Insulated Terminals (0.5 - 6.0 mm²)
KYK	6 SET: Cable Terminal Kit

N17-E09

9 Piece Special Automotive Socket Set



CODE NO	PIECES
N17-E09	9
N17-05	3 PC: 22x78, 22x110, 27x78 mm
	1/2" Drive Diesel Injector Sockets
N18-15S	3/8" Drive Oxygen (Lambda) Sensor Socket- 22x90 mm
N18-1522SL	1/2" Drive Offset Oxygen Sensor Socket - 22 mm
C17-R14C	3/8" Drive 14 mm 12 Point Spark Plug Socket (Retaining Clip)
C27-R	2 PC: 16, 21 mm
	1/2" Drive Spark Plug Sockets (Retaining Rubber)
C21-91S	1/2" Socket Adaptor - F:1/2" M:3/8"

N36-E04

4 Piece Windscreen Removal Tool Kit



CODE NO	PIECES
N36-E04	4
N36-WRT	Bonded Windscreen Removal Tool
N36-WH2	Pair of Handles for Windscreen Bond Cutting Wire
N36-CS0722	Windscreen Bond Cutting Wire - 22 meters

AE00

5 Division Idle EVA Module (for Storage of Parts)



CODE NO	PIECES
AE00	-
This module is especially useful to complete 2 drawer modules to 3 modules, can be used for storage of fasteners such as screws, nuts, washers etc.	



GT^{MAX}

The Ultimate Roller Cabinet Range




General Purpose Tool Set

JUNIOR


121 PIECE

1. DRAWER

B99-E20



K99-10-E06



2. DRAWER

C99-E68H2




3. DRAWER



EF-E27




1. DRAWER



2. DRAWER



3. DRAWER



121 Piece JUNIOR Tool Kit

Contents Only



121 Piece Tool Kits in Roller Cabinets

(A50TK-121+A01-06)

GT PLUS
6 DRAWER

(A50TK-121+A02-06)

GT
6 DRAWER

CODE NO A50TK-121

A50TK-121A01




A50TK-121A02

01 Tool Containers and Assortments

General Purpose Tool Set

JUNIOR

123 PIECE



123 Piece JUNIOR Tool Kit

Contents Only



123 Piece JUNIOR Tool Kits in Roller Cabinets

(A50TK-123+A01-06)

(A50TK-123+A02-06)



GT PLUS
6 DRAWER



GT
6 DRAWER

CODE NO A50TK-123

A50TK-123A01

A50TK-123A02


General Purpose Tool Set

JUNIOR

164 PIECE

1. DRAWER

B99-E24



2. DRAWER

C99-E68H2



3. DRAWER

EF-E72



1. DRAWER

B01 16 PC
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm

B10 8 PC
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

2. DRAWER

C02-H 11 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

BT/8001
1/4"-1/4"

CB/1800 4 PC
3, 4, 5, 6 mm

CB/250 2 PC
PH1, PH2

CB/350 2 PC
P21, P22

CB/610 3 PC
4, 5.5, 6.5 mm

CB/800 6 PC
T10, T15, T20, T25, T30, T40

C01-12

C01-20

F26/BT

C01-40

C01-73
100 mm

C01-80

C22-H 16 PC
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm

C21-12

C21-40

C21-70 2 PC
125 mm, 250 mm

C21-80

BT/8007
1/2" - 5/16"

CB/516SL10
10 mm

CB/516PH 3 PC
PH2, PH3, PH4

CB/516TX 4 PC
T30, T40, T45, T50

CB/516HX 3 PC
5, 6, 8 mm

3. DRAWER

F10 4 PC
3, 4, 5.5, 6.5 mm

F14 2 PC
PH1, PH2

LT/900 9 PC
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

CB/ST31 31 PC

6105CP
3 mm

E01-41-0180
180 mm

E06-41-0160
160 mm

E15-41-0160
160 mm

E30-54-0250
250 mm

J45C
18 mm

J45-R 10 PC
18 mm

L01-500
500 gr

L25-200-2
24x200 mm

L29-4
4 mm

L31 4 PC
3, 4, 5, 6 mm

P05-0519
5M x 19 mm

P15-030
30 cm

P54-20S
Metric - 20 Blade

164 Piece JUNIOR Tool Kit

Contents Only

CODE NO **A50TK-164**

164 Piece Tool Kits in Roller Cabinets

(A50TK-164+A01-06)

**GT PLUS**
6 DRAWER**A50TK-164A01**

(A50TK-164+A02-06)

**GT**
6 DRAWER**A50TK-164A02**

01 Tool Containers and Assortments


General Purpose Tool Set

MIDI - 1

232 PIECE

1. DRAWER

B99-E24



1. DRAWER



B01 16 PC
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16
17, 18, 19, 22, 24 mm



B10 8 PC
6x7, 8x9, 10x11, 12x13, 14x15,
16x17, 18x19, 20x22 mm

2. DRAWER



C02-H 12 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12,
13, 14 mm



C04-H 11 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm



BT/8001
1/4" - 1/4"



CB/800T 7 PC
T10, T15, T20, T25, T27, T30, T40



C08S-S 3 PC
4, 5.5, 6.5 mm



C08S-PH 2 PC
PH1, PH2



C08S-PZ 2 PC
PZ1, PZ2



C08S-T 8 PC
T8, T10, T15, T20, T25, T27, T30, T40



C08S-H 5 PC
3, 4, 5, 6, 8 mm



C01-12



C01-20



C01-40



C01-70 2 PC
50 mm, 150 mm



C01-75F
150 mm



C01-80



C01-92
D: 1/4" < E: 3/8"



C22-H 18 PC
8, 10, 11, 12, 13, 14, 15, 16, 17, 18,
19, 20, 21, 22, 24, 27, 30, 32 mm



C24-H 3 PC
13, 17, 19 mm



C21-12



C21-40



C21-70 2 PC
125 mm, 250 mm



C21-80



C21-91S
D: 1/2" > E: 3/8"



C21-92
D: 1/2" < E: 3/4"

2. DRAWER

C99-E99H2



3. DRAWER

F99-E81



4. DRAWER

EL-E28





BT/8007
1/2" - 5/16"



CB/516SL10
10 mm



CB/516PH 3 PC
PH2, PH3, PH4



CB/516TX 4 PC
T30, T40, T45, T50



CB/516HX 3 PC
5, 6, 8 mm

3. DRAWER



F10 4 PC
3, 4, 5.5, 6.5 mm



F14 2 PC
PH1, PH2



F10/TP
5.5 x 25 mm



F14/TP
PH2 x 25 mm



F20 5 PC
6, 7, 8, 10, 13 mm



K10 6 PC
2, 2.5, 3, 4, 5, 6 mm



LT/900 9 PC
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



LT/700L 8 PC
T9, T10, T15, T20, T25, T27, T30, T40



F26/BT



CB/ST31 31 PC



F26/RDS 12 in 1



6105CP
3 mm

4. DRAWER



E01-41-0180
180 mm



E06-41-0160
160 mm



E15-41-0160
160 mm



E30-54-0250
250 mm



E50-240-2
240 mm



J45CPM
18 mm



J45-R 10 PC
18 mm



L01-500
500 gr



L12-40
40 mm



L12-R40
40 mm



L25-200-2
24x200 mm



L29-4
4 mm



L31 4 PC
3, 4, 5, 6 mm



P05-0519
5M x 19 mm



P15-030
30 cm



P54-20S
Metric - 20 Blade

232 Piece Tool Kit

Contents Only



232 Piece MIDI-1 Tool Kits in Roller Cabinets

(A50TK-232/1+A01M-06)

(A50TK-232/1+A01-06)

(A50TK-232/1+A02-06)



GT_{MAX}
6 DRAWER



GT_{PLUS}
6 DRAWER



GT
6 DRAWER

CODE NO

A50TK-232/1

A50TK-232/1A01M

A50TK-232/1A01

A50TK-232/1A02

01 Tool Containers and Assortments


General Purpose Tool Set

MIDI - 2

232 PIECE

1. DRAWER

B99-E241



1. DRAWER



B01 16 PC
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16,
17, 18, 19, 22, 24 mm



B14 8 PC
6x7, 8x9, 10x11, 12x13, 14x15,
16x17, 18x19, 20x22 mm

2. DRAWER



C02-H 12 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12,
13, 14 mm



C04-H 11 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm



BT/8001
1/4"-1/4"



CB/800T 7 PC
T10, T15, T20, T25, T27, T30, T40



3 PC
4, 5.5, 6.5 mm



C08S-PH 2 PC
PH1, PH2



C08S-PZ 2 PC
PZ1, PZ2



C08S-T 8 PC
T8, T10, T15, T20, T25, T27, T30, T40



C08S-H 5 PC
3, 4, 5, 6, 8 mm



C01-12



C01-20



C01-40



C01-70 2 PC
50 mm, 150 mm



C01-75F
150 mm



C01-80



C01-92
D:1/4" < E:3/8"



C22-H 18 PC
8, 10, 11, 12, 13, 14, 15, 16, 17, 18,
19, 20, 21, 22, 24, 27, 30, 32 mm



C24-H 3 PC
13, 17, 19 mm



C21-12



C21-40



C21-70 2 PC
125 mm, 250 mm



C21-80



C21-91S
D:1/2" > E:3/8"



C21-92
D:1/2" < E:3/4"

2. DRAWER

C99-E99H2



3. DRAWER

F99-E81



4. DRAWER

EL-E28





BT/8007
1/2" - 5/16"



CB/516SL10
10 mm



CB/516PH 3 PC
PH2, PH3, PH4



CB/516TX 4 PC
T30, T40, T45, T50



CB/516HX 3 PC
5, 6, 8 mm

3. DRAWER



F10 4 PC
3, 4, 5.5, 6.5 mm



F14 2 PC
PH1, PH2



F10/TP
5.5 x 25 mm



F14/TP
PH2 x 25 mm



F20 5 PC
6, 7, 8, 10, 13 mm



K10 6 PC
2, 2.5, 3, 4, 5, 6 mm



LT/900 9 PC
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



LT/700L 8 PC
T9, T10, T15, T20, T25, T27, T30, T40



F26/BT



CB/ST31 31 PC



F26/RDS 12 in 1



6105CP
3 mm

4. DRAWER



E01-41-0180
180 mm



E06-41-0160
160 mm



E15-41-0160
160 mm



E30-54-0250
250 mm



E50-240-2
240 mm



J45CPM
18 mm



J45-R 10 PC
18 mm



L01-500
500 gr



L12-40
Ø 40 mm



L12-R40
Ø 40 mm



L25-200-2
24x200 mm



L29-4
4 mm



L31 4 PC
3, 4, 5, 6 mm



P05-0519
5M x 19 mm



P15-030
30 cm



P54-20S
Metric - 20 Blade

232 Piece MIDI-2 Tool Kit

Contents Only



232 Piece MIDI-2 Tool Kits in Roller Cabinets

(A50TK-232/2+A01M-06)

(A50TK-232/2+A01-06)

(A50TK-232/2+A02-06)



GT
MAX
6 DRAWER



GT
PLUS
6 DRAWER



GT
6 DRAWER

CODE NO

A50TK-232/2

A50TK-232/2A01M

A50TK-232/2A01

A50TK-232/2A02

01 Tool Containers and Assortments

General Purpose Tool Set

MIDI - SAE

230 PIECE

1. DRAWER

B99A-E26



C99A-E96BMR



F99A-E80



EL-E28



2. DRAWER

3. DRAWER

4. DRAWER

1. DRAWER



B01A 16 PC
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8,
11/16, 3/4, 13/16, 7/8, 15/16, 1,
1 1/16, 1 1/8, 1 1/4 inch



B09A 10 PC
1/4x5/16, 5/16x3/8, 7/16x1/2, 1/2x9/16,
9/16x5/8, 5/8x3/4, 11/16x3/4,
13/16x7/8, 15/16x1, 1-1/16x1-1/8 inch

2. DRAWER



C02A-B 10 PC
3/16, 7/32, 1/4, 9/32, 5/16,
11/32, 3/8, 7/16, 1/2, 9/16 inch



C04A-B 10 PC
3/16, 7/32, 1/4, 9/32, 5/16, 11/32,
3/8, 7/16, 1/2, 9/16 inch



BT/8001
1/4"-1/4"



CB/800T 7 PC
T10, T15, T20, T25, T27, T30, T40



C08S-S 3 PC
4, 5.5, 6.5 mm



C08S-PH 2 PC
PH1, PH2



C08S-PZ 2 PC
PZ1, PZ2



C08S-T 8 PC
T8, T10, T15, T20, T25, T27, T30, T40



C08AS-H 11 PC
1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4, 5/16 inch



C01-T90



C01-20



C01-40



C01-70 2 PC
50 mm, 150 mm



C01-75F
150 mm



C01-80



C01-92
D:1/4" < E:3/8"



C22A-B 15 PC
3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4,
13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8,
1-3/16, 1-1/4 inch



C21-T90



C21-40



C21-70 2 PC
125 mm, 250 mm



C21-80



C21-91S
D:1/2" > E:3/8"



C21-92
D:1/2" < E:3/4"



BT/8007
1/2" - 5/16"



CB/516SL10
10 mm



CB/516PH 3 PC
PH2, PH3, PH4



CB/516TX 4 PC
T30, T40, T45, T50



CB/516HX 3 PC
5, 6, 8 mm

3. DRAWER



4 PC
3, 4, 5.5, 6.5 mm



F14 2 PC
PH1, PH2



F10/TP
5.5 x 25 mm



F14/TP
PH2 x 25 mm



F20A 3 PC
1/4, 5/16, 3/8 inch



K10A 7 PC
5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 inch



LT/900AF 9 PC
1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 inch



LT/700L 8 PC
T9, T10, T15, T20, T25, T27, T30, T40



F26/BT



CB/ST31 31 PC



F26/RDS 12 in 1



6105CP
3 mm

4. DRAWER



E01-41-0180
180 mm



E06-41-0160
160 mm



E15-41-0160
160 mm



E30-54-0250
250 mm



E50-240-2
240 mm



J45CPM
18 mm



J45-R 10 PC
18 mm



L01-500
500 gr



L12-40
Ø 40 mm



L12-R40
Ø 40 mm



L25-200-2
24x200 mm



L29-4
4 mm



L31 4 PC
3, 4, 5, 6 mm



P05-0519
5M x 19 mm



P15-030
30 cm



P54-20S
Metric - 20 Blade

230 Piece MIDI-SAE Tool Kit

Contents Only



230 Piece MIDI-SAE Tool Kits in Roller Cabinets

(A50TK-230+A01M-06)

(A50TK-230+A01-06)

(A50TK-230+A02-06)



GT
MAX
6 DRAWER



GT
PLUS
6 DRAWER



GT
6 DRAWER

CODE NO

A50TK-230

A50TK-230A01M

A50TK-230A01


A50TK-230A02

01 Tool Containers and Assortments

General Purpose Tool Set

MAXI

275 PIECE



B99-E32



C99-E99H2



F99-E81



E99-E10



JL-E53

1. DRAWER



B01 16 PC
16 PC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm



B10 8 PC
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm



B14 8 PC
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

2. DRAWER



C02-H 12 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm



C04-H 11 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm



BT/8001
1/4" - 1/4"



CB/800T 7 PC
T10, T15, T20, T25, T27, T30, T40



C08S-S 3 PC
4, 5.5, 6.5 mm



C08S-PH 2 PC
PH1, PH2



C08S-PZ 2 PC
PZ1, PZ2



C08S-T 8 PC
T8, T10, T15, T20, T25, T27, T30, T40



C08S-H 5 PC
3, 4, 5, 6, 8 mm



C01-12



C01-20



C01-40



C01-70 2 PC
50 mm, 150 mm



C01-75F
150 mm



C01-80



C01-92
D: 1/4" < E: 3/8"



C22-H 18 PC
8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm



C24-H 3 PC
13, 17, 19 mm



C21-12



C21-40



C21-70 2 PC
125 mm, 250 mm




C21-80




C21-91S

D: 1/2" > E: 3/8"




C21-92

D: 1/2" < E: 3/4"



BT/8007

1/2" - 5/16"



CB/516SL10

10 mm

CB/516PH 3 PC 
PH2, PH3, PH4

CB/516TX 4 PC 
T30, T40, T45, T50

CB/516HX 3 PC 
5, 6, 8 mm

3. DRAWER

F10 4 PC 
3, 4, 5.5, 6.5 mm

F14 2 PC 
PH1, PH2

F10/TP 
5.5 x 25 mm

F14/TP 
PH2 x 25 mm

F20 5 PC 
6, 7, 8, 10, 13 mm

K10 6 PC 
2, 2.5, 3, 4, 5, 6 mm

LT/900 9 PC 
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

LT/700L 8 PC 
T9, T10, T15, T20, T25, T27, T30, T40

F26/BT 


CB/ST31 31 PC 






F26/RDS 12 in 1

6105CP 
3 mm

4. DRAWER

E01-41-0180
180 mm

E06-41-0160
160 mm

E15-41-0200
200 mm

E16-41-0200
200 mm

E30-54-0250
250 mm

E50-240-2
240 mm

E65-44-0180
19-60 mm

E66-44-0180
19-60 mm

E67-44-0180
19-60 mm

E68-44-0180
19-60 mm

5. DRAWER

J55-108H
20 x 200 mm Bastard

J56-108H
20 x 200 mm Bastard

J57-108H
Ø7.5 x 200 mm Bastard

J58-108H
8 x 200 mm Bastard

J59-108H
15 x 200 mm Bastard

J75-R06 6 PC







J45CPM
18 mm

J45-R 10 PC
18 mm

L01-500
500 gr

L12-40
Ø 40 mm

L12-R40
Ø 40 mm

L25-200-2
24x200 mm

L29-4
4 mm

L31 4 PC
3, 4, 5, 6 mm

P05-0519
5M x 19 mm

P15-030
30 cm

P54-20S
Metric - 20 Blade

A205210 19 PC
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5,
7, 7.5, 8, 8.5, 9, 9.5, 10 mm

275 Piece MAXI Tool Kit

Contents Only



275 Piece MAXI Tool Kits in Roller Cabinets

(A50TK-275+A01M-07)



GT^{MAX}
7 DRAWER

(A50TK-275+A01-07)



GT^{PLUS}
7 DRAWER

CODE NO **A50TK-275**

A50TK-275A01M


A50TK-275A01

01 Tool Containers and Assortments

General Purpose Tool Set

SUPER MAXI

343 PIECE



B99-E41




C99-E115H2

C28S-E14H



F99-E95



E99-E10

H99-E06



JLR-E62

1. DRAWER

B01 21 PC
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

B10 10 PC
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32 mm

B14 10 PC
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32 mm

2. DRAWER

C02-H 12 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

C04-H 8 PC
4, 5, 5.5, 6, 7, 8, 9, 10 mm

C08S-S 3 PC
4, 5.5, 6.5 mm

C08S-PH 2 PC
PH1, PH2

C08S-PZ 2 PC
PZ1, PZ2

C08S-T 8 PC
T8, T10, T15, T20, T25, T27, T30, T40

C08S-H 5 PC
3, 4, 5, 6, 8 mm

C01-12

C01-20

C01-40

C01-70 2 PC
50 mm, 150 mm

C01-75F
150 mm

C01-80

C01-92
D: 1/4" < E: 3/8"

BT/8001
1/4"-1/4"

CB/800T 7 PC
T10, T15, T20, T25, T27, T30, T40

C12-H 14 PC
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm

C14-H 5 PC
11, 12, 13, 14, 15 mm

C11-12

C11-40

C11-70 2 PC
75 mm, 150 mm

C11-80

C11-91
D: 3/8" > E: 1/4"

C11-92S
D: 3/8" < E: 1/2"

C22-H 18 PC
8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

C24-H 6 PC
16, 17, 18, 19, 22, 24 mm

C27-R 2 PC
16, 21 mm

C21-12

C21-40

C21-70 2 PC
125 mm, 250 mm

C21-80

C21-91S
D: 1/2" > E: 3/8"

C21-92
D: 1/2" < E: 3/4"

C28S-H 9 PC
5, 6, 7, 8, 10, 12, 14, 17, 19 mm

C28S-HL 5 PC
5, 6, 8, 10, 12 mm

3. DRAWER

F10 4 PC
3, 4, 5.5, 6.5 mm

F14 2 PC
PH1, PH2

F10/TP
5.5 x 25 mm


F14/TP
PH2 x 25 mm

F18 7 PC
T10, T15, T20, T25, T27, T30, T40

F20 5 PC
6, 7, 8, 10, 13 mm

H01 4 PC
1.5, 2, 2.5, 3 mm

H02 2 PC
PH00, PH0



343 Piece SUPER MAXI Tool Kit

Contents Only



343 Piece SUPER MAXI Tool Kit in Roller Cabinets

(A50TK-343+A01M-07J)

(A50TK-343+A01-07J)



CODE NO	A50TK-343
---------	-----------

A50TK-343A01M

A50TK-343A01

01 Tool Containers and Assortments

Aerospace Tool Set

AERO MIDI

197 PIECE

1. DRAWER

B99A-E31



1. DRAWER



B01AS
7/32 inch



B01A 15 PC
1/4, 9/32, 5/16, 11/32, 3/8, 7/16,
1/2, 9/16, 5/8, 11/16, 3/4, 13/16,
7/8, 15/16, 1 inch



B07A 4 PC
1/4x5/16, 5/16x11/32, 3/8x7/16,
1/2x9/16 inch



B09SA 9 PC
7/32, 15/64, 1/4, 9/32, 5/16, 11/32,
3/8, 7/16, 1/2 inch



B21-B 2 PC
150 mm, 250 mm

2. DRAWER



C02A-B 10 PC $\odot$ $\frac{1}{4}$ "
3/16, 7/32, 1/4, 9/32, 5/16,
11/32, 3/8, 7/16, 1/2, 9/16 inch



C02UA 9 PC $\odot$ $\frac{1}{4}$ "
7/32, 1/4, 9/32, 5/16, 11/32, 3/8,
7/16, 1/2, 9/16 inch



C04A-B 10 PC $\odot$ $\frac{1}{4}$ "
3/16, 7/32, 1/4, 9/32, 5/16,
11/32, 3/8, 7/16, 1/2, 9/16 inch



C08AS-H 11 PC $\odot$
1/16, 5/64, 3/32, 7/64, 1/8, 9/64,
5/32, 3/16, 7/32, 1/4, 5/16 inch



C01-T90 $\frac{1}{4}$ "



C01-20 $\frac{1}{4}$ "



C01-70 2 PC $\frac{1}{4}$ "
50 mm, 150 mm



C01-75F $\frac{1}{4}$ "
150 mm



C01-80 $\frac{1}{4}$ "



C01-92 $\frac{1}{4}$ "
D: 1/4" < E: 3/8"



C12A-B 13 PC $\odot$ $\frac{1}{4}$ "
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8,
11/16, 3/4, 13/16, 7/8, 15/16, 1 inch



C14A-B 13 PC $\odot$ $\frac{1}{4}$ "
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8,
11/16, 3/4, 13/16, 7/8, 15/16, 1 inch



C11-T90 $\frac{1}{4}$ "



C11-36MR $\frac{1}{4}$ "
250 mm



C11-50MR $\frac{1}{4}$ "
420 mm



C11-70 3 PC $\frac{1}{4}$ "
75, 150, 250 mm



C11-80 $\frac{1}{4}$ "



C11-91 $\frac{1}{4}$ "
D: 3/8" > E: 1/4"



CB/ST31 31 PC $\odot$ $\odot$ $\odot$ $\odot$ $\odot$ $\odot$



F26/BR2 $\odot$

2. DRAWER

C99A-E115BMR



3. DRAWER

EF-E34



4. DRAWER

LPR-E17





BT/8001 
1/4"-1/4"



BT/8003 

3. DRAWER



F10 2 PC 
5.5, 8.0 mm



F14 3 PC 
PH0, PH1, PH2



3100/TF2  



Z/12 



Z/40 



LT/900AF 9 PC 
1/16, 5/64, 3/32, 1/8, 5/32, 3/16,
1/4, 5/16, 3/8 inch



K99-F2M 9 PC 
0.05, 1/16, 5/64, 3/32, 7/64, 1/8,
9/64, 5/32, 3/16 inch



E01-44-0180
180 mm



E06-44-0160
160 mm



E15-44-0200
200 mm



E16-44-0160
160 mm



E30-54-0250
250 mm



E80-230R
230 mm



E50-2 2 PC
140, 190 mm

4. DRAWER



L02-16
450 gr



L12-40
Ø 40 mm



L12-R40
Ø 40 mm



L29 3 PC
3, 4, 5 mm



L31 2 PC
2, 5 mm



P05A
5M x 16 ft



P15-030
30 cm



P45A
150 mm



R.P6
Focus Flashlight



R15-0500
500 gr



R16-700
500 gr



R20R
Ø 50 -25/90cm



J47SPQ
19 cm



R35DE
235 mm

197 Piece AERO MIDI Tool Kit

Contents Only



197 Piece AERO MIDI Tool Kits in Roller Cabinets

(A50AS-197+A01M-06)

(A50AS-197+A01-06)



GT_{MAX}
6 DRAWER



GT_{PLUS}
6 DRAWER

CODE NO

A50AS-197

A50AS-197A01M

A50AS-197A01

01 Tool Containers and Assortments

Automotive Tool Set

AUTO MAXI

293 PIECE



1. DRAWER



2. DRAWER



3. DRAWER



4. DRAWER



5. DRAWER

1. DRAWER



B01 16 PC
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16,
17, 18, 19, 22, 24 mm



B14 8 PC
6x7, 8x9, 10x11, 12x13, 14x15,
16x17, 18x19, 20x22 mm

2. DRAWER



C02-H 12 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm



C04-H 8 PC
4, 5, 5.5, 6, 7, 8, 9, 10 mm



BT/8001
1/4" - 1/4"



CB/800T 7 PC
T10, T15, T20, T25, T27, T30, T40



C08S-S 3 PC
4, 5.5, 6.5 mm



C08S-PH 2 PC
PH1, PH2



C08S-PZ 2 PC
PZ1, PZ2



C08S-T 8 PC
T8, T10, T15, T20, T25, T27, T30, T40



C08S-H 5 PC
3, 4, 5, 6, 8 mm



C01-12



C01-20



C01-40



C01-70 2 PC
50 mm, 150 mm



C01-75F
150 mm



C01-80



C01-92
D: 1/4" < E: 3/8"



C12-H 14 PC
8, 9, 10, 11, 12, 13, 14, 15, 16,
17, 18, 19, 21, 22 mm



C14-H 5 PC
11, 12, 13, 14, 15 mm



C11-12



C11-40



C11-70 2 PC
75 mm, 150 mm



C11-80



C11-91
D: 3/8" > E: 1/4"



C11-92S
D: 3/8" < E: 1/2"



C22-H 18 PC
8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,
20, 21, 22, 24, 27, 30, 32 mm



C24-H 6 PC
16, 17, 18, 19, 22, 24 mm



C27-R 2 PC
16, 21 mm



C21-12



C21-40



C21-70 2 PC
125 mm, 250 mm



C21-80



C21-91S
D: 1/2" > E: 3/8"



C21-92
D: 1/2" < E: 3/4"

3. DRAWER



F10 4 PC
3, 4, 5.5, 6.5 mm



F14 2 PC
PH1, PH2



F10/TP
5.5 x 25 mm



F14/TP
PH2 x 25 mm



F18 7 PC
T10, T15, T20, T25, T27, T30, T40



F26/BT



CB/ST31 31 PC



F26/RDS 12 in 1



F26/BR2



6105CP
3 mm



G09-11



LT/900 9 PC
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



LT/700L 8 PC
T9, T10, T15, T20, T25, T27, T30, T40



C06 6 PC
E4, E5, E6, E7, E8, E10



C26 6 PC
E12, E14, E16, E18, E20, E24



C28S-T 9 PC
T20, T25, T27, T30, T40, T45, T50, T60



C28S-TL 4 PC
T30, T40, T45, T50



C28S-XL 4 PC
M6, M8, M10, M12

4. DRAWER



F20 4 PC
7, 8, 10, 13 mm



J45CPM
18 mm



J45-R 10 PC
18 mm



L01-500
500 gr



L12-40
Ø 40 mm



L12-R40
Ø 40 mm



L25-200-2
24x200 mm



L29-4
4 mm



L31 4 PC
3, 4, 5, 6 mm



N21-10



N31-12



P05-0519
5M x 19 mm



P15-030
30 cm



P54-20S
Metric - 20 Blade



R11-PEN
100 Lumens



R15-1000
1000 gr



R36-1



R36-2



R36-3



R36-4



R37-25

5. DRAWER



E01-41-0180
180 mm



E06-41-0160
160 mm



E15-41-0200
200 mm



E16-41-0200
200 mm



E30-54-0250
250 mm



E50-240-2
240 mm



E65-44-0180
19-60 mm



E66-44-0180
19-60 mm



E67-44-0180
19-60 mm



E68-44-0180
19-60 mm

293 Piece AUTO MAXI Tool Kit

Contents Only



293 Piece AUTO MAXI Tool Kits in Roller Cabinets

(A50CR-293+A01M-07)



GT^{MAX}
7 DRAWER

(A50CR-293+A01-07)



GT^{PLUS}
7 DRAWER

CODE NO A50CR-293

A50CR-293A01M


A50CR-293A01

01 Tool Containers and Assortments

Automotive Tool Set

AUTO SUPER MAXI

350 PIECE



B99-E41

1. DRAWER

B01 21 PC
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

B10 10 PC
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32 mm

B14 10 PC
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32 mm



C99-E115H2

B17-E18

2. DRAWER

C02-H 12 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

C04-H 8 PC
4, 5, 5.5, 6, 7, 8, 9, 10 mm

BT/8001

CB/800T 7 PC
T10, T15, T20, T25, T27, T30, T40

C08S-S 3 PC
4, 5.5, 6.5 mm

C08S-PH 2 PC
PH1, PH2

C08S-PZ 2 PC
PZ1, PZ2

C08S-T 8 PC
T8, T10, T15, T20, T25, T27, T30, T40

C08S-H 5 PC
3, 4, 5, 6, 8 mm

C01-12

C01-20



CF-E105



EL-E34



KNR-E37

C01-40

C01-70 2 PC
50 mm, 150 mm

C01-75F
150 mm

C01-80

C01-92
D: 1/4" < E: 3/8"

C12-H 14 PC
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm

C14-H 5 PC
11, 12, 13, 14, 15 mm

C11-12

C11-40

C11-70 2 PC
75 mm, 150 mm

C11-80

C11-91
D: 3/8" > E: 1/4"

C11-92S
D: 3/8" < E: 1/2"

C22-H 18 PC
8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

C24-H 6 PC
16, 17, 18, 19, 22, 24 mm

C27-R 2 PC
16, 21 mm

C21-12

C21-40

C21-70 2 PC
125 mm, 250 mm

C21-80

C21-91S
D: 1/2" > E: 3/8"

C21-92
D: 1/2" < E: 3/4"

B17 4 PC
E6xE8, E10xE12, E14xE18, E20xE24

C06 6 PC
E4, E5, E6, E7, E8, E10

C26 8 PC
E10, E12, E14, E16, E18, E20, E22, E24

3. DRAWER


F10 4 PC
3, 4, 5.5, 6.5 mm

F14 2 PC
PH1, PH2

F10/TP
5.5 x 25 mm

F14/TP
PH2 x 25 mm

F18 7 PC
T10, T15, T20, T25, T27, T30, T40



350 Piece AUTO SUPER MAXI Tool Kit in Roller Cabinets

Contents Only



350 Piece AUTO SUPER MAXI Tool Kit in Roller Cabinets

(A50CR-350+A01M-07J)

(A50CR-350+A01-07J)

GT MAX
7 DRAWERGT PLUS
7 DRAWER

CODE NO A50CR-350

A50CR-350A01M

A50CR-350A01

01 Tool Containers and Assortments

Automotive Tool Set

VW

292 PIECE



B99-E241

1. DRAWER

B01 16 PC
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm

B14 8 PC
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm



C99-E95H2

2. DRAWER

C01-12
12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

C01-20
20, 21, 22, 24, 27, 30, 32 mm

C01-70 3 PC
50, 100, 150 mm

C01-80
80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000, 1010, 1020, 1030, 1040, 1050, 1060, 1070, 1080, 1090, 1100, 1110, 1120, 1130, 1140, 1150, 1160, 1170, 1180, 1190, 1200, 1210, 1220, 1230, 1240, 1250, 1260, 1270, 1280, 1290, 1300, 1310, 1320, 1330, 1340, 1350, 1360, 1370, 1380, 1390, 1400, 1410, 1420, 1430, 1440, 1450, 1460, 1470, 1480, 1490, 1500, 1510, 1520, 1530, 1540, 1550, 1560, 1570, 1580, 1590, 1600, 1610, 1620, 1630, 1640, 1650, 1660, 1670, 1680, 1690, 1700, 1710, 1720, 1730, 1740, 1750, 1760, 1770, 1780, 1790, 1800, 1810, 1820, 1830, 1840, 1850, 1860, 1870, 1880, 1890, 1900, 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, 2010, 2020, 2030, 2040, 2050, 2060, 2070, 2080, 2090, 2100, 2110, 2120, 2130, 2140, 2150, 2160, 2170, 2180, 2190, 2200, 2210, 2220, 2230, 2240, 2250, 2260, 2270, 2280, 2290, 2300, 2310, 2320, 2330, 2340, 2350, 2360, 2370, 2380, 2390, 2400, 2410, 2420, 2430, 2440, 2450, 2460, 2470, 2480, 2490, 2500, 2510, 2520, 2530, 2540, 2550, 2560, 2570, 2580, 2590, 2600, 2610, 2620, 2630, 2640, 2650, 2660, 2670, 2680, 2690, 2700, 2710, 2720, 2730, 2740, 2750, 2760, 2770, 2780, 2790, 2800, 2810, 2820, 2830, 2840, 2850, 2860, 2870, 2880, 2890, 2900, 2910, 2920, 2930, 2940, 2950, 2960, 2970, 2980, 2990, 3000, 3010, 3020, 3030, 3040, 3050, 3060, 3070, 3080, 3090, 3100, 3110, 3120, 3130, 3140, 3150, 3160, 3170, 3180, 3190, 3200, 3210, 3220, 3230, 3240, 3250, 3260, 3270, 3280, 3290, 3300, 3310, 3320, 3330, 3340, 3350, 3360, 3370, 3380, 3390, 3400, 3410, 3420, 3430, 3440, 3450, 3460, 3470, 3480, 3490, 3500, 3510, 3520, 3530, 3540, 3550, 3560, 3570, 3580, 3590, 3600, 3610, 3620, 3630, 3640, 3650, 3660, 3670, 3680, 3690, 3700, 3710, 3720, 3730, 3740, 3750, 3760, 3770, 3780, 3790, 3800, 3810, 3820, 3830, 3840, 3850, 3860, 3870, 3880, 3890, 3900, 3910, 3920, 3930, 3940, 3950, 3960, 3970, 3980, 3990, 4000, 4010, 4020, 4030, 4040, 4050, 4060, 4070, 4080, 4090, 4100, 4110, 4120, 4130, 4140, 4150, 4160, 4170, 4180, 4190, 4200, 4210, 4220, 4230, 4240, 4250, 4260, 4270, 4280, 4290, 4300, 4310, 4320, 4330, 4340, 4350, 4360, 4370, 4380, 4390, 4400, 4410, 4420, 4430, 4440, 4450, 4460, 4470, 4480, 4490, 4500, 4510, 4520, 4530, 4540, 4550, 4560, 4570, 4580, 4590, 4600, 4610, 4620, 4630, 4640, 4650, 4660, 4670, 4680, 4690, 4700, 4710, 4720, 4730, 4740, 4750, 4760, 4770, 4780, 4790, 4800, 4810, 4820, 4830, 4840, 4850, 4860, 4870, 4880, 4890, 4900, 4910, 4920, 4930, 4940, 4950, 4960, 4970, 4980, 4990, 5000, 5010, 5020, 5030, 5040, 5050, 5060, 5070, 5080, 5090, 5100, 5110, 5120, 5130, 5140, 5150, 5160, 5170, 5180, 5190, 5200, 5210, 5220, 5230, 5240, 5250, 5260, 5270, 5280, 5290, 5300, 5310, 5320, 5330, 5340, 5350, 5360, 5370, 5380, 5390, 5400, 5410, 5420, 5430, 5440, 5450, 5460, 5470, 5480, 5490, 5500, 5510, 5520, 5530, 5540, 5550, 5560, 5570, 5580, 5590, 5600, 5610, 5620, 5630, 5640, 5650, 5660, 5670, 5680, 5690, 5700, 5710, 5720, 5730, 5740, 5750, 5760, 5770, 5780, 5790, 5800, 5810, 5820, 5830, 5840, 5850, 5860, 5870, 5880, 5890, 5900, 5910, 5920, 5930, 5940, 5950, 5960, 5970, 5980, 5990, 6000, 6010, 6020, 6030, 6040, 6050, 6060, 6070, 6080, 6090, 6100, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 6200, 6210, 6220, 6230, 6240, 6250, 6260, 6270, 6280, 6290, 6300, 6310, 6320, 6330, 6340, 6350, 6360, 6370, 6380, 6390, 6400, 6410, 6420, 6430, 6440, 6450, 6460, 6470, 6480, 6490, 6500, 6510, 6520, 6530, 6540, 6550, 6560, 6570, 6580, 6590, 6600, 6610, 6620, 6630, 6640, 6650, 6660, 6670, 6680, 6690, 6700, 6710, 6720, 6730, 6740, 6750, 6760, 6770, 6780, 6790, 6800, 6810, 6820, 6830, 6840, 6850, 6860, 6870, 6880, 6890, 6900, 6910, 6920, 6930, 6940, 6950, 6960, 6970, 6980, 6990, 7000, 7010, 7020, 7030, 7040, 7050, 7060, 7070, 7080, 7090, 7100, 7110, 7120, 7130, 7140, 7150, 7160, 7170, 7180, 7190, 7200, 7210, 7220, 7230, 7240, 7250, 7260, 7270, 7280, 7290, 7300, 7310, 7320, 7330, 7340, 7350, 7360, 7370, 7380, 7390, 7400, 7410, 7420, 7430, 7440, 7450, 7460, 7470, 7480, 7490, 7500, 7510, 7520, 7530, 7540, 7550, 7560, 7570, 7580, 7590, 7600, 7610, 7620, 7630, 7640, 7650, 7660, 7670, 7680, 7690, 7700, 7710, 7720, 7730, 7740, 7750, 7760, 7770, 7780, 7790, 7800, 7810, 7820, 7830, 7840, 7850, 7860, 7870, 7880, 7890, 7900, 7910, 7920, 7930, 7940, 7950, 7960, 7970, 7980, 7990, 8000, 8010, 8020, 8030, 8040, 8050, 8060, 8070, 8080, 8090, 8100, 8110, 8120, 8130, 8140, 8150, 8160, 8170, 8180, 8190, 8200, 8210, 8220, 8230, 8240, 8250, 8260, 8270, 8280, 8290, 8300, 8310, 8320, 8330, 8340, 8350, 8360, 8370, 8380, 8390, 8400, 8410, 8420, 8430, 8440, 8450, 8460, 8470, 8480, 8490, 8500, 8510, 8520, 8530, 8540, 8550, 8560, 8570, 8580, 8590, 8600, 8610, 8620, 8630, 8640, 8650, 8660, 8670, 8680, 8690, 8700, 8710, 8720, 8730, 8740, 8750, 8760, 8770, 8780, 8790, 8800, 8810, 8820, 8830, 8840, 8850, 8860, 8870, 8880, 8890, 8900, 8910, 8920, 8930, 8940, 8950, 8960, 8970, 8980, 8990, 9000, 9010, 9020, 9030, 9040, 9050, 9060, 9070, 9080, 9090, 9100, 9110, 9120, 9130, 9140, 9150, 9160, 9170, 9180, 9190, 9200, 9210, 9220, 9230, 9240, 9250, 9260, 9270, 9280, 9290, 9300, 9310, 9320, 9330, 9340, 9350, 9360, 9370, 9380, 9390, 9400, 9410, 9420, 9430, 9440, 9450, 9460, 9470, 9480, 9490, 9500, 9510, 9520, 9530, 9540, 9550, 9560, 9570, 9580, 9590, 9600, 9610, 9620, 9630, 9640, 9650, 9660, 9670, 9680, 9690, 9700, 9710, 9720, 9730, 9740, 9750, 9760, 9770, 9780, 9790, 9800, 9810, 9820, 9830, 9840, 9850, 9860, 9870, 9880, 9890, 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9970, 9980, 9990, 10000

C01-92
D: 1/4" < E: 3/8"

C11-91
D: 3/8" > E: 1/4"

C11-92S
D: 3/8" < E: 1/2"

C02-H 12 PC
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm



BC-E40



F99-E79



E99-E10



FLR-E36



BC-E08

C285-X 7 PC 
M5, M6, M8, M10, M12, M14, M16

C68-X18 
M18

C285-XL 2 PC 
M8, M14

C285-XXL 2 PC 
M10, M12

C285-T 8 PC 
T25, T27, T30, T40, T45, T50, T55, T60

B19-1011
10x11

4. DRAWER

F10 4 PC 
3, 4, 5.5, 6.5 mm

F14 2 PC 
PH1, PH2

F10/TP 
5.5 x 25 mm

F14/TP 
PH2 x 25 mm

F26/BT 


F26/RDS 12 in 1

CB/ST31 31 PC    

F26/BR2 

6105CP 
3 mm

G09-11

F18 7 PC 
T10, T15, T20, T25, T27, T30, T40

LT/900 9 PC 
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

LT/700L 8 PC 
T9, T10, T15, T20, T25, T27, T30, T40

5. DRAWER

E01-41-0180
180 mm

E06-41-0160
160 mm

E15-41-0200
200 mm

E16-41-0200
200 mm

E30-54-0250
250 mm

E50-240-2
240 mm

E65-44-0180
19-60 mm

E66-44-0180
19-60 mm

E67-44-0180
19-60 mm

E68-44-0180
19-60 mm

6. DRAWER

F20 4 PC 
7, 8, 10, 13 mm

J45CPM
18 mm

J45-R 10 PC
18 mm

L01-500
500 gr

L12-40
Ø 40 mm

L12-R40
Ø 40 mm

L25-200-2
24x200 mm

L29-4
4 mm

L31 4 PC
3, 4, 5, 6 mm

N21-10

N31-12

P05-0519
5M x 19 mm

P15-030
30 cm

P54-20S
Metric - 20 Blade

R11-PEN
100 Lumens

R15-1000
1000 gr

R36-1

R36-2

R36-3

R36-4

R37-25

7. DRAWER

B01 3 PC
27, 30, 32 mm

B14 2 PC
24x27, 30x32 mm

C21-79W 
500 mm

C31-40 

N23-0750
500 mm

292 Piece VW Tool Kit

Contents Only



CODE NO **A50VW-292**

292 Piece VW Tool Kits in Roller Cabinets

(A50VW-292+A01M-08)



A50VW-292A01M

(A50VW-292+A01-08)






A50VW-292A01

01 Tool Containers and Assortments

Automotive Tool Set

MERCEDES BENZ

319 PIECE



3. DRAWER



B05 6 PC
8, 10, 12, 13, 17, 19 mm



B19-1011
10x11



C28S-H 9 PC
5, 6, 7, 8, 10, 12, 14, 17, 19 mm



C28S-HBXL 4 PC
6, 7, 8, 10 mm



C28S-X 7 PC
M5, M6, M8, M10, M12, M14, M16



C68-X18
M18



C28S-XL 2 PC
M8, M14



C28S-XXL 2 PC
M10, M12



C28S-T 8 PC
T25, T27, T30, T40, T45, T50, T55, T60

4. DRAWER



F10 4 PC
3, 4, 5, 5.5, 6.5 mm



F14 2 PC
PH1, PH2



F10/TP
5.5 x 25 mm



F14/TP
PH2 x 25 mm



F26/RDS 12 in 1



F26/BT



CB/ST31 31 PC



F26/BR2



6105CP
3 mm




G09-11



F18 7 PC
T10, T15, T20, T25, T27, T30, T40



LT/900 9 PC
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



LT/700L 8 PC
T9, T10, T15, T20, T25, T27, T30, T40

5. DRAWER



E01-41-0180
180 mm



E06-41-0160
160 mm



E15-41-0200
200 mm



E16-41-0200
200 mm



E30-54-0250
250 mm



E50-240-2
240 mm



E65-44-0180
19-60 mm



E66-44-0180
19-60 mm



E67-44-0180
19-60 mm



E68-44-0180
19-60 mm

6. DRAWER



F20 4 PC
7, 8, 10, 13 mm



J45CPM
18 mm



J45-R 10 PC
18 mm



L01-500
500 gr



L12-40
Ø 40 mm



L12-R40
Ø 40 mm



L25-200-2
24x200 mm



L29-4
4 mm



L31 4 PC
3, 4, 5, 6 mm



N21-10



N31-12



P05-0519
5M x 19 mm



P15-030
30 cm



P54-20S
Metric - 20 Blade



R11-PEN
100 Lumens



R15-1000
1000 gr



R36-1



R36-2



R36-3



R36-4



R37-25

7. DRAWER



B01 3 PC
27, 30, 32 mm



B14 2 PC
24x27, 30x32 mm



C21-79W
500 mm



C31-40



N23-0750
500 mm

319 Piece MERCEDES BENZ Tool Kit

Contents Only

CODE NO **A50MB-319**

319 Piece MERCEDES BENZ Tool Kits in Roller Cabinets

(A50MB-319+A01M-08)

**GT^{MAX}**
8 DRAWER

A50MB-319A01M

(A50MB-319+A01-08)

**GT^{PLUS}**
8 DRAWER


A50MB-319A01

01 Tool Containers and Assortments

Automotive Tool Set

BMW

321 PIECE



1. DRAWER



2. DRAWER



3. DRAWER



4. DRAWER



5. DRAWER




1. DRAWER

B01 16 PC
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm

B10 8 PC
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

B14 8 PC
6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm



2. DRAWER

C01-12 1/4"

C01-20 1/4"

C01-40 1/2"

C01-70 2 PC 1/2"
50 mm, 150 mm

C01-80 1/2"

C01-92 1/2"
D:1/4" < E:3/8"


C02-H 12 PC 1/4"
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

C04-H 11 PC 1/4"
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm


C08S-H 5 PC 1/4"
3, 4, 5, 6, 8 mm



6. DRAWER



C08S-PH 2 PC 1/4"
PH1, PH2



C08S-PZ 2 PC 1/4"
PZ1, PZ2



C08S-S 3 PC 1/4"
4.0, 5.5, 6.5 mm




C21-12 1/2"



C21-40 1/2"




C21-70 2 PC 1/2"
125, 250 mm




C21-71W 1/2"
50 mm



C21-80 1/2"




C21-91 1/2"
D:1/2" > E:3/8"



C21-92 1/2"
D:1/2" < E:3/4"



C22-H 17 PC 1/2"
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm



C28S-H 8 PC 1/2"
5, 6, 7, 8, 10, 12, 14, 17 mm



C64W-H 2 PC 1/2"
17, 19 mm



3. DRAWER

B17 4 PC
E6xE8, E10xE12, E14xE18, E20xE24

B19-1011
10x11 mm

C06 5 PC 1/4"
E4, E5, E6, E7, E8

C11-12 1/4"

C11-40 1/4"

C11-70 3 PC 1/4"
75, 150, 150 mm

C11-80 1/4"

C11-91 1/4"
D:3/8" > E:1/4"







C11-92S 1/4"
D:3/8" < E:1/2"

C12-H 15 PC 1/4"
7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm

C14-H 4 PC 1/4"
10, 11, 12, 13 mm

C16 4 PC 1/4"
E10, E11, E12, E14

C18S-T 4 PC 1/4"
T40, T45, T50, T55





C185-H09 9 mm



C26 4 PC E16, E18, E20, E24 mm



C285-T T50, T55, T60



BT/8001 1/4" - 1/4"



BT/8005 3/8" - H10



CB/3000G 3 PC M6, M8, M10 mm



CB/800 4 PC T6, T7, T8, T9



CB/800T 7 PC T10, T15, T20, T25, T27, T30, T40



C12U-B 10 PC 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

4. DRAWER



F10 4 PC 3, 4, 5.5, 6.5 mm



F14 2 PC PH1, PH2



F10/TP 5.5 x 25 mm



F14/TP PH2 x 25 mm



F26/RDS 12 in 1



F26/BT



CB/ST31 31 PC



F26/BR2



6105CP 3 mm



G09-11



F18 7 PC T10, T15, T20, T25, T27, T30, T40



LT/900 9 PC 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



LT/700L 8 PC T9, T10, T15, T20, T25, T27, T30, T40

5. DRAWER



E01-41-0180 180 mm



E06-41-0160 160 mm



E15-41-0200 200 mm



E16-41-0200 200 mm




E30-54-0250 250 mm



E50-240-2 240 mm




E65-44-0180 19-60 mm



E66-44-0180 19-60 mm



E67-44-0180 19-60 mm



E68-44-0180 19-60 mm

6. DRAWER



F20 4 PC 7, 8, 10, 13 mm



J45CPM 18 mm



J45-R 10 PC 18 mm




L01-500 500 gr



L12-40 Ø 40 mm



L12-R40 Ø 40 mm



L25-200-2 24x200 mm



L29-4 4 mm



L31 4 PC 3, 4, 5, 6 mm



N21-10



N31-12



P05-0519 5M x 19 mm



P15-030 30 cm



P54-20S Metric - 20 Blade



R11-PEN 100 Lumens



R15-1000 1000 gr



R36-1



R36-2



R36-3



R36-4



R37-25

7. DRAWER



B01 3 PC 27, 30, 32 mm



B14 2 PC 21x23, 24x26 mm



C21-79W 500 mm



C31-40



N23-0750 500 mm

321 Piece BMW Tool Kit

Contents Only



321 Piece BMW Tool Kits in Roller Cabinets

(A50BMW-321+A01M-08)



GT
MAX
8 DRAWER

(A50BMW-321+A01-08)



GT
PLUS
8 DRAWER

CODE NO

A50BMW-321

A50BMW-321A01M

A50BMW-321A01




01 Tool Containers and Assortments

Automotive Tool Set

ELECTRIC / HYBRID CARS

132 PIECE

new



132 Piece Electric / Hybrid Cars Tool Kit

Contents Only



132 Piece Electric / Hybrid Cars Tool Kits in Roller Cabinets

(A50EV-132+A01-06EV)

(A50EV-132+A01-06EV)



GT^{MAX}
6 DRAWER



GT^{PLUS}
6 DRAWER

CODE NO A50EV-132

A50EV-132A01M

A50EV-132A01

BODY REPAIR - ALUMINIUM

84 PIECE



1. DRAWER

B01 16 PC
6, 7, 8, 9, 10, 11, 12, 13, 14, 15,
16, 17, 18, 19, 22, 24 mm

C22-H 18 PC $\frac{1}{16}$
8, 10, 11, 12, 13, 14, 15, 16, 17, 18,
19, 20, 21, 22, 24, 27, 30, 32 mm

C21-12 $\frac{1}{8}$

C21-40 $\frac{1}{4}$

C21-70 2 PC $\frac{1}{2}$
125 mm, 250 mm

C21-80 $\frac{1}{2}$

2. DRAWER

E01-41-0180 180 mm

E30-54-0300 300 mm

E36-54-0225 225 mm

J04-250L
250 mm (Left Cut)

J04-250R
250 mm (Right Cut)

N33-04 370 mm

L20-0401 400 mm

3. DRAWER

E55-2 2 PC
2x280 mm

E55P-2 3 PC
2x180 mm, 300 mm

L25-250G-2
28 x 250 mm

R40-4 275 mm

4. DRAWER

E30-54-0250 250 mm

E50-2 3 PC
140, 190, 240 mm

E50L-2 2 PC
170, 230 mm

E51-2 2 PC
190, 240 mm

E52-240-2 240 mm

E52S-240-2 240 mm

E56-J1 210 mm

E56-J2 235 mm

E56-L1 195 mm

E56-L2 220 mm

E56-W1 195 mm

J55-112H
300 mm Hand File (Bastard)

5. DRAWER

N33-01BMC2/MS
Bumping Hammer (Milled
Round and Flat Square Head)

N33-01BPF
Finishing Hammer with Pointed
Pein (Flat Round Head)

L17-40 Ø40 mm

L12-30 Ø30 mm

L12-R30 Ø30 mm

L12DB-45 Ø45 mm

L01-300 300 gr

N33-02T0 Toe Dolly

N33-02UA Anvil Dolly

N33-02CW Curved Dolly

6. DRAWER

N33-03DS
Double End Spoon
(Angled and Flat Ends)

N33-03SL
Long Single End Spoon
(Flat End)

N33-03SS
General Purpose Spoon-Short

N33-03BI
Bending Iron

N23-0750 500 mm

84 Piece Aluminium Body
Repair Tool Kit

Contents Only



CODE NO

A50BR-84

84 Piece Aluminium Body Repair Tool Kits
in Roller Cabinets

(A50BR-84+A01M-08)



A50BR-84A01M

(A50BR-84+A01-08)



A50BR-84A01


GT MAX
8 DRAWERGT PLUS
8 DRAWER

01 Tool Containers and Assortments

Automotive Tool Set

BODY REPAIR


153 PIECE



1. DRAWER



2. DRAWER



3. DRAWER




4. DRAWER




5. DRAWER


1. DRAWER



2. DRAWER



3. DRAWER





R40-4
275 mm



R35DE
235 mm



N31-1105 5 PC



N31-12



J04-250L
250 mm (Left Cut)



J04-250R
250 mm (Right Cut)



J81-200
10 mm

4. DRAWER



N33-04
370 mm



N33-04R1C
350 mm



N33-04R1D
350 mm



J55-H 3 PC
300 mm Hand Files (Bastard,
Second, Smooth)



N33-02PW
Wedge Dolly (Flat)



N33-02TO
Toe Dolly



N33-02DE
Double End Dolly (Convex and Flat Head)



N33-02UA
Anvil Dolly



N33-02HE
Heel Dolly



N33-02PWC
Wenge Dolly (Convex)



N33-03DS
Double End Spoon
(Angled and Flat Ends)



N33-03SL
General Purpose Spoon



N33-03SS
General Purpose Spoon - Short Form



N33-03BI
Bending Iron



N33-01BMC2/MS
Bumping Hammer
(Milled Round and Flat Square Head)



N33-01BPF
Finishing Hammer with Pointed Pein
(Flat Round Head)



L16-40
060 mm



L17-40
040 mm



N23-0750
500 mm

153 Piece Body Repair Tool Kit

Contents Only



153 Piece Body Repair Tool Kits in Roller Cabinets

(A50BR-153+A01M-07)



GT^{MAX}
7 DRAWER

(A50BR-153+A01-07)



GT^{PLUS}
7 DRAWER

CODE NO A50BR-153

A50BR-153A01M

A50BR-153A01

CETA FORM



WRENCHES AND HEX KEYS

■ Combination Wrenches	91
■ Ratcheting Combination Wrenches	92
■ Double Open End Wrenches	94
■ Double Ring End Wrenches	96
■ Special Profile Wrenches	96
■ Adjustable Wrenches	97
■ Slogging Wrenches	98
■ Double Ended Box Wrenches	98
■ T Handle Nut Drivers / Swivel Socket Wrenches	99
■ Hex L Keys	100
■ TORX L Keys	104
■ T Handle Keys	107
■ TORX Flag Drivers	108
■ Foldup Key Sets	109



02 Wrenches and Hex Keys

CETA FORM Wrenches

Precise, Tough and Elegant

100%

PRECISE

All Ceta Form wrenches are broached to very tight tolerances. In the later stages of production, necessary efforts are given to ensure that these original tolerances are kept. Therefore either open-end or ring, all wrenches tightly fit the fasteners.



VERSATILE

From open-end to ring-end, E-TORX to flare nut, metric to imperial a large range of variants are available throughout our wrenches range. You will find what you are looking for.



TOUGH

Only premium quality, crack-controlled steel is used during the forging. Coupled with the deep heat treatment know-how of Ceta Form, all Ceta Form wrenches are guaranteed to withstand against higher torques than the DIN.



Most Ceta Form wrench sets are offered in new high quality tetron pouches

C GEAR Wrenches

Ideal for working in confined spaces, C-Gear wrenches enable the user to work on a nut/bolt without removing the tool to reposition it.



B05 Series

The standard model. A compact ratchet spanner combined with an open-ended spanner.



B06 Series

The flexible model. For even more confined spaces, the pivoting flexible ring end allows for 90° operation.

Combination Wrenches

B01 Series

Combination Wrenches

DIN 3113, TS ISO 7738



Ring end offset from shaft at 15°

CODE NO	mm	mm	
B01-05/2	5.5	100	12
B01-06	6	100	12
B01-07	7	110	12
B01-08	8	120	12
B01-09	9	130	12
B01-10	10	140	12
B01-11	11	150	12
B01-12	12	160	12
B01-13	13	170	12
B01-14	14	180	12
B01-15	15	190	12
B01-16	16	200	12
B01-17	17	210	12
B01-18	18	220	12
B01-19	19	230	12
B01-20	20	240	12
B01-21	21	250	12
B01-22	22	260	12
B01-23	23	270	6
B01-24	24	280	6
B01-25	25	290	6
B01-26	26	300	6
B01-27	27	310	6
B01-28	28	320	6
B01-30	30	330	6
B01-32	32	360	6
B01-34	34	385	6
B01-36	36	400	3
B01-38	38	400	3
B01-41	41	440	3
B01-46	46	490	1
B01-50	50	530	1
	For display carded delivery = Item code + X		6
	Not available for sizes bigger than 32 mm		

B01-R Series

Combination Wrench Sets (in Roll Pouch)



CODE NO	
B01-R12	1
12 PC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22 mm	
B01-R13	1
13 PC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 24 mm	
B01-R21	1
21 PC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm	

B01-B Series

Combination Wrench Sets (in Carton Box)



CODE NO	
B01-B08	1
8 PC: 8, 10, 11, 12, 13, 14, 17, 19 mm	
B01-B12	1
12 PC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22 mm	
B01-B12/2	1
12 PC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22 mm	
B01-B17	1
17 PC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm	
B01-B21	1
21 PC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm	
B01-B25	1
25 PC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32 mm	

B01-P12

12 Piece Combination Wrench Set (in Plastic Holder)



CODE NO	
B01-P12	1
12 PC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22 mm	

B01AS Series

Combination Wrenches (Short) - SAE



Ring end offset from shaft at 15°

* Ring end part 12 corners (star)

CODE NO	inch	mm	
B01AS-00108	1/8	77	6
B01AS-00532	5/32	77	6
B01AS-00316	3/16	82	6
B01AS-00732	7/32	82	6
B01AS-00732B*	7/32	82	6

B01A Series

Combination Wrenches - SAE



Ring end offset from shaft at 15°

CODE NO	inch	mm	
B01A-00104	1/4	100	6
B01A-00932	9/32	110	6
B01A-00516	5/16	120	6
B01A-01132	11/32	130	6
B01A-00308	3/8	140	6
B01A-00716	7/16	150	6
B01A-00102	1/2	170	6
B01A-00916	9/16	180	6
B01A-00508	5/8	200	6
B01A-01116	11/16	210	6
B01A-00304	3/4	230	6
B01A-01316	13/16	250	6
B01A-00708	7/8	260	6
B01A-01516	15/16	280	6
B01A-10000	1	290	6
B01A-10116	1 - 1/16	310	6
B01A-10108	1 - 1/8	320	6
B01A-10316	1 - 3/16	330	6
B01A-10104	1 - 1/4	360	6
B01A-10308	1 - 3/8	385	6
B01A-10102	1 - 1/2	400	3
	For display carded delivery = Item code + X		6
	Not available for size bigger than 1-1/2"		

B01A-R Series

Combination Wrench Sets - SAE



CODE NO	
B01A-R09	1
9 PC: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 inch	
B01A-R14	1
14 PC: 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch	
B01A-R16	1
16 PC: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4 inch	

02 Wrenches and Hex Keys

C-GEAR Ratcheting Combination Wrenches

B05 Series

C-GEAR Ratcheting Combination Wrenches (Straight)



Ratcheting ring end, flat pattern

CODE NO	mm	mm	
B05-08	8	136	6
B05-09	9	143	6
B05-10	10	160	6
B05-11	11	168	6
B05-12	12	174	6
B05-13	13	180	6
B05-14	14	193	6
B05-15	15	200	6
B05-16	16	216	6
B05-17	17	233	6
B05-18	18	239	6
B05-19	19	250	6
B05-21	21	285	6
B05-22	22	285	6
B05-24	24	325	6
B05-27	27	354	3
B05-30	30	425	3
B05-32	32	425	3
B05-36	36	482	2



For display carded delivery = Item code + X

Not available for sizes bigger than 24 mm

B05-P12

12 Piece C-GEAR Ratcheting Combination Wrench Set



CODE NO	
B05-P12	1



B05 8, 10, 11, 12, 13, 14, 17, 19 mm



B05-14B 1/4"-10 mm



B05-14S 1/4"-10 mm

B05-38S 3/8"-13 mm

B05-12S 1/2"-19 mm

B05R Series

C-GEAR Ratcheting Combination Wrenches (Quick Jaw/Reversible)



Ratcheting ring end offset from the shaft at 15° (reversible), unique ratcheting open end



CODE NO	mm	mm	
B05R-09	9	160	6
B05R-11	11	165	6
B05R-12	12	170	6
B05R-14	14	190	6
B05R-15	15	200	6
B05R-16	16	205	6
B05R-18	18	235	6

B05-R Series

C-GEAR Ratcheting Combination Wrench Sets (Straight)



CODE NO	
B05-R05	1
5 PC: 8, 10, 13, 17, 19 mm	
B05-R12	1
12 PC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

B07-B01

4-in-1 C-GEAR Ratcheting Combination Wrench (Reversible)



10 mm

19 mm

13 mm

17 mm

120-tooth precision ratchet mechanism, star blades with ratchet function, right-left ratchet



CODE NO	mm	mm	
B07-B01	10x13 - 19x17	200	6

B06 Series

C-GEAR Ratcheting Combination Wrenches (Flex Head)



Ratcheting ring end (180° swiveling flex design)

CODE NO	mm	mm	
B06-08	8	135	6
B06-09	9	160	6
B06-10	10	160	6
B06-11	11	175	6
B06-12	12	175	6
B06-13	13	185	6
B06-14	14	195	6
B06-15	15	215	6
B06-16	16	215	6
B06-17	17	230	6
B06-18	18	250	6
B06-19	19	250	6



For display carded delivery = Item code + X

6

B06-R Series

Ratcheting Combination Wrench Sets (Flex Head)



CODE NO	
B06-R05	1
5 PC: 8, 10, 13, 17, 19 mm	
B06-R12	1
12 PC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

C-GEAR Adaptors

B05-S Series

C-GEAR Socket Adaptors



Converts a C-GEAR combination wrench into a fine tooth ratchet, quick release function

YouTube Clip

CODE NO	inch	mm	mm
B05-14S	1/4	10	12
B05-38S	3/8	13	6
B05-12S	1/2	19	6

B05-14B

C-GEAR Bit Adaptor



Converts a C-GEAR wrench into a 1/4" bit ratchet, spring loaded

CODE NO	inch	mm	mm
B05-14B	1/4	10	6 •

B05-S04

4 Piece C-GEAR Adaptor Set



CODE NO	mm
B05-S04	10
4 PC: B05-14S, B05-38S, B05-12S, B05-14B	

Ratcheting Wrenches - SAE

B07A Series

Ratcheting Ring Wrenches (Straight) - SAE



Ratcheting ring ends, switch lever



CODE NO	inch	mm	mm
B07A-0102	1/4x5/16	116	6
B07A-0203	5/16x11/32	136	6
B07A-0304	3/8x7/16	144	6
B07A-0506	1/2x9/16	177	6

B07A-B04

4 Piece Ratcheting Ring Wrench Set (Straight) - SAE



CODE NO	mm
B07A-B04	1
4 PC: 1/4x5/16, 5/16x11/32, 3/8x7/16, 1/2x9/16 inch	

B05AR Series

C-GEAR Ratcheting Combination Wrenches (Reversible)- SAE



Ratcheting ring end offset from the shaft at 15° (reversible)



CODE NO	inch	mm	mm
B05AR-0732	7/32	124	6
B05AR-0104	1/4	124	6
B05AR-0932	9/32	124	6
B05AR-0516	5/16	136	6
B05AR-1132	11/32	142	6
B05AR-0308	3/8	160	6
B05AR-0716	7/16	168	6
B05AR-0102	1/2	180	6
B05AR-0916	9/16	190	6
B05AR-0508	5/8	215	6
B05AR-1116	11/16	230	6
B05AR-0304	3/4	248	6

B07A0 Series

Ratcheting Ring Wrenches (Offset) - SAE



Ratcheting ring ends offset from the shaft, switch lever



CODE NO	inch	mm	mm
B07A0-0102	1/4 x 5/16	112	6
B07A0-0203	5/16 x 11/32	130	6
B07A0-0304	3/8 x 7/16	138	6
B07A0-0506	1/2 x 9/16	172	6

B07A0-B04

4 Piece Ratcheting Ring Wrench Set (Offset) - SAE



CODE NO	mm
B07A0-B04	1
4 PC: 1/4x5/16, 5/16x11/32, 3/8x7/16, 1/2x9/16 inch	



02 Wrenches and Hex Keys

Double Open End Wrenches

B09 Series

Double Open End Wrenches - Long

DIN 3110, ISO 10102



Open ends offset from the shaft at 15°

CODE NO	mm	mm	
B09-0555	5x 5.5	120	12
B09-0607	6x 7	120	12
B09-0809	8x 9	140	12
B09-0810	8x10	145	12
B09-1011	10x11	150	12
B09-1012	10x12	155	12
B09-1013	10x13	170	12
B09-1213	12x13	170	12
B09-1214	12x14	170	12
B09-1317	13x17	200	12
B09-1415	14x15	185	12
B09-1417	14x17	200	12
B09-1617	16x17	200	12
B09-1819	18x19	220	12
B09-1922	19x22	230	12
B09-2022	20x22	235	12
B09-2123	21x23	245	6
B09-2224	22x24	250	6
B09-2426	24x26	265	6
B09-2427	24x27	265	6
B09-2528	25x28	275	6
B09-2732	27x32	300	6
B09-3032	30x32	300	6
B09-3236	32x36	300	6
B09-3336	33x36	300	6
B09-3641	36x41	345	3
B09-4146	41x46	410	1
B09-4650	46x50	460	1
For display carded delivery = Item code + X			6
Not available for sizes bigger than 30x32 mm			

B09-B Series

Double Open End Wrench Sets - Long (in Carton Box)



CODE NO	
B09-B06	1
6 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm	
B09-B08	1
8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	
B09-B10	1
10 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26 mm	
B09-B10/2	1
10 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32 mm	
B09-B12	1
12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm	

B10 Series

Double Open End Wrenches - Short

DIN 895, TS 81



Open ends offset from the shaft at 15°

CODE NO	mm	mm	
B10-0607	6x 7	97	12
B10-0809	8x 9	108	12
B10-0810	8x10	113	12
B10-1011	10x11	120	12
B10-1013	10x13	120	12
B10-1213	12x13	133	12
B10-1415	14x15	147	12
B10-1317	13x17	162	12
B10-1617	16x17	162	12
B10-1719	17x19	178	12
B10-1819	18x19	178	12
B10-1922	19x22	195	12
B10-2022	20x22	195	12
B10-2123	21x23	213	6
B10-2224	22x24	213	6
B10-2426	24x26	232	6
B10-2427	24x27	232	6
B10-2528	25x28	250	6
B10-2732	27x32	260	6
B10-3032	30x32	260	6
For display carded delivery = Item code + X			6

B09-R Series

Double Open End Wrench Sets- Long - (in Roll Pouch)



CODE NO	
B09-R08	1
8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	
B09-R12	1
12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm	

B09-P12

12 Piece Double Open End Wrench Set - Long (in Plastic Holder)



CODE NO	
B09-P12	1
12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm	

B10-R Series

Double Open End Wrench Sets - Short (in Roll Pouch)



CODE NO	
B10-R08	1
8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	
B10-R12	1
12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm	

Double Open End Wrenches

B10-B Series

Double Open End Wrench Sets - Short (in Carton Box)

new




CODE NO	
B10-B06	1
6 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm	
B10-B08	1
8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	
B10-B10	1
10 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26 mm	
B10-B10/2	1
10 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32 mm	
B10-B12	
12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm	

B10-P12

12 Piece Double Open End Wrench Set - Short (in Plastic Holder)

new



CODE NO	
B10-P12	1
12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm	

B09A Series

Double Open End Wrenches - SAE



15° açılı ağızlar

inch

CODE NO		mm	
B09A-0102	1/4x5/16	123	6
B09A-0203	5/16x3/8	142	6
B09A-0304	3/8x7/16	158	6
B09A-0405	7/16x1/2	171	6
B09A-0506	1/2x9/16	175	6
B09A-0607	9/16x5/8	187	6
B09A-0708	5/8x11/16	201	6
B09A-0709	5/8x3/4	201	6
B09A-0809	11/16x3/4	220	6
B09A-0810*	11/16x13/16	235	6
B09A-0911	3/4x7/8	237	6
B09A-1011	13/16x7/8	238	6
B09A-1213	15/16x1	265	6
B09A-1315	1x1-1/8	279	6
B09A-1415	1-1/16x1-1/8	300	6
B09A-1417	1-1/16x1-1/4	300	6

* Limited with stocks

B09A-R10

10 Piece Double Open End Wrench Set - SAE



inch

CODE NO	
B09A-R10	1
10 PC: 1/4x5/16, 5/16x3/8, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/16x1-1/8 inch	

B09SA Series

Short Angle Open End Wrenches - SAE



Open ends offset from shaft at 15° and 75°

inch

CODE NO		mm	
B09SA-0732	7/32	75	6
B09SA-1564	15/64	80	6
B09SA-0104	1/4	80	6
B09SA-0932	9/32	80	6
B09SA-0516	5/16	90	6
B09SA-1132	11/32	90	6
B09SA-0308	3/8	100	6
B09SA-0716	7/16	100	6
B09SA-0102	1/2	120	6
B09SA-0916	9/16	120	6

B09SA-R09

9 Piece Short Angle Open End Wrench Set - SAE



inch

CODE NO	
B09SA-R09	1
9 PC: 7/32, 15/64, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 inch	

02 Wrenches and Hex Keys

Double Ring End Wrenches

B14 Series

Double Ring End Wrenches

DIN 838, TS ISO 10104



75° deep offset ring ends

CODE NO	mm	mm	
B14-0607	6x 7	175	12
B14-0809	8x 9	190	12
B14-1011	10x11	210	12
B14-1213	12x13	230	12
B14-1415	14x15	250	12
B14-1617	16x17	275	12
B14-1819	18x19	300	12
B14-2022	20x22	335	12
B14-2123	21x23	340	6
B14-2426	24x26	345	6
B14-2427	24x27	345	6
B14-2528	25x28	360	6
B14-3032	30x32	370	6
B14-3641	36x41	470	3

B14-R Series

Double Ring End Wrench Sets (in Roll Pouch)



CODE NO	
B14-R08	1
8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	
B14-R12	1
12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm	

B14-B Series

Double Ring End Wrench Sets (in Carton Box)



CODE NO	
B14-B06	1
6 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm	
B14-B08	1
8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	
B14-B10/2	1
10 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32 mm	
B14-B12	1
12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm	

Special Profile Wrenches

B17 Series

E-TORX Ring Wrenches



For external TORX screws, flat pattern


CODE NO	mm	mm	
B17-0608	E06xE08	110	6
B17-1012	E10xE12	140	6
B17-1418	E14xE18	180	6
B17-2024	E20xE24	225	6
For display carded delivery = Item code + X			6

B17-B04

4 Piece E-TORX Ring Wrench Set



CODE NO	
B17-B04	1
4 PC: E6xE8, E10xE12, E14xE18, E20xE24	



B19 Series

Flare Nut Wrenches

DIN 3118, TS 3794-6



Ideal for unions on hydraulic/brake or water lines

08x10-12x14: Hexagon

17x19-24x27: Bi-hexagon



CODE NO	mm	mm	
B19-0810	8x10	141	6
B19-0911	9x11	151	6
B19-1011	10x11	161	6
B19-1113	11x13	175	6
B19-1214	12x14	175	6
B19-1719	17x19	210	6
B19-1922	19x22	230	6
B19-2427	24x27	295	6
For display carded delivery = Item code + X			6

B19-B06

6 Piece Flare Nut Wrench Set



CODE NO	
B19-B06	1
6 PC: 8x10, 10x11, 11x13, 12x14, 17x19, 19x22 mm	

B20 Series

Half Moon Ring Wrenches

ISO 3118



Ideal for tight spaces (starter motors, manifolds etc.)

CODE NO	mm	mm	
B20-1012	10x12	143	6
B20-1113	11x13	143	6
B20-1315	13x15	166	6
B20-1317	13x17	183	6
B20-1417	14x17	183	6
B20-1922	19x22	235	6

B21W Series New Adjustable Wrenches

Professional quality adjustable wrenches with extra wide jaw opening

SLIM

The slim and tapering design of the jaws makes it very easy to access restricted areas. Thanks to the premium material selection, the jaws are still very durable despite compact dimensions.

200 mm - 8"



ERGONOMIC

The softgrip ergonomic handle allows for a good grip and ensures fatigue free working for long hours.

EXTRA-WIDE

Extra-wide opening capacity makes it possible to work with a smaller tool for the same job. For instance the jaw capacity of this tool (200 mm long) is equal to that of a 300 mm long adjustable wrench.



B21 Series Adjustable Wrenches

- Adjustable jaw set at 15° for easy repositioning
- Ergonomic design for easy handling
- mm scaled
- High alloy tool steel
- PVC Sleeves



B21-B Series

Adjustable Wrenches (Phosphated-PVC Grip)

DIN 3117, TS ISO 6787



CODE NO	mm "	mm	
B21-150B	150 - 6"	20	6
B21-200B	200 - 8"	25	6
B21-250B	250 - 10"	30	6
B21-300B	300 - 12"	35	6
B21-375B	375 - 15"	45	2

B21-C Series

Adjustable Wrenches (Chromed-PVC Grip)

DIN 3117, TS ISO 6787



CODE NO	mm "	mm	
B21-150C	150 - 6"	20	6
B21-200C	200 - 8"	25	6
B21-250C	250 - 10"	30	6
B21-300C	300 - 12"	35	6
B21-375C	375 - 15"	45	2

B21W-200B

Adjustable Wrench (Wide Opening Jaws)

DIN 3117, ISO 6787



Extra wide opening jaws, slim head dimensions for access to confined spaces

CODE NO	mm "	mm	
B21W-200B	200 - 8"	38	6

02 Wrenches and Hex Keys

Slogging Wrenches

B23 Series

Open End Slogging Wrenches

DIN 133, TS 81



Ideal for fasteners on heavy equipment, for use with a hammer or sledge hammer

CODE NO	mm	mm	
B23-27	27	180	1
B23-30	30	190	1
B23-32	32	190	1
B23-36	36	210	1
B23-41	41	230	1
B23-46	46	250	1
B23-50	50	275	1
B23-55	55	305	1
B23-60	60	315	1
B23-65	65	335	1
B23-70	70	370	1
B23-75	75	395	1
B23-80	80	400	1
B23-85	85	400	1
B23-90	90	445	1
B23-95	95	445	1
B23-100	100	485	1

B24 Series

Ring End Slogging Wrenches

DIN 7444, TS 3794



Ideal for fasteners on heavy equipment, for use with a hammer or sledge hammer

CODE NO	mm	mm	
B24-27	27	185	1
B24-30	30	185	1
B24-32	32	185	1
B24-36	36	205	1
B24-41	41	225	1
B24-46	46	235	1
B24-50	50	250	1
B24-55	55	265	1
B24-60	60	275	1
B24-65	65	305	1
B24-70	70	335	1
B24-75	75	335	1
B24-80	80	360	1
B24-90	90	395	1
B24-95	95	395	1
B24-100	100	425	1

Double Ended Box Wrenches

B27T Series

Double Ended Box Wrenches (Tubular)

DIN 896-B TS 3793-3



Hollow shaft in tubular steel ideal for protruding bolts, hexagon sockets

Tommy bars to be ordered separately

CODE NO	mm	mm	
B27T-0607	6x 7	100	6
B27T-0809	8x 9	100	6
B27T-1011	10x11	115	6
B27T-1213	12x13	135	6
B27T-1415	14x15	135	6
B27T-1617	16x17	145	6
B27T-1819	18x19	150	6
B27T-2022	20x22	160	6
B27T-2123	21x23	160	6
B27T-2426	24x26	175	6
B27T-2528	25x28	190	6
B27T-3032	30x32	190	6

B27T-B Series

Double Ended Box Wrench Sets (Tubular)



CODE NO	
B27T-B08	1
8 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	
B27T-B12	1
12 PC: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 mm	

B27T-B Series

Tommy Bars (for B27T Series)



B27-2B

B27-2B particularly for use with B27T series

CODE NO	mm	mm	
B27T-06B	6 - 11	160	6
B27T-08B	12 - 15	180	6
B27T-10B	16 - 17	200	6
B27T-12B	18 - 22	250	6
B27T-14B	21 - 26	320	6
B27T-16B	25 - 32	400	6
B27-2B	16 - 22	210	6

B27 Series

Double Ended Box Wrenches (Forged)



Heavy-duty hexagon shaft, ideal for long threaded bolts

Tommy bars to be ordered separately

CODE NO	mm	mm	
B27-2022	20x22	175	6
B27-2123	21x23	185	6
B27-2224	22x24	185	6
B27-2426	24x26	190	6
B27-2427	24x27	190	6
B27-2528	25x28	205	6
B27-3032	30x32	210	6

B28 Series

Double Ended Offset Socket Wrenches

TS ISO 2236



Deep recess at one end (hexagon) and open end (bi-hexagon) at the other end



CODE NO	mm	mm	
B28-06	6	110	6
B28-07	7	110	6
B28-08	8	115	6
B28-09	9	115	6
B28-10	10	130	6
B28-11	11	140	6
B28-12	12	150	6
B28-13	13	155	6
B28-14	14	165	6
B28-15	15	170	6
B28-16	16	180	6
B28-17	17	190	6
B28-18	18	200	6
B28-19	19	210	6
B28-22	22	230	6

B28-B08

8 Piece Double Ended Offset Socket Wrench Set




CODE NO	
B28-B08	1
8 PC: 8, 10, 11, 12, 13, 14, 17, 19 mm	

T Handle Nut Drivers / Swivel Socket Wrenches

T Handle Nut Drivers

Maximum power transmission, long reach



- Chrome Vanadium steel shaft, matt chrome finished
- 25 mm deep hexagon socket for long threaded bolts
- Softgrip T-Handle for maximum power transmission

K20 Series

T-Handle Nut Drivers



25 mm deep hexagon socket for long threaded bolts

CODE NO	mm	mm	
K20-06	6	230	6
K20-07	7	230	6
K20-08	8	230	6
K20-09	9	230	6
K20-10	10	230	6
K20-11	11	230	6
K20-12	12	230	6
K20-13	13	230	6

K20-B06

6 Piece T-Handle Nut Driver Set



CODE NO	
K20-B06	1
6 PC: 6, 7, 8, 10, 12, 13 mm	

K20-L Series

T-Handle Nut Drivers (Long Shaft)



25 mm deep hexagon socket for long threaded bolts

CODE NO	mm	mm	
K20-08L	8	350	6
K20-10L	10	350	6
K20-13L	13	350	6

B32 Series

T-Handle Swivel Socket Wrenches



Swiveling hexagon socket, ≥ 10 mm with 3/8" drive female end

CODE NO	mm	mm	
B32-06	6	396	6
B32-07	7	396	6
B32-08	8	396	6
B32-09	9	395	6
B32-10	10	395	6
B32-11	11	395	6
B32-12	12	395	6
B32-13	13	500	6
B32-14	14	500	6
B32-15	15	500	6
B32-16	16	500	6
B32-17	17	500	6
B32-18	18	500	6
B32-19	19	500	6

B30 Series

Double Swivel End Socket Wrenches



Bi-hexagon sockets, 180° swiveling design

CODE NO	mm	mm	
B30-0810	8x10	185	6
B30-1011	10x11	200	6
B30-1213	12x13	220	6
B30-1415	14x15	242	6
B30-1617	16x17	255	6
B30-1819	18x19	275	6



02 Wrenches and Hex Keys

Ceta Form Hex and TORX L Keys

Comprehensive range of hex and TORX L keys in industrial quality to suit every application. Color coded clips for ease of selection.



Metric Hex Keys

- Silicon Chrome Vanadium steel
- Matt chrome finish
- 0.7 mm to 32 mm

Metric



TORX Keys

- Chrome Vanadium Moly. steel
- Black finish
- T5 to T50

TORX



SAE Hex Keys

- Silicon Chrome Vanadium steel
- Gunmetal finish
- 0.028 to 3/4"

SAE



L Series / mm

Hexagon L Keys (Short Arm)

DIN / TS ISO 2936



1.3-12 mm: Matt chrome finish,
0.7, 0.9, 13-32 mm: Phosphate finish

CODE NO	mm	"	mm	
L/0028	0.7	0.028	35	12•
L/0035	0.9	0.035	35	12•
L/1.3	1.3	-	41	12•
L/1.5	1.5	-	45	12•
L/2	2	-	51	12•
L/2.5	2.5	-	58	12•
L/3	3	-	65	12•
L/3.5	3.5	-	69	12•
L/4	4	-	73	12•
L/4.5	4.5	-	77	12•
L/5	5	-	83	12•
L/6	6	-	95	12•
L/7	7	-	99	12•
L/8	8	-	106	12•
L/9	9	-	111	12•
L/10	10	-	121	12•
L/11	11	-	125	12•
L/12	12	-	134	12•
L/13	13	-	145	12
L/14	14	-	154	12
L/16	16	-	166	12
L/17	17	-	175	6
L/19	19	-	198	6
L/22	22	-	220	3
L/24	24	-	248	3
L/27	27	-	277	1
L/32	32	-	345	1
For display carded delivery = Item code + X				6
Available for sizes between 1.3 - 10 mm				



Softgrip T-Handle Hexagon and TORX Keys

- Chrome-Vanadium-Molybdenum steel
- Matt chrome plated blades
SAE keys: Gunmetal finish
- High-torque softgrip handles
- For sizes bigger than 3mm, chamfered tips allow easy fitting into hex screws




The individual keys can now be offered on plastic hangers, ideal for self service sales points. Simply add a letter "X" to the original code for display packed delivery. Available for L, 800 and 900 series.



Hex L Keys

LT/7

7 Piece Hexagon L Key Set (Short Arm)



CODE NO

LT/7

7 PC: 1.5, 2, 2.5, 3, 4, 5, 6 mm



6

LT/9

9 Piece Hexagon L Key Set (Short Arm)



CODE NO

LT/9

9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



6

LT/12

12 Piece Hexagon L Key Set (Short Arm)



CODE NO

LT/12

12 PC: 1.5, 2, 2.5, 3, 3.5, 4, 5, 6, 7, 8, 10, 12 mm



6

LT/9D

LT/9 Hexagon L Key Set Display Pack



CODE NO

LT/9D

12x LT/9



1

LT/12D

LT/12 Hexagon L Key Set Display Pack



CODE NO

LT/12D

12x LT/12



1

800 Series

Hexagon L Keys (Long Arm)

DIN / TS ISO 2936



14, 17, 19 mm: Phosphate finish

CODE NO	 mm	 mm	
815	1.5	90	12 •
802	2	101	12 •
825	2.5	114	12 •
803	3	127	12 •
835	3.5	138	12 •
804	4	144	12 •
805	5	164	12 •
806	6	185	12 •
807	7	194	12 •
808	8	206	12 •
810	10	232	12 •
812	12	261	12 •
814	14	290	12
817	17	335	6
819	19	375	6

 For display carded delivery = Item code + X
Available for sizes between 1.5 - 10 mm

6

LT7/800

7 Piece Hexagon L Key Set (Long Arm)



CODE NO

LT7/800

7 PC: 1.5, 2, 2.5, 3, 4, 5, 6 mm



6

LT/800

9 Piece Hexagon L Key Set (Long Arm)



CODE NO

LT/800

9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



6

LT/800D

LT/800 Hexagon L Key Set Display Pack



CODE NO

LT/800D

12x LT/800



6

LT12/800

12 Piece Hexagon L Key Set (Long Arm)



CODE NO

LT12/800

12 PC: 1.5, 2, 2.5, 3, 3.5, 4, 5, 6, 7, 8, 10, 12 mm




6

02 Wrenches and Hex Keys

Hex L Keys

900 Series

Ball End Hexagon L Keys (Long Arm)



Ball end allows up to 25° entry

CODE NO	 mm	 mm	
915	1.5	90	12 •
902	2	100	12 •
925	2.5	112	12 •
903	3	127	12 •
935	3.5	139	12 •
904	4	143	12 •
905	5	164	12 •
906	6	184	12 •
907	7	194	12 •
908	8	206	12 •
910	10	232	12 •
912	12	260	12 •
	For display carded delivery = Item code + X Available for sizes between 1.5 - 10 mm		6

LT/900

9 Piece Ball End Hexagon L Key Set (Long Arm)



CODE NO	
LT/900	6
9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

LT/900C

9 Piece Ball End Hexagon L Key Set (Long Arm-Color Coded)



CODE NO	
LT/900C	6
9 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

LT7/900

7 Piece Ball End Hexagon L Key Set (Long Arm)



CODE NO	
LT7/900	6
7 PC: 1.5, 2, 2.5, 3, 4, 5, 6 mm	

LT/900D

LT/900 Ball End Hexagon L Key Set Display Pack



CODE NO	
LT/900D	1
12x LT/900	

LT12/900

12 Piece Ball End Hexagon L Key Set (Long Arm)



CODE NO	
LT12/900	6
12 PC: 1.5, 2, 2.5, 3, 3.5, 4, 5, 6, 7, 8, 10, 12 mm	



Hex L Keys - SAE

L Series / SAE

Hexagon L Keys (Short Arm) - SAE



CODE NO				
L/0028	0.028	0.7	35	12 •
L/0035	0.035	0.9	35	12 •
L/0364	3/64	-	38	12 •
L/0050	0.05	-	41	12 •
L/0116	1/16	-	47	12 •
L/0564	5/64	-	52	12 •
L/0332	3/32	-	58	12 •
L/0764	7/64	-	58	12 •
L/0108	1/8	-	66	12 •
L/0964	9/64	-	66	12 •
L/0532	5/32	-	71	12 •
L/0316	3/16	-	83	12 •
L/0732	7/32	-	88	12 •
L/0104	1/4	-	94	12 •
L/0516	5/16	-	105	12 •
L/0308	3/8	-	118	12 •
L/0716	7/16	-	130	12 •
L/0102	1/2	-	141	12
L/0916	9/16	-	150	6
L/0508	5/8	-	172	6
L/0304	3/4	-	179	6

LT/9AF

9 Piece Hexagon L Key Set (Short Arm) - SAE



CODE NO	
LT/9AF	6
9 PC: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 inch	

LT/13AF

13 Piece Hexagon L Key Set (Short Arm) - SAE



CODE NO	
LT/13AF	6
13 PC: 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 inch	

800 Series / SAE

Hexagon L Keys (Long Arm) - SAE



CODE NO			
80050	0.05	80	12 •
80116	1/16	92	12 •
80564	5/64	102	12 •
80332	3/32	114	12 •
80764	7/64	126	12 •
80108	1/8	129	12 •
80964	9/64	137	12 •
80532	5/32	144	12 •
80316	3/16	165	12 •
80732	7/32	183	12 •
80104	1/4	186	12 •
80516	5/16	205	12 •
80308	3/8	230	12 •

LT/800AF

9 Piece Hexagon L Key Set (Long Arm) - SAE



CODE NO	
LT/800AF	6
9 PC: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 inch	

LT13/800AF

13 Piece Hexagon L Key Set (Long Arm) - SAE



CODE NO	
LT13/800AF	6
13 PC: 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 inch	

900 Series / SAE

Ball End Hexagon L Keys (Long Arm) - SAE



CODE NO			
90050	0.05	80	12 •
90116	1/16	92	12 •
90564	5/64	102	12 •
90332	3/32	114	12 •
90764	7/64	126	12 •
90108	1/8	129	12 •
90964	9/64	137	12 •
90532	5/32	144	12 •
90316	3/16	165	12 •
90732	7/32	183	12 •
90104	1/4	186	12 •
90516	5/16	205	12 •
90308	3/8	230	12 •

LT/900AF

9 Piece Ball End Hexagon L Key Set (Long Arm) - SAE



CODE NO	
LT/900AF	6
9 PC: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 inch	

LT13/900AF

13 Piece Ball End Hexagon L Key Set (Long Arm) - SAE



CODE NO	
LT13/900AF	6
13 PC: 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 inch	

02 Wrenches and Hex Keys

TORX L Keys

700 Series

TORX L Keys (Short Arm)



CODE NO		mm	
705	T5	44	12•
706	T6	44	12•
707	T7	47	12•
708	T8	49	12•
709	T9	51	12•
710	T10	54	12•
715	T15	56	12•
720	T20	61	12•
725	T25	65	12•
727	T27	69	12•
730	T30	75	12•
740	T40	82	12•
745	T45	86	12•
750	T50	109	12•

700L Series

TORX L Keys (Long Arm)



CODE NO		mm	
705L	T5	73	12•
706L	T6	73	12•
707L	T7	77	12•
708L	T8	84	12•
709L	T9	99	12•
710L	T10	103	12•
715L	T15	115	12•
720L	T20	129	12•
725L	T25	145	12•
727L	T27	165	12•
730L	T30	176	12•
740L	T40	187	12•
745L	T45	208	12•

700TL Series

TORX Tamper Proof L Keys (Long Arm)



CODE NO		mm	
709TL	T9	99	12•
710TL	T10	103	12•
715TL	T15	115	12•
720TL	T20	129	12•
725TL	T25	145	12•
727TL	T27	166	12•
730TL	T30	176	12•
740TL	T40	187	12•

LT/700

8 Piece TORX L Key Set (Short Arm)



CODE NO	
LT/700	6
8 PC: T9, T10, T15, T20, T25, T27, T30, T40	

LT/700L

8 Piece TORX L Key Set (Long Arm)



CODE NO	
LT/700L	6
8 PC: T9, T10, T15, T20, T25, T27, T30, T40	

LT/700TL

8 Piece TORX Tamper Proof L Key Set (Long Arm)



CODE NO	
LT/700TL	6
8 PC: T9, T10, T15, T20, T25, T27, T30, T40	

LT13/700

13 Piece TORX L Key Set (Short Arm)



CODE NO	
LT13/700	6
13 PC: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45	

LT13/700L

13 Piece TORX L Key Set (Long Arm)



CODE NO	
LT13/700L	6
13 PC: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45	



TORX L Keys

700B Series

Ball End TORX L Keys (Long Arm)



Ball end allows up to 25° entry

CODE NO		mm	
709B	T9	99	12 •
710B	T10	103	12 •
715B	T15	115	12 •
720B	T20	130	12 •
725B	T25	145	12 •
727B	T27	166	12 •
730B	T30	176	12 •
740B	T40	187	12 •

LT/700B

8 Piece Ball End TORX L Key Set (Long Arm)



CODE NO	
LT/700B	6
8 PC: T9, T10, T15, T20, T25, T27, T30, T40	

700IPR Series

TORX IPR L Keys (Long Arm)



Especially for ECU, air conditioning and fuel injection pump applications in automotive

CODE NO		mm	
709IPR	IPR09	99	12 •
710IPR	IPR10	103	12 •
715IPR	IPR15	115	12 •
720IPR	IPR20	130	12 •
725IPR	IPR25	145	12 •
727IPR	IPR27	166	12 •
730IPR	IPR30	176	12 •
740IPR	IPR40	187	12 •

LT/700IPR

8 Piece TORX IPR L Key Set (Long Arm)



CODE NO	
LT/700IPR	6
8 PC: IPR9, IPR10, IPR15, IPR20, IPR25, IPR27, IPR30, IPR40	

XZN L Keys

740 Series

Spline (XZN) L Keys



Especially for use in automotive sector

CODE NO		mm	
740/M05	M05	81	12 •
740/M06	M06	90	12 •
740/M08	M08	100	12 •
740/M10	M10	112	12 •
740/M12	M12	129	12 •
740/M14	M14	152	12 •

LT/740

5 Piece Spline (XZN) L Key Set



CODE NO	
LT/740	6
5 PC: M05, M06, M08, M10, M12	



02 Wrenches and Hex Keys

Combo Hex L Key Sets

LT/800CP

18 Piece Combo Hexagon L Key Set (Long Arm)
- Metric/SAE



CODE NO

LT/800CP

2 PC: LT/800, LT/800AF

6

LT/900CP

18 Piece Combo Ball End Hexagon L Key Set (Long Arm)
- Metric/SAE



CODE NO

LT/900CP

2 PC: LT/900, LT/900AF

6

LT/9CP

18 Piece Combo Hexagon L Key Set (Short Arm)
- Metric/SAE



CODE NO

LT/9CP

2 PC: LT/9, LT/9AF

6

LT27/800CP

27 Piece Combo Hexagon L Key Set (Long Arm)
- Metric/SAE



CODE NO

LT27/800CP

800/Metric 12 PC: 1.5, 2, 2.5, 3, 3.5, 4, 5, 6, 7, 8, 10, 12 mm
800/SAE 12 PC: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 inch
L/SAE 3 PC: 0.028, 0.035, 0.050 inch

1

LT27/900CP

27 Piece Combo Ball End Hexagon L Key Set (Long Arm) - Metric/SAE



CODE NO

LT27/900CP

900/Metric 12 PC: 1.5, 2, 2.5, 3, 3.5, 4, 5, 6, 7, 8, 10, 12 mm
900/SAE 12 PC: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 inch
L/SAE 3 PC: 0.028, 0.035, 0.050 inch

1

K10T Series

T Hexagon Keys (3 Ways)



With 3 same sized hexagon ends

CODE NO

K10T-030

K10T-040

K10T-050

K10T-060

3

4

5

6

150

175

195

215

12

12

12

12



T-Handle Keys

Softgrip T-Handle
Hexagon and TORX Keys

- Chrome-Vanadium-Molybdenum steel
- Matt chrome plated, black tip blades
- SAE keys: Gunmetal finish
- High-torque softgrip handles
- For sizes bigger than 3mm, chamfered tips allow easy fitting into hex screws



K10 Series

T-Handle Hexagon Keys



CODE NO	mm	mm	
K10-020-100	2	100	12
K10-025-100	2.5	100	12
K10-030-100	3	100	12
K10-040-150	4	150	12
K10-050-150	5	150	12
K10-060-200	6	200	12
K10-070-200	7	200	12
K10-080-200	8	200	12
K10-100-200	10	200	12

K11 Series

T-Handle Ball End Hexagon Keys



Ball end allows up to 25° entry

CODE NO	mm	mm	
K11-020-100	2	100	12
K11-025-100	2.5	100	12
K11-030-100	3	100	12
K11-040-150	4	150	12
K11-050-150	5	150	12
K11-060-200	6	200	12
K11-080-200	8	200	12
K11-100-200	10	200	12

K12 Series

T-Handle TORX Keys



CODE NO		mm	
K12-009-100	T9	100	12
K12-010-100	T10	105	12
K12-015-100	T15	105	12
K12-020-150	T20	155	12
K12-025-150	T25	155	12
K12-027-150	T27	155	12
K12-030-150	T30	160	12
K12-040-150	T40	160	12

K99-10-06

6 Piece T-Handle Hexagon Key Set (in Color Box)



CODE NO	
K99-10-06	1
6 PC: 2.5, 3, 4, 5, 6, 8 mm	

K10A Series

T-Handle Hexagon Keys - SAE



CODE NO	inch	mm	
K10A-0564	5/64	100	12
K10A-0332	3/32	100	12
K10A-0764	7/64	100	12
K10A-0108	1/8	100	12
K10A-0964	9/64	100	12
K10A-0532	5/32	150	12
K10A-0316	3/16	150	12
K10A-0732	7/32	150	12
K10A-0104	1/4	200	12
K10A-0516	5/16	200	12
K10A-0308	3/8	200	12

K99-12-06

6 Piece C-PLUS T-Handle TORX Key Set (in Color Box)



CODE NO	
K99-12-06	1
6 PC: T10, T15, T20, T25, T30, T40	

02 Wrenches and Hex Keys

T-Handle Key Sets

K99-10-M08

8 Piece T-Handle Hexagon Key Set (on Metal Stand)



CODE NO		
K99-10-M08		1
8 PC: 2, 2.5, 3, 4, 5, 6, 8, 10 mm		
K99-10-ME	Empty Metal Stand (for K10 and K11 series)	1

K99-11-M08

8 Piece T-Handle Ball End Hexagon Key Set (on Metal Stand)

new



CODE NO		
K99-11-M08		1
8 PC: 2, 2.5, 3, 4, 5, 6, 8, 10 mm		
K99-10-ME	Empty Metal Stand (for K10 and K11 series)	1

K99-10A-M10

10 Piece T-Handle Hexagon Key Set (on Metal Stand) - SAE




CODE NO		
K99-10A-M10		1
10 PC: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 inch		
K99-10A-ME	Empty Metal Stand (for K10A series)	1

K99-12-M07

7 Piece T-Handle TORX Key Set (on Metal Stand)



CODE NO		
K99-12-M07		1
7 PC: T10, T15, T20, T25, T27, T30, T40		
K99-12-ME	Empty Metal Stand (for K12 series)	1



TORX Flag Drivers

F37 Series

TORX Flag Drivers (P-Handle)



Especially for TORX screws on indexable inserts for milling tools

CODE NO			
F37-06	T06	40	12 •
F37-07	T07	40	12 •
F37-08	T08	40	12 •
F37-09	T09	40	12 •
F37-10	T10	40	12 •
F37-15	T15	40	12 •
F37-20	T20	40	12 •

F37-IP Series

TORX PLUS Flag Drivers (P-Handle)



Especially for TORX PLUS screws on indexable inserts for milling tools

CODE NO			
F37-IP08	IP08	40	12 •
F37-IP09	IP09	40	12 •
F37-IP10	IP10	40	12 •
F37-IP15	IP15	40	12 •

F37-P06

6 Piece P Handle TORX Flag Driver Set

new



CODE NO		
F37-P06		1
6 PC: T6, T7, T8, T9, T10, T15		



Foldup Key Sets

Foldup Key Sets in a New Design

Practical folding key sets from Ceta Form.
Keeps all key sizes together, ideal for field use.
Available in metric, SAE and TORX versions.

- Available in metric, SAE and TORX profiles
- Better handling ergonomics
- Innovative 3 position locking mechanism: 90°, 135°, 180°



K99-F1
8 Piece Foldup Hexagon Key Set

new



CODE NO

K99-F1

8 PC: 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm



10



K99-F2
8 Piece Foldup Hexagon Key Set - SAE

new



CODE NO

K99-F2

8 PC: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 inch



10



K99-F3
8 Piece Foldup TORX Key Set

new



CODE NO

K99-F3

8 PC: T9, T10, T15, T20, T25, T27, T30, T40



10



K99-F2M
9 Piece Foldup Hexagon Key Set #1 (Metal Handle) - SAE



CODE NO

K99-F2M

9 PC: 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16 inch



10



K99-F2M/2
9 Piece Foldup Hexagon Key Set #2 (Metal Handle) - SAE



CODE NO

K99-F2M/2

9 PC: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 inch



10



CETA FORM



SOCKETS AND ACCESSORIES

■ 1/4" Drive Sockets and Accessories	114
■ 3/8" Drive Sockets and Accessories	123
■ 1/2" Drive Sockets and Accessories	129
■ 3/4" Drive Sockets and Accessories	140
■ 1" Drive Sockets and Accessories	142
■ 1/4" Drive Impact Sockets	143
■ 3/8" Drive Impact Sockets and Accessories	143
■ 1/2" Drive Impact Sockets and Accessories	144
■ 3/4" Drive Impact Sockets and Accessories	146
■ 1" Drive Impact Sockets and Accessories	147



03 Sockets and Accessories

Ceta Form Ratchet Handles



90-TOOTH **T90**

High number of teeth yet high torsional strength thanks to a high number of pawl teeth in engagement with gear. Sealed against dust, dirt and water. Arguably the top ratchet in our range.




60-TOOTH **COMPACT DESIGN**

Similar mechanism to T90 series with a smaller number of teeth. Ideal for working in confined spaces due to slim head design. Quick release button.



48-TOOTH **HIGH TORQUE**

Solid, tried and tested Gear-to-Gear mechanism ensuring higher torque levels and long tool life. Quick release button.



Switch pawls on Ceta Form ratchet handles are placed in a recessed area. Unnecessary contact to the switching pawl is avoided (except T90 series).

Sockets



Compact sizes

Precision for perfect fit to nuts & bolts

Knurls to aid non-slip gripping

Female square for perfect fit to ratcheting handle

SQ Drive	Scope mm	Scope SAE	Scope TORX
6.3 1/4"	4 mm - 15 mm	1/8" - 9/16"	E4 - E10
10 3/8"	6 mm - 22 mm	1/4" - 1"	E4 - E20
12.5 1/2"	8 mm - 32 mm	3/8" - 1.1/4"	E10 - E24
20 3/4"	19 mm - 60 mm	7/8" - 1.1/4"	
25 1"	32 mm - 80 mm		

ETORX Sockets



Deep Sockets



Impact Sockets



Socket Sets in Hard Plastic Cases

Manufactured from high density polyethylene (HDPE) to withstand high and low temperatures



03 Sockets and Accessories

6.3
1/4"

C02-H Series

1/4" Drive 6-Point Sockets


DIN 3124, TS ISO 2725-1



CODE NO	mm	mm	
C02-H040	4	25	12 •
C02-H045	4.5	25	12 •
C02-H050	5	25	12 •
C02-H055	5.5	25	12 •
C02-H060	6	25	12 •
C02-H070	7	25	12 •
C02-H080	8	25	12 •
C02-H090	9	25	12 •
C02-H100	10	25	12 •
C02-H110	11	25	12 •
C02-H120	12	25	12 •
C02-H130	13	25	12 •
C02-H140	14	25	12 •
C02-H150	15	25	6 •
For display carded delivery = Item code + X			6

C02-RH13

13 Piece 1/4" Drive 6-Point Socket Set



CODE NO	
C02-RH13	10
13 PC: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	

C02A-H Series

1/4" Drive 6-Point Sockets - SAE



CODE NO	"	mm	
C02A-H0108	1/8	25	12 •
C02A-H0532	5/32	25	12 •
C02A-H0316	3/16	25	12 •

C02A-B Series

1/4" Drive 12-Point-Sockets - SAE



CODE NO	"	mm	
C02A-B0316	3/16	25	6 •
C02A-B0732	7/32	25	6 •
C02A-B0104	1/4	25	6 •
C02A-B0932	9/32	25	6 •
C02A-B0516	5/16	25	6 •
C02A-B1132	11/32	25	6 •
C02A-B0308	3/8	25	6 •
C02A-B0716	7/16	25	6 •
C02A-B0102	1/2	25	6 •
C02A-B0916	9/16	25	6 •

C02A-RB10

10 Piece 1/4" Drive 12-Point Socket Set - SAE



CODE NO	
C02A-RB10	10
10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch	

C02A-S Series

1/4" Drive Spline Sockets - SAE



CODE NO	"	mm	
C02A-S0316	3/16	25	12 •
C02A-S0732	7/32	25	12 •
C02A-S0104	1/4	25	12 •
C02A-S0932	9/32	25	12 •
C02A-S0516	5/16	25	12 •
C02A-S1132	11/32	25	12 •
C02A-S0308	3/8	25	12 •
C02A-S0716	7/16	25	12 •

C04-H Series

1/4" Drive 6-Point Deep Sockets

DIN 3124, TS ISO 2725-1




Ideal for long threaded bolts

CODE NO	mm	mm	
C04-H040	4	50	12 •
C04-H045	4.5	50	12 •
C04-H050	5	50	12 •
C04-H055	5.5	50	12 •
C04-H060	6	50	12 •
C04-H070	7	50	12 •
C04-H080	8	50	12 •
C04-H090	9	50	12 •
C04-H100	10	50	12 •
C04-H110	11	50	12 •
C04-H120	12	50	12 •
C04-H130	13	50	12 •
C04-H140	14	50	12 •
For display carded delivery = Item code + X			6

C04-RH08

8 Piece 1/4" Drive 6-Point Deep Socket Set



CODE NO	
C04-RH08	10
8 PC: 6, 7, 8, 9, 10, 11, 12, 13 mm	

C04-B Series

1/4" Drive 12-Point Deep Sockets

DIN 3124, TS ISO 2725-1



Ideal for long threaded bolts

CODE NO	mm	mm	
C04-B08	8	50	12 •
C04-B10	10	50	12 •
C04-B13	13	50	12 •
For display carded delivery = Item code + X			6

6.3
1/4"

C04A-B Series

1/4" Drive 12-Point Deep Sockets - SAE



6.3
1/4"

Ideal for long threaded bolts

CODE NO		mm	
C04A-B0316	3/16	50	6•
C04A-B0732	7/32	50	6•
C04A-B0104	1/4	50	6•
C04A-B0932	9/32	50	6•
C04A-B0516	5/16	50	6•
C04A-B1132	11/32	50	6•
C04A-B0308	3/8	50	6•
C04A-B0716	7/16	50	6•
C04A-B0102	1/2	50	6•
C04A-B0916	9/16	50	6•

C04A-RB10

10 Piece 1/4" Drive 12-Point Deep Socket Set - SAE



6.3
1/4"

CODE NO	
C04A-RB10	10
10 PC: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch	

C02UA Series

1/4" Drive 12-Point Jointed Sockets - SAE



6.3
1/4"

Allows up to 80° entry

CODE NO		mm	
C02UA-0732	7/32	36	6
C02UA-0104	1/4	36	6
C02UA-0932	9/32	38	6
C02UA-0516	5/16	38	6
C02UA-1132	11/32	38	6
C02UA-0308	3/8	40	6
C02UA-0716	7/16	40	6
C02UA-0102	1/2	40	6
C02UA-0916	9/16	42	6

C02UA-RB09

9 Piece 1/4" Drive 12-Point Jointed Socket Set - SAE



6.3
1/4"

CODE NO	
C02UA-RB09	10
9 PC: 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch	

C06 Series

1/4" Drive E-TORX Sockets



6.3
1/4"

For external TORX screws

CODE NO		mm	
C06-04	E04	25	12•
C06-05	E05	25	12•
C06-06	E06	25	12•
C06-07	E07	25	12•
C06-08	E08	25	12•
C06-10	E10	25	12•
For display carded delivery = Item code + X			6

C06-R06

6 Piece 1/4" Drive E-TORX Socket Set



6.3
1/4"

CODE NO	
C06-R06	10
6 PC: E04, E05, E06, E07, E08, E10	



03 Sockets and Accessories

6.3
1/4"

C08S-S Series

1/4" Drive Slotted Socket Bits



6.3
1/4"

CODE NO	mm	mm	
C08S-S40	4.0	37	12 •
C08S-S55	5.5	37	12 •
C08S-S65	6.5	37	12 •
For display carded delivery = Item code + X			6

C08S-PH Series

1/4" Drive Phillips Socket Bits



6.3
1/4"

CODE NO		mm	
C08S-PH1	PH1	37	12 •
C08S-PH2	PH2	37	12 •
C08S-PH3	PH3	37	12 •
For display carded delivery = Item code + X			6

C08S-PZ Series

1/4" Drive Pozidriv Socket Bits



6.3
1/4"

CODE NO		mm	
C08S-PZ1	PZ1	37	12 •
C08S-PZ2	PZ2	37	12 •
C08S-PZ3	PZ3	37	12 •
For display carded delivery = Item code + X			6

C08S-T Series

1/4" Drive TORX Socket Bits



6.3
1/4"

CODE NO		mm	
C08S-T06	T06	37	12 •
C08S-T07	T07	37	12 •
C08S-T08	T08	37	12 •
C08S-T09	T09	37	12 •
C08S-T10	T10	37	12 •
C08S-T15	T15	37	12 •
C08S-T20	T20	37	12 •
C08S-T25	T25	37	12 •
C08S-T27	T27	37	12 •
C08S-T30	T30	37	12 •
C08S-T40	T40	37	12 •
For display carded delivery = Item code + X			6

C08S-RTX7

7 Piece 1/4" Drive TORX Socket Bit Set



6.3
1/4"

CODE NO	
C08S-RTX7	10
7 PC: T10, T15, T20, T25, T27, T30, T40	

C08S-TR Series

1/4" Drive TORX Tamper Proof Socket Bits



6.3
1/4"

CODE NO		mm	
C08S-TR08	T08	37	12 •
C08S-TR09	T09	37	12 •
C08S-TR10	T10	37	12 •
C08S-TR15	T15	37	12 •
C08S-TR20	T20	37	12 •
C08S-TR25	T25	37	12 •
C08S-TR27	T27	37	12 •
C08S-TR30	T30	37	12 •
C08S-TR40	T40	37	12 •
For display carded delivery = Item code + X			6

C08S-RTR7

7 Piece 1/4" Drive TORX Tamper Proof Socket Set



6.3
1/4"

CODE NO	
C08S-RTR7	10
7 PC: T10, T15, T20, T25, T27, T30, T40	



6.3
1/4"

C08S-IPR Series

1/4" Drive TORX IPR Socket Bits



Especially for ECU, air conditioning and fuel injection pump applications in automotive

CODE NO		mm	
C08S-IPR10	IPR10	37	12 •
C08S-IPR15	IPR15	37	12 •
C08S-IPR20	IPR20	37	12 •
C08S-IPR25	IPR25	37	12 •
C08S-IPR27	IPR27	37	12 •
C08S-IPR30	IPR30	37	12 •
C08S-IPR40	IPR40	37	12 •
For display carded delivery = Item code + X			6

C08S-RTP7

7 Piece 1/4" Drive TORX IPR Socket Bit Set


6.3
1/4"

CODE NO	
C08S-RTP7	10
7 PC: IPR10, IPR15, IPR20, IPR25, IPR27, IPR30, IPR40	

C08S-H Series

1/4" Drive Hexagon Socket Bits


6.3
1/4"

CODE NO	mm	mm	
C08S-H25	2.5	37	12 •
C08S-H30	3.0	37	12 •
C08S-H40	4.0	37	12 •
C08S-H50	5.0	37	12 •
C08S-H60	6.0	37	12 •
C08S-H70	7.0	37	12 •
C08S-H80	8.0	37	12 •
For display carded delivery = Item code + X			6

C08S-RHX7

7 Piece 1/4" Drive Hexagon Socket Bit Set


6.3
1/4"

CODE NO	
C08S-RHX7	10
7 PC: 2.5, 3, 4, 5, 6, 7, 8 mm	

C08AS-H Series

1/4" Drive Hexagon Socket Bits - SAE


6.3
1/4"

CODE NO	inch	mm	
C08AS-H0116	1/16	55	6 •
C08AS-H0564	5/64	55	6 •
C08AS-H0332	3/32	55	6 •
C08AS-H0764	7/64	55	6 •
C08AS-H0108	1/8	55	6 •
C08AS-H0964	9/64	55	6 •
C08AS-H0532	5/32	55	6 •
C08AS-H0316	3/16	55	6 •
C08AS-H0732	7/32	55	6 •
C08AS-H0104	1/4	55	6 •
C08AS-H0516	5/16	55	6 •

C08AS-RHX11

11 Piece 1/4" Drive Hexagon Socket Bit Set - SAE


6.3
1/4"

CODE NO	
C08AS-RHX11	10
11 PC: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 inch	

03 Sockets and Accessories

6.3
1/4"

C01-11

1/4" Drive Quick Release Reversible Ratchet (Compact Head)

DIN 3122, TS ISO 3315



60-tooth fine mechanism,
switch pawl



CODE NO	mm	mm	
C01-11	19	140	6

C01-14N

1/4" Drive Quick Release Curved Reversible Ratchet

DIN 3122, TS ISO 3315



45-tooth fine mechanism,
switch pawl



CODE NO	mm	mm	
C01-14N	28	150	6

C01-HLOK

1/4" Drive Hi-Lok Reversible Ratchet (Flex)

DIN 3122, TS ISO 3315



Particularly for use on Hi-Lok fasteners
with the aid of a hex key, 48-tooth strong
mechanism



CODE NO	mm	mm	
C01-HLOK	23	160	6

C01-12

1/4" Drive Quick Release Reversible Ratchet

DIN 3122, TS ISO 3315



48-tooth strong
mechanism, switch pawl



CODE NO	mm	mm	
C01-12	22.5	140	6

C01-T90

1/4" Drive T90 Sealed Reversible Ratchet

DIN 3122, TS ISO 3315



90-tooth strong mechanism,
sealed against dust, dirt etc.
for extra long life, switch pawl



CODE NO	mm	mm	
C01-T90	23	112	6



For display carded delivery = Item code + X

HLD-0564

HI-LOK Hex Driver



Particularly for use on Hi-Lok fasteners, used with C01-HLOK

CODE NO	mm	mm	
HLD-0564	5/64	100	6

C01-15

1/4" Drive Quick Release Reversible Ratchet (Stubby)



Stubby design for tight spaces,
48-tooth strong mechanism,
switch pawl, quick release



CODE NO	mm	mm	
C01-15	22.5	95	6

C01-T90L

1/4" Drive T90 Sealed Reversible Ratchet (Long Handle)

DIN 3122, TS ISO 3315



90-tooth strong mechanism, sealed
against dust, dirt etc. for extra long life,
switch pawl



CODE NO	mm	mm	
C01-T90L	23	145	6



For display carded delivery = Item code + X



6.3
1/4"

C01-R Series

Ratchet Renewal Kits

CODE NO		
C01-11R (for C01-11)		1



C01-12R (for C01-12 / 12MR / 15)	1
----------------------------------	---



C01-14NR (for C01-14N)	1
------------------------	---



C01-T90R (for C01-T90)	1
------------------------	---



C01-T90LR (for C01-T90L)	1
--------------------------	---



C01-35MR

1/4" Drive Swivel Handle

DIN 3122, TS ISO 3315



Allows for up to 90° use

CODE NO	mm	
C01-35MR	145	6

C01-20 Series

1/4" Drive Spinner Handles

DIN 3122, TS ISO 3315


C01-20: with chrome shaft
C01-20S with phosphated shaft

CODE NO	mm	
C01-20S	40	6
C01-20	70	6
For display carded delivery = Item code + X		

C01-20F

1/4" Drive Spinner Handle (Flexible Shaft)

DIN 3122, TS ISO 3315


Flexible shaft design for
working in restricted areas,
Max. 5 Nm

CODE NO	mm	mm	
C01-20F	150	240	6
For display carded delivery = Item code + X			6

C01-40

1/4" Drive Sliding T-Handle

DIN 3122, TS ISO 3315



CODE NO	mm	
C01-40	115	12
For display carded delivery = Item code + X		

C01-50MR

1/4" Drive Speeder Brace (Detachable Palm Grip)

DIN 3122, TS ISO 3315


Metal body, rotator handle for rapid action,
detachable metal palm grip

CODE NO	mm	
C01-50MR	420	3

C01-60

1/4" Drive T-Handle Swivel Socket Driver

DIN 3122, TS ISO 3315



For deep places, allows for up to 70° use

CODE NO	mm	
C01-60	495	6

C01-60S

1/4" Drive T-Handle Socket Driver



CODE NO	mm	
C01-60S	230	6

03 Sockets and Accessories

6.3
1/4"

C01-70 Series

1/4" Drive Extension Bars

DIN 3123, ISO 3316



6.3
1/4"

CODE NO	mm "	
C01-71	50 - 2"	12
C01-72	75 - 3"	12
C01-73	100 - 4"	12
C01-75	150 - 6"	12
C01-77	250 - 10"	12
C01-78	350 - 14"	12
 For display carded delivery = Item code + X		6

C01-73W

1/4" Drive Wobble Extension Bar



Ball ended male square drive design allows up to 15° entry



6.3
1/4"

CODE NO	mm "	
C01-73W	100 - 4"	6
 For display carded delivery = Item code + X		6

C01-75F

1/4" Drive Flexible Extension Bar



Flexible design for working in restricted areas, Max. 5 Nm



6.3
1/4"

CODE NO	mm "	
C01-75F	150 - 6"	12
 For display carded delivery = Item code + X		6

C01-80

1/4" Drive Universal Joint

DIN 3123, ISO 3316



6.3
1/4"

CODE NO	mm	
C01-80	38	12 •
 For display carded delivery = Item code + X		6

C01-92

1/4" Drive Socket Adaptor



10
3/8"

6.3
1/4"

CODE NO	" "	mm	
C01-92	1/4 < 3/8	26	12 •
 For display carded delivery = Item code + X			6

BT/8001

1/4" Drive Bit Holder Socket



1/4
"

6.3
1/4"

For use with 1/4" bits, spring loaded for quick changes

CODE NO	" "	mm	
BT/8001	1/4 - 1/4	25	12 •

C012 Series

Metal Clip Rails



Ideal for building custom sets of sockets, used with socket clips

CODE NO	mm	
C012-16	160	6 •
C012-19	190	6 •
C012-26	265	6 •
C012-34	340	6 •

C01-C

1/4" Socket Clips - 10 Pieces



Socket clips for use on metal clip rails (C012 series)
The code represents a 10 piece package

6.3
1/4"

CODE NO	
C01-C	1 pk.



6.3
1/4"

Practical Cased 1/4" Socket Sets

New concept socket sets from Ceta Form for professionals on the move

6.3
1/4"

- Innovative foldable compact case design
- Wall mounting slots



C00-15RH4



C00-25RH4



C00-15RH4

15 Piece 1/4" Drive 6-Point Socket Set (Practical Case)

6.3
1/4"

CODE NO

C00-15RH4



1



C02-H 4, 5, 5.5, 6, 7, 8, 9, 10,
11, 12, 13 mm



C01-80



C01-14N



C01-40



C01-73 100 mm

C00-25RH4

25 Piece 1/4" Drive 6-Point Socket Set (Practical Case)

6.3
1/4"

CODE NO

C00-25RH4



1



C02-H 4, 5, 5.5, 6, 7, 8, 9, 10,
11, 12, 13 mm



C01-14N



C01-73 100 mm



C01-40



C01-80



C085-H 3, 4, 5, 6 mm



C085-T T20, T25, T30



C085-S 5.5 mm



C085-PH PH1, PH2

C00-27PH5

27 Piece 1/4" Drive 6-Point Socket Set (Compact Box)

6.3
1/4"

CODE NO

C00-27PH5



1



C02-H 4, 4.5, 5, 5.5, 6, 7, 8,
9, 10, 11, 12, 13 mm



C01-15



C01-73 100 mm



CB/250 PH1, PH2



CB/1800 3, 4, 5, 6 mm



CB/800 T10, T15, T20, T25, T30, T40



BT/8001 1/4" - 1/4"

03 Sockets and Accessories

6.3
1/4"

C04-10PH0

10 Piece 1/4" Drive 6-Point Deep Socket Set

new
design



CODE NO	
C04-10PH0	1



C04-H 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm



C01-20

C00-46PH2

46 Piece 1/4" Drive 6-Point Socket Set

new



CODE NO	
C00-46PH2	1



C02-H 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm



C08S-S 4, 5.5, 6.5 mm




C01-12



C08S-PH PH1, PH2, PH3




C01-20




C08S-PZ PZ1, PZ2




C01-40



C08S-T T10, T15, T20, T25, T27, T30, T40



C01-70 50 mm, 100 mm



C08S-H 3, 4, 5, 6, 7, 8 mm



C01-75F 150 mm



BT/7010 1/4" - 1/4"



C01-80



L 1.3, 1.5, 2, 2.5 mm

C00-18PH2

18 Piece 1/4" Drive 6-Point Socket Set

new
content



CODE NO	
C00-18PH2	1



C02-H 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm



C01-40



C01-12




C01-73 100 mm



C01-20



C01-80



BT/8001 1/4" - 1/4"

C00-61PH2

61 Piece 1/4" Drive 6-Point Socket Set

new



CODE NO	
C00-61PH2	1




C02-H 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm



CB/610 4.0, 5.5, 6.5 mm




C04-H 6, 7, 8, 9, 10, 11, 12, 13 mm




CB/250 PH1, PH2, PH3



C06 E4, E5, E6, E7, E8, E10



CB/350 PZ1, PZ2, PZ3




C01-12



CB/800 T6, T8, T10, T15, T20, T25, T27, T30, T40




C01-20




CB/1800 3, 4, 5, 6 mm



C01-40



BT/8001 1/4" - 1/4"



C01-70 50 mm, 100 mm



BT/8001 1/4" - 1/4"



C01-75F 150 mm



L 1.3, 1.5, 2, 2.5 mm

C00A-15PBT

15 Piece 1/4" Drive 12-Point Socket Set - SAE

new
design



CODE NO	
C00A-15PBT	1



C02A-B 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch



C01-20



C01-T90



C01-70 50 mm, 150 mm



C01-80

C00A-60PM2

60 Piece 1/4" Drive Socket Set / Metric-SAE

new



CODE NO	
C00A-60PM2	1




C02A-B 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 inch



CB/610 4.0, 5.5, 6.5 mm




C02-H 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm



CB/250 PH1, PH2




C01-12



CB/350 PZ1, PZ2



C04A-B 3/16, 1/4, 5/16, 3/8, 7/16, 1/2 inch



CB/800 T10, T15, T20, T25, T30, T40



C04-H 6, 7, 8, 10, 12, 13 mm



CB/1800 3, 4, 5, 6 mm



C01-12




BT/8001 1/4" - 1/4"



C01-40



C01-80



C01-70 50 mm, 150 mm



L 1.5, 2, 2.5, 3 mm

10
3/8"

C12-H Series

3/8" Drive 6-Point Sockets

DIN 3124, TS ISO 2725-1



10
3/8"

CODE NO	mm	mm	
C12-H06	6	28	12 •
C12-H07	7	28	12 •
C12-H08	8	28	12 •
C12-H09	9	28	12 •
C12-H10	10	28	12 •
C12-H11	11	28	12 •
C12-H12	12	28	12 •
C12-H13	13	28	12 •
C12-H14	14	28	12 •
C12-H15	15	28	12 •
C12-H16	16	30	12 •
C12-H17	17	30	12 •
C12-H18	18	30	12 •
C12-H19	19	30	12 •
C12-H20	20	32	12 •
C12-H21	21	32	12 •
C12-H22	22	32	12 •
For display carded delivery = Item code + X			6

C12-RH10

10 Piece 3/8" Drive 6-Point Socket Set



CODE NO	
C12-RH10	10
10 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

C12A-B Series

3/8" Drive 12-Point Sockets - SAE



10
3/8"

CODE NO	"	mm	
C12A-B0104	1/4	28	6 •
C12A-B0516	5/16	28	6 •
C12A-B0308	3/8	28	6 •
C12A-B0716	7/16	28	6 •
C12A-B0102	1/2	28	6 •
C12A-B0916	9/16	28	6 •
C12A-B0508	5/8	28	6 •
C12A-B1116	11/16	30	6 •
C12A-B0304	3/4	30	6 •
C12A-B1316	13/16	30	6 •
C12A-B0708	7/8	30	6 •
C12A-B1516	15/16	32	6 •
C12A-B1000	1	32	6 •

C12A-RB13

13 Piece 3/8" Drive 12-Point Socket Set - SAE



CODE NO	
C12A-RB13	10
13 PC: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch	

C12A-S Series

3/8" Drive Spline Sockets - SAE



10
3/8"

CODE NO	"	mm	
C12A-S0308	3/8	28	12 •
C12A-S0716	7/16	28	12 •
C12A-S1532	15/32	28	12 •
C12A-S0102	1/2	28	12 •
C12A-S0916	9/16	28	12 •
C12A-S1932	19/32	28	12 •
C12A-S0508	5/8	28	12 •

C14-H Series

3/8" Drive 6-Point Deep Sockets

DIN 3124, TS ISO 2725-1



10
3/8"

Ideal for long threaded bolts

CODE NO	mm	mm	
C14-H08	8	63	12 •
C14-H09	9	63	12 •
C14-H10	10	63	12 •
C14-H11	11	63	12 •
C14-H12	12	63	12 •
C14-H13	13	63	12 •
C14-H14	14	63	12 •
C14-H15	15	63	12 •
C14-H16	16	63	12 •
C14-H17	17	63	12 •
C14-H18	18	63	12 •
C14-H19	19	63	12 •
For display carded delivery = Item code + X			6

C14-RH10

10 Piece 3/8" Drive 6-Point Deep Socket Set



CODE NO	
C14-RH10	10
10 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

C14-RB10

10 Piece 3/8" Drive 12-Point Deep Socket Set



CODE NO	
C14-RB10	10
10 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

03 Sockets and Accessories

10
3/8"

C14A-B Series

3/8" Drive 12-Point Deep Sockets - SAE



Ideal for long threaded bolts

CODE NO	inch	mm	
C14A-B0104	1/4	63	6•
C14A-B0516	5/16	63	6•
C14A-B0308	3/8	63	6•
C14A-B0716	7/16	63	6•
C14A-B0102	1/2	63	6•
C14A-B0916	9/16	63	6•
C14A-B0508	5/8	63	6•
C14A-B1116	11/16	63	6•
C14A-B0304	3/4	63	6•
C14A-B1316	13/16	63	6•
C14A-B0708	7/8	63	6•
C14A-B1516	15/16	63	6•
C14A-B1000	1	63	6•

C14A-RB13

13 Piece 3/8" Drive 12-Point Deep Socket Set - SAE



CODE NO	
C14A-RB13	10
13 PC: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch	

C12U-RB10

10 Piece 3/8" Drive 12-Point Joint Socket Set



CODE NO	
C12U-RB10	6
10 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

C16 Series

3/8" Drive E-TORX Sockets



For external TORX screws

CODE NO		mm	
C16-04	E04	28	12•
C16-05	E05	28	12•
C16-06	E06	28	12•
C16-07	E07	28	12•
C16-08	E08	28	12•
C16-10	E10	28	12•
C16-11	E11	28	12•
C16-12	E12	28	12•
C16-14	E14	28	12•
C16-16	E16	28	12•
C16-18	E18	28	12•
C16-20	E20	28	12•

For display carded delivery = Item code + X 6

C16-R10

10 Piece 1/4"+3/8" Drive E-TORX Socket Set



CODE NO	
C16-R10	10
5 PC: C06 E4, E5, E6, E7, E8 - 1/4 inch	
5 PC: C16 E10, E12, E14, E16, E18 - 3/8 inch	

C16D Series

3/8" Drive E-TORX Deep Sockets



For external TORX screws, ideal for long threaded bolts

CODE NO		mm	
C16D-08	E08	63	6•
C16D-10	E10	63	6•
C16D-12	E12	63	6•
C16D-14	E14	63	6•

For display carded delivery = Item code + X 6

C18S-T Series

3/8" Drive TORX Socket Bits



CODE NO		mm	
C18S-T10	T10	48	12•
C18S-T15	T15	48	12•
C18S-T20	T20	48	12•
C18S-T25	T25	48	12•
C18S-T27	T27	48	12•
C18S-T30	T30	48	12•
C18S-T40	T40	48	12•
C18S-T45	T45	48	12•
C18S-T50	T50	48	12•
C18S-T55	T55	48	12•

For display carded delivery = Item code + X 6

C18S-RT09

9 Piece 3/8" Drive TORX Socket Bit Set



CODE NO	
C18S-RT09	10
9 PC: T10, T15, T20, T25, T27, T30, T40, T45, T50	

C15-RH10

10 Piece 3/8" Drive Crowfoot Wrench Set



CODE NO	
C15-RH10	6
10 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

10
3/8"

C18S-H Series

3/8" Drive Hexagon Socket Bits



10
3/8"

CODE NO	mm	mm	
C18S-H03	3	48	12 •
C18S-H04	4	48	12 •
C18S-H05	5	48	12 •
C18S-H06	6	48	12 •
C18S-H07	7	48	12 •
C18S-H08	8	48	12 •
C18S-H09	9	48	12 •
C18S-H10	10	48	12 •
For display carded delivery = Item code + X			6

C18S-RH08

8 Piece 3/8" Drive Hexagon Socket Bit Set



10
3/8"

CODE NO	
C18S-RH08	10
8 PC: 3, 4, 5, 6, 7, 8, 9, 10 mm	



C11-11

3/8" Drive Quick Release Reversible Ratchet (Compact Head)

DIN 3122, TS ISO 3315



60-tooth fine mechanism,
switch pawl

COMPACT
DESIGN

10
3/8"

CODE NO	mm	mm	
C11-11	27	200	6

C11-12

3/8" Drive Quick Release Reversible Ratchet

DIN 3122, ISO 3315



48-tooth strong mechanism,
switch pawl

HIGH
TORQUE

10
3/8"

CODE NO	mm	mm	
C11-12	30.5	200	6

C11-14N

3/8" Drive Quick Release Curved Reversible Ratchet

DIN 3122, TS ISO 3315



45-tooth fine mechanism,
switch pawl

BASIC

10
3/8"

CODE NO	mm	mm	
C11-14N	33	210	6

C11-T90

3/8" Drive T90 Sealed Reversible Ratchet

DIN 3122, TS ISO 3315



90-tooth strong mechanism,
sealed against dust, dirt etc. for
extra long life, switch pawl

T90

10
3/8"

CODE NO	mm	mm	
C11-T90	33	200	6
For display carded delivery = Item code + X			6

C11-36MR

3/8" Drive Swivel Handle (Metal Handle)

DIN 3122, TS ISO 3315



Allows for up to 90° use

10
3/8"

CODE NO	mm	
C11-36MR	250	6

CETA FORM
QUALITY

03 Sockets and Accessories

10
3/8"

C11-R Series

Ratchet Renewal Kits

CODE NO		
C11-11R (for C11-11)		1



YouTube Clip

C11-12R (for C11-12 / C11-12MR)	1
---------------------------------	---



C11-14NR (for C11-14N)	1
------------------------	---



C11-T90R (for C11-T90)	1
------------------------	---



C11-20 Series

3/8" Drive Spinner Handles

DIN 3122, TS ISO 3315



new
design

CODE NO	mm	
C11-20S	35	6
C11-20	60	6
	For display carded delivery = Item code + X	6

10
3/8"

C11-40

3/8" Drive Sliding T-Handle

DIN 3122, TS ISO 3315



CODE NO	mm	
C11-40	200	12
	For display carded delivery = Item code + X	6

10
3/8"

C11-50MR

3/8" Drive Speeder Brace (Detachable Palm Grip)

DIN 3122, TS ISO 3315



Metal body, rotator handle for rapid action, detachable metal palm grip

CODE NO	mm	
C11-50MR	420	3

10
3/8"

C11-60

3/8" Drive T-Handle Swivel Socket Driver

DIN 3122, TS ISO 3315



For deep places, allows for up to 70° use

CODE NO	mm	
C11-60	500	3

10
3/8"

C11-70 Series

3/8" Drive Extension Bars

DIN 3123, ISO 3316



CODE NO	mm	
C11-72	75 - 3"	12
C11-75	150 - 6"	12
C11-77	250 - 10"	12
C11-78	300 - 12"	6
C11-79	450 - 18"	6
	For display carded delivery = Item code + X	6

10
3/8"

C11-70W Series

3/8" Drive Wobble Extension Bars



Ball ended male square drive allows up to 15° entry



CODE NO	mm	
C11-72W	75 - 3"	6
C11-75W	150 - 6"	6
	For display carded delivery = Item code + X	6

10
3/8"

C11-76F

3/8" Drive Flexible Extension Bar



Flexible design for working in restricted areas



CODE NO	mm	
C11-76F	200 - 8"	6
	For display carded delivery = Item code + X	6

10
3/8"

10
3/8"

C11-60S

3/8" Drive T-Handle Socket Driver



10
3/8"

CODE NO	mm	
C11-60S	230	6

C11-80

3/8" Drive Universal Joint

DIN 3123, ISO 3316



10
3/8"

CODE NO	mm	
C11-80	53	12 •
For display carded delivery = Item code + X		6

C11-91

3/8" Drive Socket Adaptor - F:3/8" M:1/4"

DIN 3123, ISO 3316



6.3
1/4" 10
3/8"

CODE NO	" "	mm	
C11-91	3/8 > 1/4	28	12 •
For display carded delivery = Item code + X			6

C11-92S

3/8" Drive Socket Adaptor - F:3/8" M:1/2"

DIN 3123, ISO 3316



12.5
1/2" 10
3/8"

CODE NO	" "	mm	
C11-92S	3/8 < 1/2	43	12 •
For display carded delivery = Item code + X			6

C11-92

3/8" Drive Socket Adaptor (3-Way) - F:3/8" M:1/2"

DIN 3123, ISO 3316



3-Way design suitable for use with extension bars

12.5
1/2" 10
3/8"

CODE NO	" "	mm	
C11-92	3/8 < 1/2	43	12 •
For display carded delivery = Item code + X			6

BT/8000 3/8" Series

3/8" Drive Bit Holder Sockets



For use with 1/4", 5/16" or H10 bits, spring loaded for quick changes

10
3/8"

CODE NO	" "	mm	
BT/8003	1/4"	28	6 •
BT/8004	5/16"	28	6 •
BT/8005	10 mm	28	6 •

C012 Series

Metal Clip Rails



Ideal for building custom sets of sockets, used with socket clips

CODE NO	mm	
C012-16	160	6 •
C012-19	190	6 •
C012-26	265	6 •
C012-34	340	6 •

C11-C

3/8" Socket Clips - 10 Pieces



Socket clips for use on metal clip rails (C012 series)
The code represents a 10 piece package

6.3
1/4"

CODE NO	
C11-C	1 pack

03 Sockets and Accessories

10
3/8"

C10-18PH4

18 Piece 3/8" Drive 6-Point Socket Set

new



CODE NO	
C10-18PH4	1



C11-70 75 mm, 150 mm

C12-H 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm



C11-80



C11-14N

C10-20PH2

20 Piece 3/8" Drive 6-Point Socket Set



CODE NO	
C10-20PH2	1



C11-70 75 mm, 150 mm

C12-H 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm



C11-80



C17-R16 16 mm



C11-12



C21-91 D:1/2" > E:3/8"

C10A-17PBT

17 Piece 3/8" Drive 12-Point Socket Set - SAE

new
design



CODE NO	
C10A-17PBT	1



C11-70 75 mm, 150 mm

C12A-B 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch



C11-80



C11-T90

C10-15PG1

15 Piece Multi-Fix Hollow Socket Set

Multi-FiX



YouTube Clip



CODE NO	
C10-15PG1	1



C11G-H 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm



C11-72G 80 mm



C11-11G



C11G-RA02 3/8"

C10-60PH2

60 Piece 3/8" Drive 6-Point Socket Set

new



CODE NO	
C10-60PH2	1



C12-H 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm



C14-H 8, 10, 11, 12, 13, 14, 15, 17, 19 mm



C16 E5, E6, E7, E8, E10, E12, 14, E16



C17-R 16, 21 mm




L 1.5, 2, 2.5, 3 mm



C18S-T T15, T20, T25, T27, T30, T40, T45, T50, T55



C18S-H 4, 5, 6, 7, 8, 9, 10 mm



C11-12



C11-70 75 mm, 250 mm



C11-80

C21-91 D:1/2" > E:3/8"

C10A-41PM2

41 Piece 3/8" Drive Socket Set / Metric - SAE

new



CODE NO	
C10A-41PM2	1



C12-H 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm



C12A-B 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 inch



C14-H 8, 10, 12, 13 mm



C14A-B 5/16, 3/8, 1/2, 9/16 inch



C11-12



C11-20



C11-70 75 mm, 150 mm



C11-40



C11-80

12.5
1/2"

C22-H Series

1/2" Drive 6-Point Sockets

DIN 3124, TS ISO 2725-1



12.5
1/2"

CODE NO	mm	mm	
C22-H08	8	38	12 •
C22-H09	9	38	12 •
C22-H10	10	38	12 •
C22-H11	11	38	12 •
C22-H12	12	38	12 •
C22-H13	13	38	12 •
C22-H14	14	38	12 •
C22-H15	15	38	12 •
C22-H16	16	38	12 •
C22-H17	17	38	12 •
C22-H18	18	38	12 •
C22-H19	19	38	12 •
C22-H20	20	38	12 •
C22-H21	21	38	12 •
C22-H22	22	40	12 •
C22-H23	23	40	6 •
C22-H24	24	42	6 •
C22-H25	25	42	6 •
C22-H26	26	42	6 •
C22-H27	27	43	6 •
C22-H28	28	43	6 •
C22-H29	29	44	6 •
C22-H30	30	46	6 •
C22-H32	32	46	6 •



For display carded delivery = Item code + X

6

C22-B Series

1/2" Drive 12-Point Sockets

DIN 3124, TS ISO 2725-1



12.5
1/2"

CODE NO	mm	mm	
C22-B08	8	38	12 •
C22-B09	9	38	12 •
C22-B10	10	38	12 •
C22-B11	11	38	12 •
C22-B12	12	38	12 •
C22-B13	13	38	12 •
C22-B14	14	38	12 •
C22-B15	15	38	12 •
C22-B16	16	38	12 •
C22-B17	17	38	12 •
C22-B18	18	38	12 •
C22-B19	19	38	12 •
C22-B20	20	38	12 •
C22-B21	21	39	12 •
C22-B22	22	40	12 •
C22-B23	23	40	6 •
C22-B24	24	42	6 •
C22-B25	25	42	6 •
C22-B26	26	42	6 •
C22-B27	27	43	6 •
C22-B28	28	43	6 •
C22-B29	29	43	6 •
C22-B30	30	46	6 •
C22-B32	32	46	6 •



For display carded delivery = Item code + X

6

C22A-B Series

1/2" Drive 12-Point Sockets - SAE



12.5
1/2"

CODE NO	inch	mm	
C22A-B03	3/8	38	6 •
C22A-B04	7/16	38	6 •
C22A-B05	1/2	38	6 •
C22A-B06	9/16	38	6 •
C22A-B06/2	19/32	38	6 •
C22A-B07	5/8	38	6 •
C22A-B08	11/16	38	6 •
C22A-B09	3/4	38	6 •
C22A-B09/2	25/32	38	6 •
C22A-B10	13/16	38	6 •
C22A-B11	7/8	38	6 •
C22A-B12	15/16	38	6 •
C22A-B13	1	40	6 •
C22A-B14	1-1/16	42	6 •
C22A-B15	1-1/8	44	6 •
C22A-B16	1-3/16	44	6 •
C22A-B17	1-1/4	44	6 •



For display carded delivery = Item code + X

6

C22-RH11

11 Piece 1/2" Drive 6-Point Socket Set



12.5
1/2"

CODE NO	
C22-RH11	10

11 PC: 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 mm

C22-RB11

11 Piece 1/2" Drive 12-Point Socket Set



12.5
1/2"

CODE NO	
C22-RB11	10

11 PC: 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 mm

C22A-RB11

11 Piece 1/2" Drive 12-Point Socket Set - SAE



12.5
1/2"

CODE NO	
C22A-RB11	10

11 PC: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch

03 Sockets and Accessories

12.5
1/2"

C24-H Series

1/2" Drive 6-Point Deep Sockets

DIN 3124, TS ISO 2725-1



Ideal for long threaded bolts

12.5
1/2"

CODE NO	mm	mm	
C24-H08	8	77	12 •
C24-H10	10	77	12 •
C24-H11	11	77	12 •
C24-H12	12	77	12 •
C24-H13	13	77	12 •
C24-H14	14	77	12 •
C24-H15	15	77	12 •
C24-H16	16	77	12 •
C24-H17	17	77	12 •
C24-H18	18	77	12 •
C24-H19	19	77	12 •
C24-H20	20	77	12 •
C24-H21	21	77	12 •
C24-H22	22	77	12 •
C24-H24	24	77	6 •
C24-H27	27	77	6 •
C24-H30	30	77	6 •
C24-H32	32	77	6 •



For display carded delivery = Item code + X

6

C24-B Series

1/2" Drive 12-Point Deep Sockets

DIN 3124, TS ISO 2725-1



Ideal for long threaded bolts

12.5
1/2"

CODE NO	mm	mm	
C24-B08	8	77	12 •
C24-B10	10	77	12 •
C24-B11	11	77	12 •
C24-B12	12	77	12 •
C24-B13	13	77	12 •
C24-B14	14	77	12 •
C24-B15	15	77	12 •
C24-B16	16	77	12 •
C24-B17	17	77	12 •
C24-B18	18	77	12 •
C24-B19	19	77	12 •
C24-B20	20	77	12 •
C24-B21	21	77	12 •
C24-B22	22	77	12 •
C24-B24	24	77	6 •
C24-B27	27	77	6 •
C24-B30	30	77	6 •
C24-B32	32	77	6 •



For display carded delivery = Item code + X

6

C26 Series

1/2" Drive E-TORX Sockets



For external TORX screws

12.5
1/2"

CODE NO		mm	
C26-10	E10	38	12 •
C26-11	E11	38	12 •
C26-12	E12	38	12 •
C26-14	E14	38	12 •
C26-16	E16	38	12 •
C26-18	E18	38	12 •
C26-20	E20	38	12 •
C26-22	E22	38	12 •
C26-24	E24	38	12 •



For display carded delivery = Item code + X



6

C24-RH09

9 Piece 1/2" Drive 6-Point Deep Socket Set



12.5
1/2"

CODE NO

C24-RH09

9 PC: 10, 11, 12, 13, 14, 17, 19, 21, 22 mm



5

C24-RB09

9 Piece 1/2" Drive 12-Point Deep Socket Set



12.5
1/2"

CODE NO

C24-RB09

9 PC: 10, 11, 12, 13, 14, 17, 19, 21, 22 mm



5

C26-R08

8 Piece 1/2" Drive E-TORX Socket Set



12.5
1/2"

CODE NO

C26-R08

8 PC: E10, E12, E14, E16, E18, E20, E22, E24




10

12.5
1/2"

Socket Bits Range



- Comprehensive range of profiles and sizes
- Precision machined and hardened, tempered bits
- Turned down bit body for some profiles for better access to restricted areas
- Large, stamped markings for readability



C28S-T Series

1/2" Drive TORX Socket Bits - Short



CODE NO		mm	
C28S-T20	T20	55	12 •
C28S-T25	T25	55	12 •
C28S-T27	T27	55	12 •
C28S-T30	T30	55	12 •
C28S-T35	T35	55	12 •
C28S-T40	T40	55	12 •
C28S-T45	T45	55	12 •
C28S-T50	T50	55	12 •
C28S-T55	T55	55	6 •
C28S-T60	T60	55	6 •
C28S-T70	T70	55	6 •
For display carded delivery = Item code + X			6

C28S-TL Series

1/2" Drive TORX Socket Bits - Long



CODE NO		mm	
C28S-T20L	T20	100	12 •
C28S-T25L	T25	100	12 •
C28S-T27L	T27	100	12 •
C28S-T30L	T30	100	12 •
C28S-T35L	T35	100	12 •
C28S-T40L	T40	100	12 •
C28S-T45L	T45	100	12 •
C28S-T50L	T50	100	12 •
C28S-T55L	T55	100	6 •
C28S-T60L	T60	100	6 •
C28S-T70L	T70	100	6 •
For display carded delivery = Item code + X			6

C28S-TR Series

1/2" Drive TORX Tamper Proof Socket Bits- Short



CODE NO		mm	
C28S-TR30	T30	55	6 •
C28S-TR40	T40	55	6 •
C28S-TR45	T45	55	6 •
C28S-TR50	T50	55	6 •
C28S-TR55	T55	55	6 •
For display carded delivery = Item code + X			6

C28S-RT9

9 Piece 1/2" Drive TORX Socket Bit Set- Short



CODE NO	
C28S-RT9	10
9 PC: T20, T25, T27, T30, T40, T45, T50, T55, T60	

C28S-TR30XL

1/2" Drive TORX Tamper Proof Socket Bit- Extra Long



Especially for airbag screw on vehicles

CODE NO		mm	
C28S-TR30XL	T30	140	6 •
For display carded delivery = Item code + X			6

03 Sockets and Accessories

12.5
1/2"

C28S-H Series

1/2" Drive Hexagon Socket Bits - Short



12.5
1/2"

CODE NO	mm	mm	
C28S-H04	4	55	12 •
C28S-H05	5	55	12 •
C28S-H06	6	55	12 •
C28S-H07	7	55	12 •
C28S-H08	8	55	12 •
C28S-H09	9	55	12 •
C28S-H10	10	55	12 •
C28S-H12	12	55	12 •
C28S-H14	14	55	6 •
C28S-H17	17	60	6 •
C28S-H19	19	60	6 •
C28AS-H0916	9/16"	60	6 •
For display carded delivery = Item code + X			6

C28S-RH9

9 Piece 1/2" Drive Hexagon Socket Bit Set - Short



CODE NO	
C28S-RH9	10
9 PC: 4, 5, 6, 7, 8, 10, 12, 14, 17 mm	

C28S-HL Series

1/2" Drive Hexagon Socket Bits - Long



12.5
1/2"

CODE NO	mm	mm	
C28S-H05L	5	100	12 •
C28S-H06L	6	100	12 •
C28S-H06XL	6	140	6 •
C28S-H06XL2	6	220	6 •
C28S-H07L	7	100	12 •
C28S-H08L	8	100	12 •
C28S-H09L	9	100	12 •
C28S-H10L	10	100	12 •
C28S-H10XL	10	140	6 •
C28S-H11L	11	100	12 •
C28S-H12L	12	100	12 •
C28S-H12XL	12	140	6 •
C28S-H13L	13	100	6 •
C28S-H14L	14	100	6 •
For display carded delivery = Item code + X			6

C28AS-H Series

1/2" Drive Hexagon Socket Bits - SAE

new



12.5
1/2"

CODE NO	mm	mm	
C28AS-H0532	5/32	55	12 •
C28AS-H0316	3/16	55	12 •
C28AS-H0732	7/32	55	12 •
C28AS-H0104	1/4	55	12 •
C28AS-H0516	5/16	55	12 •
C28AS-H0308	3/8	55	12 •
C28AS-H0102	1/2	55	12 •
C28AS-H0916	9/16	55	12 •
C28AS-H0508	5/8	55	6 •

C28AS-RH9

9 Piece 1/2" Drive Hexagon Socket Bit Set - SAE

new



CODE NO	
C28AS-RH9	10
9 PC: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8 inch	

C28S-HBXL Series

1/2" Drive Ball End Hexagon Socket Bits - Extra Long



Ball end allows up to 25° entry
Especially for tight spaces like starter
motors, manifolds etc.



CODE NO	mm	mm	
C28S-HB05XL	5	140	6 •
C28S-HB06XL	6	140	6 •
C28S-HB07XL	7	140	6 •
C28S-HB08XL	8	140	6 •
C28S-HB10XL	10	140	6 •
For display carded delivery = Item code + X			6

C28S-X Series

1/2" Drive XZN Socket Bits - Short



12.5
1/2"

Especially for use in automotive

CODE NO		mm	
C28S-X05	M05	55	6 •
C28S-X06	M06	55	6 •
C28S-X08	M08	55	6 •
C28S-X10	M10	55	6 •
C28S-X12	M12	55	6 •
C28S-X14	M14	55	6 •
C28S-X16	M16	55	6 •
For display carded delivery = Item code + X			6

C28S-RX6

6 Piece 1/2" Drive XZN Socket Bit Set - Short



CODE NO	
C28S-RX6	10
6 PC: M05, M06, M08, M10, M12, M14	

C28S-X.L Series

1/2" Drive XZN Socket Bits - Long



12.5
1/2"

Especially for use in automotive

CODE NO		mm	
C28S-X06L	M06	100	6 •
C28S-X08L	M08	100	6 •
C28S-X10L	M10	100	6 •
C28S-X10XL	M10	140	6 •
C28S-X12L	M12	100	6 •
C28S-X12XL	M12	140	6 •
C28S-X14L	M14	100	6 •
For display carded delivery = Item code + X			6

12.5
1/2"**C28S-RX5L**

5 Piece 1/2" Drive XZN Socket Bit Set - Long

new

12.5
1/2"

CODE NO

C28S-RX5L



10

5 PC: M06, M08, M10, M12, M14

C28S-RL Series

1/2" Drive RIBE Socket Bits - Long



Especially for RIBE screws used in Fiat, Alfa Romeo and Lancia

12.5
1/2"

CODE NO		mm	
C28S-R05L	M05	99	6 •
C28S-R06L	M06	99	6 •
C28S-R08L	M08	99	6 •
C28S-R10L	M10	99	6 •
C28S-R12L	M12	99	6 •
C28S-R14L	M14	99	6 •
	For display carded delivery = Item code + X		6

C28S-RR6L

6 Piece 1/2" Drive RIBE Socket Bit Set - Long

12.5
1/2"

CODE NO

C28S-RR6L



10

6 PC: M05, M06, M08, M10, M12, M14

C28-SS40

40 Piece H10 TORX/Hex/XZN Bit Set

new
design10
mm 10
3/8" 12.5
1/2"

CODE NO

C28-SS40



1



BT/8005 3/8" - 10 mm

BT/8008 1/2" - 10 mm



CB/1000G T20, T25, T30, T40, T45, T50, T55



CB/1100G T20, T25, T30, T40, T45, T50, T55



CB/2000G 4, 5, 6, 7, 8, 10, 12 mm



CB/2100G 4, 5, 6, 7, 8, 10, 12 mm



CB/3000G M5, M6, M8, M10, M12



CB/3100G M5, M6, M8, M10, M12

C28S-17PTH

17 Piece 1/2" TORX and Hexagon Socket Bit Set

new
design12.5
1/2"

CODE NO

C28S-17PTH



1



C28S-T T20, T25, T27, T30, T40, T45, T50, T55, T60



C28S-H 5, 6, 7, 8, 10, 12, 14 mm



C21-40

C20-18PTX

18 Piece 1/2" TORX Socket Set

new
design12.5
1/2"

CODE NO

C20-18PTX



1



C26 E10, E11, E12, E14, E16, E18, E20, E22, E24



C28S-T T20, T25, T27, T30, T40, T45, T50, T55, T60



03 Sockets and Accessories

12.5
1/2"

C21-11

1/2" Drive Quick Release Reversible Ratchet (Compact Head)

DIN 3122, TS ISO 3315



60-tooth fine mechanism,
switch pawl



CODE NO	mm	mm	
C21-11	32	255	6

C21-12

1/2" Drive Quick Release Reversible Ratchet

DIN 3122, TS ISO 3315



48-tooth strong mechanism,
switch pawl



CODE NO	mm	mm	
C21-12	41.5	260	6

C21-14N

1/2" Drive Quick Release Curved Reversible Ratchet

DIN 3122, TS ISO 3315



45-tooth robust mechanism,
switch disc



CODE NO	mm	mm	
C21-14N	42	250	6

C21-T90

1/2" Drive T90 Sealed Reversible Ratchet

DIN 3122, TS ISO 3315



90-tooth strong mechanism, sealed against
dust, dirt etc. for extra long life, switch pawl



CODE NO	mm	mm	
C21-T90	41	255	6



For display carded delivery = Item code + X

C21-30MR Series

1/2" Drive Swivel Handles (Metal Handle)

new



Allows for up to 90° use



CODE NO	mm	
C21-38MR	375	6
C21-39MR	475	6

C21-R Series

1/2" Ratchet Renewal Kits

CODE NO	
C21-11R (for C21-11)	1



YouTube Clip

C21-12R (for C21-12)	1
----------------------	---



C21-14NR (for C21-14N)	1
------------------------	---



C21-T90R (for C21-T90)	1
------------------------	---



12.5
1/2"

C21-20

1/2" Drive Offset Handle

DIN 3122, TS ISO 3315



12.5
1/2"

CODE NO	mm	
C21-20	250	12

C21-40 Series

1/2" Drive Sliding T-Handles

DIN 3122, TS ISO 3315



12.5
1/2"

CODE NO	mm	
C21-40	250	12
C21-40L	300	12
For display carded delivery = Item code + X		6

C21-50

1/2" Drive Speeder Brace

DIN 3122, TS ISO 3315



12.5
1/2"

Rotator handle for rapid action

CODE NO	mm	
C21-50	420	3

C21-60

1/2" Drive T-Handle Swivel Socket Driver

DIN 3122, TS ISO 3315



12.5
1/2"

For deep places, allows for up to 70° use

CODE NO	mm	
C21-60	500	3

C21-60S

1/2" Drive T-Handle Socket Driver



Quick Release
12.5
1/2"

CODE NO	mm	
C21-60S	230	6

C21-70 Series

1/2" Drive Extension Bars

DIN 3123, ISO 3316



12.5
1/2"

CODE NO	mm	
C21-72	75 - 3"	12
C21-74	125 - 5"	12
C21-77	250 - 10"	12
For display carded delivery = Item code + X		6

C21-70W Series

1/2" Drive Wobble Extension Bars



Ball ended male square
allows up to 15° entry

15°
12.5
1/2"

CODE NO	mm	
C21-71W	50 - 2"	6
C21-74W	125 - 5"	6
C21-77W	250 - 10"	6
C21-79W	500 - 20"	6
For display carded delivery = Item code + X		6

C21-80

1/2" Drive Universal Joint

DIN 3123, ISO 3316



12.5
1/2"

CODE NO	mm	
C21-80	73	12
For display carded delivery = Item code + X		6

03 Sockets and Accessories

12.5
1/2"

C21-91S

1/2" Drive Socket Adaptor - F:1/2" M:3/8"

DIN 3123, ISO 3316



10
3/8" 12.5
1/2"

CODE NO	" "	mm	
C21-91S	1/2 > 3/8	38	12 •
For display carded delivery = Item code + X			6

C21-91

1/2" Drive Socket Adaptor (3 Ways) - F:1/2" M:3/8"

DIN 3123, ISO 3316



3-Way design suitable for use with extension bars

10
3/8" 12.5
1/2"

CODE NO	" "	mm	
C21-91	1/2 > 3/8	38	12 •
For display carded delivery = Item code + X			6

C21-92

1/2" Drive Socket Adaptor - F:1/2" M:3/4"

DIN 3123, ISO 3316



20
3/4" 12.5
1/2"

CODE NO	" "	mm	
C21-92	1/2 < 3/4	50	12 •
For display carded delivery = Item code + X			6

BT/8000 1/2" Series

1/2" Drive Bit Holder Sockets



For use with 5/16" or H10 bits, spring loaded for quick changes

12.5
1/2"

CODE NO	" "	mm	
BT/8007	5/16"	28	6 •
BT/8008	10 mm	38	6 •

C012 Series

Metal Clip Rails (Empty)



Ideal for building custom sets of sockets, used with socket clips

CODE NO	mm	
C012-16	160	6 •
C012-19	190	6 •
C012-26	265	6 •
C012-34	340	6 •

C21-C

1/2" Socket Clips - 10 Pieces



Socket clips for use on metal clip rails (C012 series)

The code represents a 10 piece package

12.5
1/2"

CODE NO	
C21-C	1 pk.

Socket Adaptor Sets

C21-90KIT15

15 Piece Socket Adaptor Set

new



CODE NO	
C21-90KIT15	1



BT/8001 1/4" - 1/4"
BT/8004 3/8" - 5/16"
BT/8005 3/8" - 10 mm
BT/8007 1/2" - 5/16"
BT/8008 1/2" - 10 mm



C21-91S D:1/2" > E:3/8"



C21-92 D:1/2" < E:3/4"



C31-91 D:3/4" > E:1/2"



BT/7015 (1/4" - 1/4") x 50 mm
BT/7020 (3/8" - 1/4") x 50 mm
BT/7030 (1/2" - 1/4") x 50 mm



BT/02 (1/4" x 60 mm)



C01-92 D:1/4" < E:3/8"



C11-91 D:3/8" > E:1/4"



C11-92S D:3/8" < E:1/2"

C21-90KIT6

6 Piece Socket Adaptor Set



CODE NO	
C21-90KIT6	1



C01-92 D:1/4" < E:3/8"



C21-91S D:1/2" > E:3/8"



C11-92S D:3/8" < E:1/2"



C11-91 D:3/8" > E:1/4"



C21-92 D:1/2" < E:3/4"



C31-91 D:3/4" > E:1/2"

12.5
1/2"**C20-18PH2**

18 Piece 1/2" Drive 6-Point Socket Set

new
content

CODE NO



C20-18PH2

1

C22-H 8, 10, 11, 12, 13, 14, 15, 16,
17, 19, 21, 22, 24 mm

C21-12



C21-70 125 mm, 250 mm



C11-92 D:3/8" < E:1/2"



C21-80

C20-23PH4

23 Piece 1/2" Drive 6-Point Socket Set


new

CODE NO



C20-23PH4

1

C22-H 8, 9, 10, 11, 12, 13, 14, 15, 16,
17, 18, 19, 21, 22, 24, 27, 30, 32 mm

C21-70 125 mm, 250 mm



C11-92 D:3/8" < E:1/2"



C21-14N



C21-80

C20-25PH2

25 Piece 1/2" Drive 6-Point Socket Set




CODE NO



C20-25PH2

1

C22-H 8, 9, 10, 11, 12, 13, 14, 15, 16,
17, 18, 19, 21, 22, 24, 27, 30, 32 mm

C21-70 125 mm, 250 mm



C27-R 16, 21 mm



C11-92 D:3/8" < E:1/2"



C21-12



C21-80

C20-25PB2

25 Piece 1/2" Drive 12-Point Socket Set




CODE NO



C20-25PB2

1

C22-B 8, 9, 10, 11, 12, 13, 14, 15, 16,
17, 18, 19, 21, 22, 24, 27, 30, 32 mm

C21-70 125 mm, 250 mm



C27-R 16, 21 mm



C11-92 D:3/8" < E:1/2"



C21-12



C21-80

C20-56PH2

56 Piece 1/2" Drive 6-Point Socket Set

new

CODE NO



C20-56PH2

1

C22-H 10, 11, 12, 13, 14, 15, 16, 17,
18, 19, 21, 22, 24, 27, 30, 32 mm

C21-80

C24-H 10, 12, 13, 14, 15, 16,
17, 19, 22 mm

BT/8007 1/2" - 5/16"



C27-R 16, 21 mm



CB/516SL 8, 10, 12 mm



C21-12



CB/516PH PH2, PH3, PH4



C21-40



CB/516PZ PZ2, PZ3, PZ4



C21-70 125 mm, 250 mm

CB/516TX T20, T25, T30, T40,
T45, T50, T55

CB/516HX 5, 6, 7, 8, 10, 12, 14

03 Sockets and Accessories

12.5
1 1/2"

C20-49PH2

49 Piece 1/2" Drive 6-Point Socket And Wrench Set

new



CODE NO

C20-49PH2



1

B01 8, 10, 11, 12, 13, 14, 17, 19, mm



C22-H 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm



C24-H 10, 13, 17, 19 mm



C27-R 16, 21 mm



C21-12

C21-70 125 mm, 250 mm



C21-80



C11-92 D:3/8" < E:1/2"



BT/8007 1/2" - 5/16"



CB/516SL 10 mm



CB/516PH PH2, PH3, PH4



CB/516TX T30, T40, T45, T50



CB/516HX 5, 6, 8 mm

C20A-20PBT

20 Piece 1/2" Drive 12-Point Socket Set - SAE

new
design



CODE NO

C20A-20PBT



1



C22A-B 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4 inch




C21-T90



C21-40

C21-70 125 mm, 250 mm



C21-80

C20-35PH4

35 Piece 1/4" + 1/2" Drive 6-Point Socket Set

new



CODE NO

C20-35PH4



1



C02-H 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm



C01-14N

C01-73 100 mm



C01-80



C22-H 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm



C21-14N

C21-74 125 mm



C21-80



L 1.3, 1.5, 2, 2.5, 3 mm

C20A-34PM2

34 Piece 1/2" Drive Socket Set / Metric - SAE

new



CODE NO

C20A-34PM2



1



C22-H 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm



C22A-B 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch



C21-12

C21-40

C21-70 125 mm, 250 mm



C21-80



12.5
1/2"

CETA FORM

C20-96PH2

96 Piece 1/4" + 1/2" Drive 6-Point Socket Set

new



6.3
1/4"

12.5
1/2"

CODE NO

C20-96PH2



1



C02-H 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm



C04-H 6, 7, 8, 9, 10, 11, 12, 13 mm



C08S-S 4, 5.5, 6.5 mm



C08S-PH PH1, PH2



C08S-PZ PZ1, PZ2



C08S-T T8, T10, T15, T20, T25, T27, T30



C08S-H 3, 4, 5, 6 mm



C01-12



C01-20



C01-40



C01-70 50 mm, 100 mm



C01-75F 150 mm



C01-80



C11-92 D:1/4" > E:3/8"



C22-H 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm



C24-H 14, 15, 17, 19, 22 mm



C27-R 16, 21 mm



C21-12



C21-70 125 mm, 250 mm



C21-80



BT/8007 1/2" - 5/16"



CB/516SL 8, 10, 12 mm



CB/516PH PH3, PH4



CB/516PZ PZ3, PZ4



CB/516TX T40, T45, T50, T55



CB/516HX 7, 8, 10, 12, 14 mm




L 1.3, 1.5, 2, 2.5 mm

C20-180PH2

180 Piece 1/4" + 3/8" + 1/2" Drive 6-Point Socket Set

new



6.3
1/4"

10
3/8"

12.5
1/2"

CODE NO

C20-180PH2



1



C02-H 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm



C04-H 4, 5, 6, 7, 8, 9, 10 mm



C06 E4, E5, E6, E7, E8



C08S-S 4, 5.5, 6.5 mm



C08S-PH PH1, PH2



C08S-PZ PZ1, PZ2



C08S-T T8, T9, T10, T15, T20, T25, T27, T30



C08S-TR T8, T9, T10, T15, T20, T25, T27, T30



C08S-H 3, 4, 5, 6 mm




C01-12



C01-20



C01-40



C01-70 50 mm, 100 mm



C01-80



C12-H 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm



C14-H 10, 11, 12, 13, 14, 15 mm



C16 E10, E11, E12, E14, E16, E18



C17-R18 18 mm



C11-12



C11-75 150 mm



C11-80



C11-92 D:3/8" > E:1/2"



C22-H 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm



C24-H 16, 17, 18, 19, 22 mm



C26 E20, E24



C27-R 16, 21 mm



C21-12



C21-70 125 mm, 250 mm



C21-80



LT/7 1.5, 2, 2.5, 3, 4, 5, 6 mm



BT/8001 1/4" - 1/4"



CB/250 PH0, PH1, PH2, PH3



CB/350 PZ0, PZ1, PZ2, PZ3



CB/800 T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



CB/800IPR IPR10, IPR15, IPR20, IPR25, IPR27, IPR30, IPR40



CB/850 M5, M6, M8



BT/02 (1/4" x 60 mm)



BT/8004 3/8" - 5/16"



BT/8007 1/2" - 5/16"



CB/516SL 8, 10, 12 mm



CB/516PH PH3, PH4



CB/516PZ PZ3, PZ4



CB/516TX T40, T45, T50, T55, 60, T70



CB/516TR T40, T45, T50



CB/516HX 7, 8, 10, 12, 14 mm



CB/516XZ M10, M12, M14

03 Sockets and Accessories

20
3/4"

C32-H Series

3/4" Drive 6-Point Sockets

DIN 3124, TS ISO 2725-1



20
3/4"

CODE NO	mm	mm	
C32-H19	19	50	6
C32-H21	21	50	6
C32-H22	22	50	6
C32-H24	24	52	6
C32-H27	27	52	6
C32-H30	30	54	6
C32-H32	32	55	3
C32-H33	33	56	3
C32-H34	34	56	3
C32-H36	36	57	3
C32-H38	38	60	3
C32-H41	41	64	3
C32-H46	46	68	3
C32-H50	50	72	3
C32-H55	55	75	3
C32-H60	60	78	3

C32-B Series

3/4" Drive 12-Point Sockets

DIN 3124, TS ISO 2725-1



20
3/4"

CODE NO	mm	mm	
C32-B22	22	50	6
C32-B24	24	50	6
C32-B27	27	52	6
C32-B30	30	54	6
C32-B32	32	56	3
C32-B36	36	58	3
C32-B38	38	60	3
C32-B41	41	64	3
C32-B46	46	68	3
C32-B50	50	73	3

C32A-B Series

3/4" Drive 12-Point Sockets - SAE



20
3/4"

CODE NO	"	mm	
C32A-B11	7/8	50	6
C32A-B12	15/16	50	6
C32A-B13	1	51	6
C32A-B14	1-1/16	52	6
C32A-B15	1-1/8	52	6
C32A-B17	1-1/4	54	3
C32A-B27	1-7/8	70	3

C38S-H Series

3/4" Drive Hexagon Socket Bits



20
3/4"

CODE NO	mm	mm	
C38S-H14	14	80	6
C38S-H17	17	80	6
C38S-H19	19	80	6
C38S-H22	22	80	6

C31-12-2

3/4" Drive Quick Release Reversible Ratchet

DIN 3122, TS ISO 3315



24-tooth strong mechanism, switch pawl, knurled grip



20
3/4"

CODE NO	mm	mm	
C31-12-2	63	505	1

C31-14

3/4" Drive Reversible Ratchet

DIN 3122, TS ISO 3315



48-tooth robust mechanism, switch disc, knurled grip



20
3/4"

CODE NO	mm	mm	
C31-14	69	495	3

C31-R Series

Ratchet Renewal Kits

CODE NO		
C31-12-2R (for C31-12-2)		1



C31-14R (for C31-14)	1
----------------------	---



20
3/4"

C31-40

3/4" Drive Sliding T-Handle

DIN 3122, TS ISO 3315



20
3/4"

CODE NO	mm	
C31-40	500	3

C31-70 Series

3/4" Drive Extension Bars

DIN 3123, ISO 3316



20
3/4"

CODE NO	mm	
C31-73	100 - 4"	6
C31-76	200 - 8"	6
C31-78	400 - 16"	6

C31-91

3/4" Drive Socket Adaptor - F:3/4" M:1/2"

DIN 3123, ISO 3316



Garanti
Expansiyon Day

12.5
1/2"

20
3/4"

CODE NO	"	mm	
C31-91	3/4 > 1/2	54	6

C31-92

3/4" Drive Socket Adaptor - F:3/4" M:1"

DIN 3123, ISO 3316



25
1"

20
3/4"

CODE NO	"	mm	
C31-92	3/4 < 1	63	6

C30-14MH2

14 Piece 3/4" 6-Point Socket Set



20
3/4"

CODE NO	
C30-14MH2	1



C32-H 22, 24, 27, 30, 32, 36, 38,
41, 46, 50 mm



C31-40 500 mm



C31-12-2 505 mm



C31-70 100, 200 mm

C30-14MB2

14 Piece 3/4" Drive 12-Point Socket Set



20
3/4"

CODE NO	
C30-14MB2	1



C32-B 22, 24, 27, 30, 32, 36, 38,
41, 46, 50 mm



C31-40 500 mm



C31-12-2 505 mm



C31-70 100, 200 mm

03 Sockets and Accessories

25
1"

C42-B Series

1" Drive 12-Point Sockets

DIN 3124, TS ISO 2725-1



25
1"

CODE NO	mm	mm	
C42-B32	32	63	3
C42-B36	36	65	3
C42-B41	41	70	3
C42-B46	46	70	3
C42-B50	50	75	3
C42-B55	55	80	1
C42-B60	60	82	1
C42-B65	65	87	1
C42-B70	70	94	1
C42-B75	75	100	1
C42-B80	80	103	1

C41-12

1" Drive Reversible Ratchet



24-tooth strong mechanism, switch pawl



25
1"

CODE NO	mm	mm	
C41-12	70	675	1

C41-12/H

1" Drive Reversible Ratchet (Head Only)



25
1"

For use with C41-12/T tommy bar

CODE NO	mm	mm	
C41-12/H	70	200	1

C41-12R

Ratchet Renewal Kit (for C41-12)



CODE NO	
C41-12R	1

C41-12/T

Tommy Bar (for C41-12/H and C41-40R)



Push-fit bar handle for use with C41-12/H ratchet head, with locking pin

CODE NO	mm	
C41-12/T	550	1

C41-40

1" Drive Sliding T-Handle

DIN 3122, TS ISO 3315



25
1"

CODE NO	mm	
C41-40	550	1

C41-40R

1" Square Drive (for C41-40)



25
1"

CODE NO	
C41-40R	1

C41-70 Series

1" Drive Extension Bars

DIN 3123, ISO 3316



25
1"

CODE NO	mm	
C41-76	200 - 8"	1
C41-78	400 - 16"	1

C41-91

1" Drive Socket Adaptor - F:1" M:3/4"

DIN 3123, ISO 3316



20
3/4"

25
1"

CODE NO	"	"	mm	
C41-91	1	> 3/4	64	3

C40-15MB2

ex code C40-15MH2

15 Piece 1" 12-Point Socket Set



25
1"

CODE NO	
C40-15MB2	1



C42-B 36, 41, 46, 50, 55, 60, 65, 70, 75, 80 mm



C41-12/T 545 mm



C41-40R



C41-12/H 200 mm



C41-70 200 mm, 400 mm

6.3
1/4"10
3/8"

Impact Sockets and Accessories

6.3
1/4"10
3/8"12.5
1/2"20
3/4"25
1"

Impact sockets are manufactured from Chrome-Vanadium-Molybdenum steel in a thicker wall profile. Therefore, they are fit for use with high torque air tools.



C52-H Series

1/4" Drive 6-Point Impact Sockets

DIN 3129, TS ISO 2725-2

6.3
1/4"

CODE NO	mm	mm	
C52-H06	6	25	6•
C52-H07	7	25	6•
C52-H13	13	25	6•
For display carded delivery = Item code + X			6

C52R-H Series

3/8" Drive 6-Point Impact Sockets

DIN 3129, TS ISO 2725-2

10
3/8"

CODE NO	mm	mm	
C52R-H08	8	30	6•
C52R-H10	10	30	6•
C52R-H11	11	30	6•
C52R-H12	12	30	6•
C52R-H13	13	30	6•
C52R-H14	14	30	6•
C52R-H15	15	30	6•
C52R-H16	16	30	6•
C52R-H17	17	30	6•
C52R-H18	18	30	6•
C52R-H19	19	30	6•
For display carded delivery = Item code + X			6

C52R-RH10

10 Piece 3/8" Drive 6-Point Impact Socket Set

10
3/8"

CODE NO	
C52R-RH10	6
10 PC: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

C51R-72

3/8" Drive Impact Extension Bars

10
3/8"

CODE NO	mm	
C51R-72	75 - 3"	6
For display carded delivery = Item code + X		6

C51R-80

3/8" Drive Impact Universal Joint

10
3/8"

CODE NO	mm	
C51R-80	50	6
For display carded delivery = Item code + X		6

C51R-91

3/8" Drive Impact Socket Adaptor - F:3/8" M:1/4"

6.3
1/4" 10
3/8"

CODE NO	"	mm	
C51R-91	3/8 > 1/4	32	6•
For display carded delivery = Item code + X			6

C51R-92

3/8" Drive Impact Socket Adaptor - F:3/8" M:1/2"

12.5
1/2" 10
3/8"

CODE NO	"	mm	
C51R-92	3/8 < 1/2	36	6•
For display carded delivery = Item code + X			6



03 Sockets and Accessories

12.5
1/2"



C62-H Series

1/2" Drive 6-Point Impact Sockets

DIN 3129, TS ISO 2725-2



12.5
1/2"

CODE NO	mm	mm	
C62-H10	10	38	6•
C62-H11	11	38	6•
C62-H12	12	38	6•
C62-H13	13	38	6•
C62-H14	14	38	6•
C62-H15	15	38	6•
C62-H16	16	38	6•
C62-H17	17	38	6•
C62-H18	18	38	6•
C62-H19	19	38	6•
C62-H20	20	38	6•
C62-H21	21	38	6•
C62-H22	22	38	6•
C62-H23	23	38	6•
C62-H24	24	38	6•
C62-H27	27	42	6•
C62-H30	30	42	6•
C62-H32	32	44	6•
C62-H36	36	48	6•

For display carded delivery = Item code + X



C62-RH09

9 Piece 1/2" Drive 6-Point Impact Socket Set



12.5
1/2"

CODE NO	
C62-RH09	6

9 PC: 10, 11, 12, 13, 14, 17, 19, 21, 22 mm

C64-H Series

1/2" Drive 6-Point Impact Deep Sockets

DIN 3129, TS ISO 2725-2



12.5
1/2"

Ideal for long threaded bolts

CODE NO	mm	mm	
C64-H10	10	78	6•
C64-H11	11	78	6•
C64-H12	12	78	6•
C64-H13	13	78	6•
C64-H14	14	78	6•
C64-H15	15	78	6•
C64-H16	16	78	6•
C64-H17	17	78	6•
C64-H18	18	78	6•
C64-H19	19	78	6•
C64-H20	20	78	6•
C64-H21	21	78	6•
C64-H22	22	78	6•
C64-H23	23	78	6•
C64-H24	24	78	6•
C64-H27	27	78	6•
C64-H30	30	78	6•
C64-H32	32	78	6•

For display carded delivery = Item code + X



C64-RH09

9 Piece 1/2" Drive 6-Point Impact Deep Socket Set



12.5
1/2"

CODE NO	
C64-RH09	6

9 PC: 10, 11, 12, 13, 14, 17, 19, 21, 22 mm

C62-B Series

1/2" Drive 12-Point Impact Sockets

DIN 3129, TS ISO 2725-2



12.5
1/2"

CODE NO	mm	mm	
C62-B24	24	38	6
C62-B30	30	42	6
C62-B32	32	44	6
C62-B34	34	42	6
C62-B36	36	48	6

For display carded delivery = Item code + X



C66-E Series

1/2" Drive E-TORX Impact Sockets



12.5
1/2"

For external TORX screws

CODE NO	mm	mm	
C66-E10	E10	38	6
C66-E12	E12	38	6
C66-E14	E14	38	6
C66-E16	E16	38	6
C66-E18	E18	38	6
C66-E20	E20	38	6
C66-E22	E22	38	6
C66-E24	E24	38	6

For display carded delivery = Item code + X



C66-R08

8 Piece 1/2" Drive E-TORX Impact Socket Set



12.5
1/2"

CODE NO	
C66-R08	6

8 PC: E10, E12, E14, E16, E18, E20, E22, E24

12.5
1/2"



CETA FORM

C68-T Series

1/2" Drive Impact TORX Socket Bits



Out of
WARRANTY 12.5
1/2"

CODE NO		mm	
C68-T30	T30	78	6 •
C68-T40	T40	78	6 •
C68-T45	T45	78	6 •
C68-T50	T50	78	6 •
C68-T55	T55	78	6 •
C68-T60	T60	78	6 •
C68-T70	T70	78	6 •
C68-T80	T80	78	6 •



For display carded delivery = Item code + X

6

C68-H Series

1/2" Drive Impact Hexagon Socket Bits



12.5
1/2"

CODE NO	mm	mm	
C68-H05	5	78	6 •
C68-H06	6	78	6 •
C68-H07	7	78	6 •
C68-H08	8	78	6 •
C68-H10	10	78	6 •
C68-H12	12	78	6 •
C68-H14	14	78	6 •
C68-H17	17	78	6 •
C68-H19	19	78	6 •



For display carded delivery = Item code + X

6

C68-X Series

1/2" Drive Impact XZN Socket Bits



12.5
1/2"

CODE NO		mm	
C68-X06	M06	78	6
C68-X08	M08	78	6
C68-X10	M10	78	6
C68-X12	M12	78	6
C68-X14	M14	78	6
C68-X16	M16	78	6
C68-X18	M18	78	6



For display carded delivery = Item code + X

6

C68-RT07

7 Piece 1/2" Drive Impact TORX Socket Bit Set



Out of
WARRANTY 12.5
1/2"

CODE NO	
C68-RT07	1

7 PC: T30, T40, T45, T50, T55, T60, T70

C68-RH07

7 Piece 1/2" Drive Impact Hexagon Socket Bit Set



12.5
1/2"

CODE NO	
C68-RH07	1

7 PC: 5, 6, 8, 10, 12, 14, 17 mm

C68-RX07

7 Piece 1/2" Drive Impact XZN Socket Bit Set



12.5
1/2"

CODE NO	
C68-RX07	1

7 PC: M6, M8, M10, M12, M14, M16, M18



03 Sockets and Accessories

12.5
1/2"



C61-70 Series

1/2" Drive Impact Extension Bars



12.5
1/2"

CODE NO	mm	
C61-72	75 - 3"	6
C61-74	125 - 5"	6
For display carded delivery = Item code + X		6

C61-80

1/2" Drive Impact Universal Joint



12.5
1/2"

CODE NO	mm	
C61-80	63	6
For display carded delivery = Item code + X		6

BT/8000QR Series

1/2" Drive Quick Release Impact Bit Holder



12.5
1/2"

CODE NO		mm	
BT/8007QR	5/16"	54	6
BT/8008QR	10 mm	54	6

C61-91

1/2" Drive Impact Socket Adaptor - F:1/2" M:3/8"



10
3/8"

12.5
1/2"

CODE NO	" "	mm	
C61-91	1/2 > 3/8	38	6
For display carded delivery = Item code + X			6

C61-92

1/2" Drive Impact Socket Adaptor - F:1/2" M:3/4"



20
3/4"

12.5
1/2"

CODE NO	" "	mm	
C61-92	1/2 < 3/4	48	6
For display carded delivery = Item code + X			6

C61-90KIT7

7 Piece Impact Socket Adaptor Set

new



CODE NO	
C61-90KIT7	1



C51R-91 D:3/8" > E:1/4"



C51R-92 D:3/8" < E:1/2"



C61-91 D:1/2" > E:3/8"




C61-92 D:1/2" < E:3/4"



C71-91 D:3/4" > E:1/2"



C71-92 D:3/4" < E:1"



C81-91 D:1" > E:3/4"

20
3/4"



C72-H Series

3/4" Drive 6-Point Impact Sockets



DIN 3129, TS ISO 2725-2



20
3/4"

CODE NO	mm	mm	
C72-H17	17	51	3
C72-H19	19	51	3
C72-H21	21	51	3
C72-H22	22	51	3
C72-H24	24	51	3
C72-H27	27	54	3
C72-H30	30	54	3
C72-H32	32	57	3
C72-H33	33	57	3
C72-H34	34	57	3
C72-H36	36	57	3
C72-H38	38	57	3
C72-H41	41	58	3
C72-H46	46	63	3
C72-H50	50	68	3
C72-H55	55	73	3
C72-H60	60	75	3

C74-H Series

3/4" Drive 6-Point Impact Deep Sockets



20
3/4"

Ideal for long threaded bolts

CODE NO	mm	mm	
C74-H17	17	90	3
C74-H19	19	90	3
C74-H21	21	90	3
C74-H22	22	90	3
C74-H24	24	90	3
C74-H27	27	90	3
C74-H30	30	90	3
C74-H32	32	90	3
C74-H33	33	90	3
C74-H34	34	90	3
C74-H36	36	90	3
C74-H38	38	90	3
C74-H41	41	90	3
C74-H46	46	90	3
C74-H50	50	90	3

20
3/4"**C71-70 Series**

3/4" Drive Impact Extension Bars

20
3/4"

CODE NO	mm	
C71-75	175 – 7"	3
C71-77	250 – 10"	3

C71-80

3/4" Drive Impact Universal Joint

20
3/4"

CODE NO	mm	
C71-80	90	3

C71-91

3/4" Drive Impact Socket Adaptor - F:3/4" M:1/2"



Unique replaceable square drive design

12.5
1/2"

CODE NO	"	mm	
C71-91	3/4 > 1/2	58	3

C71-91R

1/2" Spare Square Drive (for C71-91)

12.5
1/2"

CODE NO	
C71-91R	6 •

C71-92

3/4" Drive Impact Socket Adaptor - F:3/4" M:1"

25
1"

CODE NO	"	mm	
C71-92	3/4 < 1	63	3

25
1"**C82-H Series**

1" Drive 6-Point Impact Sockets

DIN 3129, TS ISO 2725-2

25
1"

CODE NO	mm	mm	
C82-H24	24	58	1
C82-H27	27	58	1
C82-H30	30	60	1
C82-H32	32	62	1
C82-H33	33	62	1
C82-H34	34	62	1
C82-H36	36	65	1
C82-H38	38	65	1
C82-H41	41	68	1
C82-H46	46	72	1
C82-H50	50	75	1
C82-H55	55	83	1
C82-H60	60	87	1
C82-H65	65	90	1
C82-H70	70	93	1
C82-H75	75	95	1
C82-H80	80	95	1

C84-H Series

1" Drive 6-Point Impact Deep Sockets

25
1"

Ideal for long threaded bolts

CODE NO	mm	mm	
C84-H24	24	90	1
C84-H27	27	90	1
C84-H30	30	90	1
C84-H32	32	90	1
C84-H33	33	90	1
C84-H34	34	90	1
C84-H36	36	90	1
C84-H38	38	95	1
C84-H41	41	95	1
C84-H46	46	95	1
C84-H50	50	100	1
C84-H55	55	105	1
C84-H60	60	110	1
C84-H65	65	115	1
C84-H70	70	120	1
C84-H75	75	135	1
C84-H80	80	135	1

C81-70 Series

1" Drive Impact Extension Bars

25
1"

CODE NO	mm	
C81-75	175 – 7"	1
C81-77	250 – 10"	1

C81-91

1" Drive Impact Socket Adaptor

20
3/4"


CODE NO	"	mm	
C81-91	1 > 3/4	70	1

CETA FORM



TORQUE WRENCHES

■ Click Type Torque Wrenches (1/4", 3/8" and 1/2")	151
■ Insert Torque Wrenches (9x12 and 14x18) and Accessories	151
■ 3/4" Drive Duo Torque Wrenches (Etch Scaled)	152
■ 1/2" Drive CLASSIC Torque Wrenches	152
■ 1/2" Hex Torque Screwdrivers	152
■ Torque Angle Gauges	152
■ Torque Multipliers	153



04 Torque Wrenches

Exacto Torque Wrenches

Torque-controlled tightening is now essential in many sectors including automotive, aviation, energy etc. Our range of tools dedicated to torque controlled tightening precisely addresses the requirements of professionals in these industries.

All Ceta Form torque tools are factory calibrated according to standards and an individual serial numbered calibration certificate is provided.

Accuracy according to:
DIN ISO 6789 & ASME B107.14M-2004.

new
design

6.3
1/4"

10
3/8"

12.5
1/2"



±4 %

Individual calibration certificate

EXTENSIONS & ADAPTERS

When using an extension or adapter (increasing the effective length of the torque wrench) the output torque value will change. To calculate the new torque output of the wrench use the following formula


$$A = \frac{L + C}{L} \times B$$

A= Torque exerted at end of adapter

L= Distance between square drive and hand position

B= Wrench scale reading

C= Length of adapter or extension



A number of variables including the length of the adapter or extension, length of the wrench and variations in hand position on the wrench will affect the accuracy of the above calculation.



Click Type Torque Wrenches and Inserts

D02F2 Series

Exacto Torque Wrenches (Window Scaled)

DIN/EN ISO 6789



Click type with reversible ratchet (45-tooth), Nm / lbf.ft window scale, push-lock scale setting, supplied in plastic case
Individual calibration certificate to DIN ISO 6789



CODE NO	Nm	"	mm	
D02F2-0125	5 - 25	1/4	275	1
D02F2-1105	10 - 50	3/8	418	1
D02F2-1110	20 - 100	3/8	418	1
D02F2-2110	20 - 100	1/2	418	1
D02F2-2120	40 - 200	1/2	502	1
D02F2-2130	60 - 300	1/2	594	1

D02F2-R Series

Ratchet Renewal Kits (for D02F2 Series)



CODE NO		
D02F2-01R	for D02F2-0125	1
D02F2-11R	for D02F2-1105 and 1110	1
D02F2-21R/1	for D02F2-2110	1
D02F2-21R/2	for D02F2-2120 and 2130	1

D03F2 Series

Torque Wrenches (Laser Scaled)



CODE NO	Nm	"	mm	
D03F2-0125	5 - 25	1/4	241	1
D03F2-1112	20 - 120	3/8	425	1
D03F2-2122	40 - 220	1/2	503	1
D03F2-2133	60 - 330	1/2	564	1

D02E Series

Exacto Insert Torque Wrenches

DIN/EN ISO 6789



Rectangular drive for insert tools, Nm / lbf.ft window scale, push-lock scale setting, supplied in plastic case
Individual calibration certificate to DIN ISO 6789



CODE NO	Nm	mm	mm	
D02E-0910	20 - 100	9x12	380	1
D02E-1420	40 - 200	14x18	475	1
D02E-1430	60 - 300	14x18	570	1

D02E-RH09 Series

Insert Reversible Ratchets (9x12)



24-tooth strong mechanism, switch pawl, square according to DIN 3120, ISO 1174-1

9x12

CODE NO	"	mm	
D02E-RH0938	3/8	56	1
D02E-RH0912	1/2	69	1

D02E-OE09 Series

Insert Open End Wrenches (9x12)



9x12

CODE NO	mm	mm	
D02E-OE0908	8	17.5	1
D02E-OE0910	10	17.5	1
D02E-OE0911	11	17.5	1
D02E-OE0912	12	17.5	1
D02E-OE0913	13	17.5	1
D02E-OE0914	14	20	1
D02E-OE0915	15	20	1
D02E-OE0916	16	20	1
D02E-OE0917	17	20	1
D02E-OE0918	18	20	1
D02E-OE0919	19	20	1

D02E-RE09 Series

Insert Ring End Wrenches (9x12)



9x12

CODE NO	mm	mm	
D02E-RE0908	8	17.5	1
D02E-RE0910	10	17.5	1
D02E-RE0911	11	17.5	1
D02E-RE0912	12	17.5	1
D02E-RE0913	13	17.5	1
D02E-RE0914	14	17.5	1
D02E-RE0915	15	17.5	1
D02E-RE0916	16	17.5	1
D02E-RE0917	17	17.5	1
D02E-RE0918	18	17.5	1
D02E-RE0919	19	17.5	1
D02E-RE0922	22	17.5	1

D02E-RH1412

1/2" Drive Insert Reversible Ratchet (14x18)



24-tooth strong mechanism, switch pawl, square according to DIN 3120, ISO 1174-1

14x18

CODE NO	"	mm	
D02E-RH1412	1/2	78	1

D02E-OE14 Series

Insert Open End Wrenches (14x18)



14x18

CODE NO	mm	mm	
D02E-OE1413	13	25	1
D02E-OE1414	14	25	1
D02E-OE1415	15	25	1
D02E-OE1416	16	25	1
D02E-OE1417	17	25	1
D02E-OE1418	18	25	1
D02E-OE1419	19	25	1
D02E-OE1421	21	25	1
D02E-OE1422	22	25	1
D02E-OE1424	24	25	1
D02E-OE1427	27	31.5	1
D02E-OE1430	30	31.5	1
D02E-OE1432	32	31.5	1

D02E-RE14 Series

Insert Ring End Wrenches (14x18)



14x18

CODE NO	mm	mm	
D02E-RE1413	13	25	1
D02E-RE1414	14	25	1
D02E-RE1415	15	25	1
D02E-RE1416	16	25	1
D02E-RE1417	17	25	1
D02E-RE1418	18	25	1
D02E-RE1419	19	25	1
D02E-RE1421	21	25	1
D02E-RE1422	22	25	1
D02E-RE1424	24	25	1
D02E-RE1427	27	31	1
D02E-RE1430	30	31	1
D02E-RE1432	32	31	1

04 Torque Wrenches

Torque Wrenches

D03F-31 Series


3/4" Drive Duo Torque Wrenches (Etch Scaled)

DIN/EN ISO 6789



Click type with reversible ratchet (48-tooth), Nm / lbf.ft etch scale, CW/CCW direction, pull down chuck scale setting/locking, supplied in plastic case

Individual calibration certificate to DIN ISO 6789



CODE NO	Nm	mm	
D03F-3155	110-550	918	1
D03F-3175	150-750	1125	1
D03F-3110	200-1000	1200	1

D03F-31R

Ratchet Renewal Kit (for D03F-31 Series)



CODE NO		
D03F-31R	3/4"	1

D03-21 Series

1/2" Drive CLASSIC Torque Wrenches

DIN/EN ISO 6789



Click type with fixed square drive, Nm / kgf.m / lbf.ft / lbf.in etch scale, supplied in plastic case

Individual calibration certificate to DIN ISO 6789



CODE NO	Nm	mm	
D03-2114	25 - 135	556	1
D03-2123	50 - 225	585	1
D03-2133	70 - 330	805	1

D03-21R

Spare Square Drive (for D03-21 Series)



CODE NO		
D03-21R	6	1

Torque Screwdrivers / Angle Gauges


D32 Series

1/4" Hex. Drive Torque Screwdrivers

DIN ISO 6789 & ASME B107.300-2010

new

- Tolerance of torque $\pm 6\%$.
- 6.3mm (1/4") Hex drive for bit
- Slipping clutch mechanism.
- Automatic adjustment knob design.
- Easy-to-read laser scale.
- Applied to both clockwise & counterclockwise directions.
- Ergonomic comfort rubber grip.



CODE NO	Nm	Graduation	mm	
D32-14B012	0.1 ~ 1.2	0.01	180	1
D32-14B060	1 ~ 6	0.1	195	1

1 Head:

6.3mm (1/4") Hex drive for bit

2 Reliable Mechanism:

Press the locking when adjusting the torque, release and automatically lock at desired torque. The slipping clutch mechanism prevents over tightening.

3 Scales:

Easy to read laser scale, bespoke scaling possible on demand.

4 NBR Handle:

Ergonomic shape allowing a non-slip comfort grip.

5 End Cap:

Standard or customized poly design cap.

Application



D06-21

1/2" Drive Torque Angle Gauge



For angle controlled tightening with 1/2" torque wrenches



CODE NO	mm	
D06-21	52	1

D06-31

3/4" Drive Torque Angle Gauge



For angle controlled tightening with 3/4" torque wrenches



CODE NO	mm	
D06-31	90	1

Torque Multipliers

D20HR Series

Torque Multipliers (High Ratio)

Double planetary-gear-carriers allow for high load capacity.
With high ratio gearbox up to 26:1, multiplication accuracy $\pm 5\%$.
High ratios ideal for replacing long lever arms and heavy wrenches.
Supplied with 2 different reaction bars.
Anti-backlash mechanism for safety and comfortable operation.



CODE NO	MAX RATED OUTPUT (Nm)	 	
D20HR-300	3000	1/2 - 1	1
D20HR-450	4500	1/2 - 1	1

Max Rated Input:
D20HR-300: 200 Nm (Ratio: 15.5:1)
D20HR-450: 180 Nm (Ratio: 26:1)



Max Rated Output:
D20HR-300: 3000 Nm (Ratio: 15.5:1)
D20HR-450: 4500 Nm (Ratio: 26:1)

D20-P Series

Torque Multiplier Sets

For reducing the effort needed to apply high torque, planetary gear mechanism, supplied with 2 reaction arm styles for maximum versatility
P2131 max input: 500 Nm max output: 1.500 Nm
P3141 max input: 1.000 Nm max output: 3.000 Nm



YouTube Clip



CODE NO	 	
D20-P2131	1/2 - 3/4	1
D20-P3141	3/4 - 1	1



CETA FORM



SCREWDRIVERS AND BITS

■ C-PLUS Screwdrivers and Sets	156
■ C-PLUS Screwdrivers (Impact Design) and Sets	161
■ C-PLUS Screwdrivers (Diamond Tip) and Sets	162
■ TOREX Screwdrivers and Sets	163
■ Multi-System Combination Blades and Set	166
■ Reversible, Offset Screwdrivers and Magnetizing Tool	167
■ Impact Rated Bits	168
■ Color Coded Bits	169
■ 1/4" Insert Bits and Aerospace Bits	171
■ 1/4" Power Bits and Nut Setters	174
■ 4 mm Micro Precision Bits and Sets	177
■ 5/16" Impact Drivers and Bits	180
■ 10 mm Bits and M5 Power Bits	181
■ Socket Adaptors and Bit Holders	182
■ Bit Drivers	183
■ Bit Ratchets and Gear Drivers	185
■ Bit Sets	186



05 Screwdrivers and Bits


C-Plus Screwdrivers in a Completely New Design

Better in every detail

Our popular C-Plus screwdriver range has undergone a major redesign process. The new handle design offers even better handling ergonomics compared to the previous version. Moreover the new 3K molding technology used in the production of these screwdrivers enable us achieve an even higher molding quality hence better haptics. Available in 4 different variants two of which are new.

C-Plus

3K
TECHNOLOGY



Precision machined,
perfect fit tips



XL handle base to enable
increased torque.



Slim (S) handle section for
turning with speed.



F10 Series/ C

C-PLUS Slotted Screwdrivers (Cabinet Tip)

DIN TS ISO 2380-1



Cabinet tip ideal for terminals

CODE NO	Ø mm	mm	
F10-025-075	2.5	75	12
F10-030-075	3.0	75	12
F10-030-100	3.0	100	12
F10-035-100	3.5	100	12
F10-040-075	4.0	75	12
F10-040-100	4.0	100	12
F10-040-125	4.0	125	12
F10-040-150	4.0	150	12
F10-045-100	4.5	100	12
F10-060-150	6.0	150	12

F10M Series

C-PLUS Slotted Screwdrivers (Screw Holder Magnet)

new



CODE NO	Ø mm	mm	
F10M-045-100	4.5	100	12
F10M-060-150	6.0	150	12

F10 Series / W

C-PLUS Slotted Screwdrivers (Flared Tip)

DIN TS ISO 2380-1



CODE NO	Ø mm	mm	
F10-055-100	5.5	100	12
F10-055-125	5.5	125	12
F10-055-150	5.5	150	12
F10-055-200	5.5	200	12
F10-065-100	6.5	100	12
F10-065-125	6.5	125	12
F10-065-150	6.5	150	12
F10-065-200	6.5	200	12
F10-080-150	8.0	150	12
F10-080-175	8.0	175	12
F10-100-200	10.0	200	12
F10-100-250	10.0	250	12
F10-120-250	12.0	250	12



Screwdriver hangers



Add suffix "X" to the standard item code to order screwdrivers on display hangers.

F10-300 Series

C-PLUS Slotted Screwdrivers (Extra Long Shaft)

DIN TS ISO 2380-1



CODE NO	Ø mm	mm	
F10-040-300	4.0	300	12
F10-055-300	5.5	300	12
F10-065-300	6.5	300	12

F10 Series / TP

C-PLUS Stubby Slotted Screwdrivers

DIN TS ISO 2380-1

new
design

ex F13 Series



Stubby design ideal for tight spaces, cabinet tip

CODE NO	Ø mm	mm	
F10-040-025	4.0	25	12
F10-055-025	5.5	25	12
F10-065-025	6.5	25	12

C-PLUS Screwdrivers

F14 Series

C-PLUS Phillips Screwdrivers

DIN ISO 8764-1, TS 59-5



CODE NO	+	mm	
F14-000-060	PH0	60	12
F14-000-080	PH0	80	12
F14-001-080	PH1	80	12
F14-001-100	PH1	100	12
F14-001-125	PH1	125	12
F14-001-200	PH1	200	12
F14-002-100	PH2	100	12
F14-002-125	PH2	125	12
F14-002-150	PH2	150	12
F14-002-200	PH2	200	12
F14-003-150	PH3	150	12
F14-004-200	PH4	200	12

F14-XL Series

C-PLUS Phillips Screwdrivers (Extra Long Shaft)

DIN ISO 8764-1, TS 59-5



CODE NO	+	mm	
F14-001-300	PH1	300	12
F14-001-500	PH1	500	6
F14-002-300	PH2	300	12
F14-002-500	PH2	500	6

F14 Series / TP

C-PLUS Stubby Phillips Screwdrivers

DIN ISO 8764-1, TS 59-5



ex F16 Series



Stubby design ideal for tight spaces

CODE NO	+	mm	
F14-001-025	PH1	25	12
F14-002-025	PH2	25	12

F17 Series

C-PLUS Pozidriv Screwdrivers

DIN ISO 8764-1, TS 59-5



CODE NO	+	mm	
F17-000-060	PZ0	60	12
F17-001-080	PZ1	80	12
F17-002-100	PZ2	100	12
F17-003-150	PZ3	150	12
F17-004-200	PZ4	200	12

F17-300 Series

C-PLUS Pozidriv Screwdrivers (Extra Long Shaft)

DIN ISO 8764-1, TS 59-5



CODE NO	+	mm	
F17-001-300	PZ1	300	12
F17-002-300	PZ2	300	12

F17 Series / TP

C-PLUS Stubby Pozidriv Screwdrivers

DIN ISO 8764-1, TS 59-5



Stubby design ideal for tight spaces

CODE NO	+	mm	
F17-001-025	PZ1	25	12
F17-002-025	PZ2	25	12

F18 Series

C-PLUS TORX Screwdrivers



CODE NO		mm	
F18-005-060	T05	60	12
F18-006-060	T06	60	12
F18-007-060	T07	60	12
F18-008-060	T08	60	12
F18-009-060	T09	60	12
F18-010-080	T10	80	12
F18-015-080	T15	80	12
F18-020-100	T20	100	12
F18-025-100	T25	100	12
F18-027-115	T27	115	12
F18-030-115	T30	115	12
F18-040-130	T40	130	12
F18-045-130	T45	130	12

F18-300 Series

C-PLUS TORX Screwdrivers (Extra Long Shaft)



CODE NO		mm	
F18-015-300	T15	300	12
F18-020-300	T20	300	12
F18-025-300	T25	300	12
F18-030-300	T30	300	12

F19 Series

C-PLUS TORX Tamper Proof Screwdrivers



For TORX screws with safety pin

CODE NO		mm	
F19-010-080	T10	80	12
F19-015-080	T15	80	12
F19-020-100	T20	100	12
F19-025-100	T25	100	12
F19-027-115	T27	115	12
F19-030-115	T30	115	12
F19-040-130	T40	130	12

05 Screwdrivers and Bits

C-PLUS Screwdrivers

F20 Series

C-PLUS Nut Drivers

DIN 3125, ISO 2236, TS 3793



25 mm deep hexagon socket for long threaded bolts

CODE NO	mm	mm	
F20-040-125	4	125	12
F20-050-125	5	125	12
F20-055-125	5.5	125	12
F20-060-125	6	125	12
F20-070-125	7	125	12
F20-080-125	8	125	12
F20-090-125	9	125	12
F20-100-125	10	125	12
F20-110-125	11	125	12
F20-120-125	12	125	12
F20-130-125	13	125	12
F20-140-125	14	125	12

F20A Series

C-PLUS Nut Drivers - SAE



25 mm deep hexagon socket for long threaded bolts

CODE NO	"	mm	
F20A-0104	1/4	125	12
F20A-0516	5/16	125	12
F20A-0308	3/8	125	12
F20A-0102	1/2	125	12

F21 Series

C-PLUS Nut Drivers (Flexible Shaft)



Flexible shaft design for tight spaces

CODE NO	mm	mm	
F21-050-150	5	150	12
F21-060-150	6	150	12
F21-070-150	7	150	12
F21-080-150	8	150	12
F21-100-150	10	150	12

F22 Series

C-PLUS Hexagon Screwdrivers



CODE NO	mm	mm	
F22-020-060	2	60	12
F22-025-080	2.5	80	12
F22-030-080	3	80	12
F22-040-100	4	100	12
F22-050-100	5	100	12
F22-060-125	6	125	12
F22-080-150	8	150	12
F22-100-150	10	150	12

F22A Series

C-PLUS Hexagon Screwdrivers - SAE



CODE NO	"	mm	
F22A-0116	1/16	60	12
F22A-0564	5/64	60	12
F22A-0332	3/32	80	12
F22A-0764	7/64	80	12
F22A-0108	1/8	80	12
F22A-0964	9/64	80	12
F22A-0532	5/32	100	12
F22A-0316	3/16	100	12

F24 Series

C-PLUS Square Screwdrivers



For square socket (Robertson) screws

CODE NO		mm	
F24-001-080	No.1	80	12
F24-002-100	No.2	100	12
F24-003-150	No.3	150	12

F23 Series

C-PLUS Ball End Hexagon Screwdrivers



Ball end allows up to 25° entry

CODE NO	mm	mm	
F23-020-100	2	100	12
F23-025-100	2.5	100	12
F23-030-100	3	100	12
F23-040-100	4	100	12
F23-050-100	5	100	12
F23-060-125	6	125	12
F23-080-150	8	150	12
F23-100-150	10	150	12

F23A Series

C-PLUS Ball End Hexagon Screwdrivers - SAE



Ball end allows up to 25° entry

CODE NO	"	mm	
F23A-0532	5/32	100	12
F23A-0316	3/16	100	12
F23A-0732	7/32	100	12
F23A-0104	1/4	125	12
F23A-0516	5/16	150	12
F23A-0308	3/8	150	12

F25 Series

C-PLUS TRI-WING Screwdrivers



For TRI-WING screws

CODE NO		mm	
F25-002-080	TW2	80	12
F25-003-080	TW3	80	12
F25-004-100	TW4	100	12
F25-005-100	TW5	100	12

C-PLUS Screwdriver Sets

F99-200 Series

2 Piece C-PLUS Screwdriver Sets

new



CODE NO	
F99-201	1
● F10	6.5x100 mm
⊕ F14	PH2x100 mm
F99-201P	1
● F10	6.5x100 mm
⊕ F17	PZ2x100 mm

F99-200 Series / TP

2 Piece C-PLUS Stubby Screwdriver Sets

new



CODE NO	
F99-202	1
● F10/TP	6.5x25 mm
⊕ F14/TP	PH2x25 mm
F99-202P	1
● F10/TP	6.5x25 mm
⊕ F17/TP	PZ2x25 mm

F99-400 Series


4 Piece C-PLUS Screwdriver Sets



CODE NO	
F99-403	1
⊕ F14	PH0x60, PH1x80, PH2x100, PH3x150 mm
F99-403P	1
⊕ F17	PZ0x60, PZ1x80, PZ2x100, PZ3x150 mm

F99-405

4 Piece C-PLUS Screwdriver Set (Extra Long Shaft) - TORX



CODE NO	
F99-405	1
⊕ F18	T15x300, T20x300, T25x300, T30x300 mm

F99-500 Series

5 Piece C-PLUS Screwdriver Sets



CODE NO	
F99-501	1
● F10	2.5x75, 4.0x100, 5.5x125 mm
⊕ F14	PH1x80, PH2x100 mm
F99-501P	1
● F10	2.5x75, 4.0x100, 5.5x125 mm
⊕ F17	PZ1x80, PZ2x100 mm

F99-502

5 Piece C-PLUS Screwdriver Set - Slotted



CODE NO	
F99-502	1
● F10	3.0x75, 4.0x100, 5.5x125, 6.5x150, 8.0x150 mm

F99-605

6 Piece C-PLUS Screwdriver Set - TORX



CODE NO	
F99-605	1
⊕ F18	T10x80, T15x80, T20x100, T25x100, T30x115, T40x130 mm

F99-606

6 Piece C-PLUS Screwdriver Set - TORX Tamper Proof



CODE NO	
F99-606	1
⊕ F19	T10x80, T15x80, T20x100, T25x100, T30x115, T40x130 mm

F20-B05

5 Piece C-PLUS Nut Driver Set



CODE NO	
F20-B05	1
● F20	6x125, 7x125, 8x125, 10x125, 13x125 mm

05 Screwdrivers and Bits

C-PLUS Screwdriver Sets

F99-600 Series

6 Piece C-PLUS Screwdriver Sets



CODE NO		
F99-601		1
● F10	3.0x75, 4.0x100, 5.5x125, 6.5x150 mm	
⊕ F14	PH1x80, PH2x100 mm	
F99-602		1
● F10	3.0x75, 4.0x100, 5.5x125, 6.5x150 mm	
⊕ F17	PZ1x80, PZ2x100 mm	

F99-600V Series

7 Piece C-PLUS Screwdriver Sets (with VDE Tester)



CODE NO		
F99-601V		1
● F10	3.0x75, 4.0x100, 5.5x125, 6.5x150 mm	
⊕ F14	PH1x80, PH2x100 mm	
● 6105CP	Voltage Tester - Short	
F99-602V		1
● F10	3.0x75, 4.0x100, 5.5x125, 6.5x150 mm	
⊕ F17	PZ1x80, PZ2x100 mm	
● 6105CP	Voltage Tester - Short	

F99-700 Series


7 Piece C-PLUS Screwdriver Sets



CODE NO		
F99-701		1
● F10	3.0x75, 4.0x100, 5.5x125, 6.5x150 mm	
⊕ F14	PH0x60, PH1x80, PH2x100 mm	
F99-702		1
● F10	3.0x75, 4.0x100, 5.5x125, 6.5x150 mm	
⊕ F17	PZ0x60, PZ1x80, PZ2x100 mm	

F99-901

9 Piece C-PLUS Screwdriver Set (in Vinyl Wallet)



CODE NO	2023	
F99-901		1
● F10	3.0x75, 4.0x100, 5.5x125, 6.5x150 mm	
⊕ F14	PH1x80, PH2x100 mm	
● F17	PZ1x80, PZ2x100 mm	
● 6105CP	Voltage Tester (Short)	

F99-P41

41 Piece C-PLUS Screwdriver Set

new



CODE NO	2023	
F99-P41		1
● F10	3.0x75, 4.0x100, 5.5x125, 6.5x150, 8.0x150 mm	
● F10/TP	6.5x25 mm	
⊕ F14	PH0x60, PH1x80, PH2x100, PH3x150 mm	
⊕ F14/TP	PH2x25 mm	
● 6105CP	Voltage Tester (Short)	
● H01	1.5x40, 2.0x60, 2.5x80 mm	
⊕ H02	PH00x60, PH0x60 mm	
● H04	T6x40, T8x40 mm	
F26/BT	C-PLUS Bit Driver	
BT/02		
● CB/610	4.0, 5.5, 6.5 mm	
⊕ CB/250	PH1, PH2, PH3	
⊕ CB/350	PZ1 PZ2, PZ3	
● CB/800	T10, T15, T20, T25, T27, T30, T40	
● CB/1800	3, 4, 5, 6 mm	

SF99 Series

C-PLUS Screwdriver Set Display Packs



CODE NO	2023	
SF99-601		1
12x F99-601		
SF99-602		1
12x F99-602		
SF99-701		1
12x F99-701		
SF99-702		1
12x F99-702		
SF99-601V		1
12x F99-601V		
SF99-602V		1
12x F99-602V		

C-PLUS Impact Screwdrivers

The power screwdrivers suitable for impact use

The redesigned C-PLUS screwdrivers range now also includes a series of screwdrivers suitable for impact use. Incorporating a metal striking cap, hex bolsters and fully extending blades, these screwdrivers can be used as a chisel. The ideal screwdriver range for extreme requirements!



Fully extending hexagonal blade



Metal striking cap which can be hammered

F10C Series

C-PLUS Slotted Screwdrivers (Impact Design)

DIN TS ISO 2380-1

new



* Without Hex bolster

CODE NO	mm	mm	mm	
F10C-045-100*	4.5	100	-	12
F10C-055-100	5.5	100	10	12
F10C-065-125	6.5	125	10	12
F10C-080-150	8.0	150	13	12
F10C-100-175	10.0	175	13	12
F10C-120-200*	12.0	200	16	12

F14C Series

C-PLUS Phillips Screwdrivers (Impact Design)

DIN ISO 8764-1, TS 59-5

new



CODE NO		mm	mm	
F14C-001-080	PH1	80	-	12
F14C-002-100	PH2	100	10	12
F14C-003-150	PH3	150	13	12

F17C Series

C-PLUS Pozidriv Screwdrivers (Impact Design)

DIN ISO 8764-1, TS 59-5

new



CODE NO		mm	mm	
F17C-001-080	PZ1	80	-	12
F17C-002-100	PZ2	100	10	12
F17C-003-150	PZ3	150	13	12

F99C-601

6 Piece C-PLUS Screwdriver Set - Slotted/Phillips (Impact Design)

new



⊖ x4

⊕ x2



CODE NO	
F99C-601	1

- ⊖ F10C 5.5x100, 6.5x125, 8.0x150, 10x175 mm
- ⊕ F14C PH2x100, PH3x150 mm

F99C-602

6 Piece C-PLUS Screwdriver Set - Slotted/Pozidriv (Impact Design)

new



⊖ x4

⊕ x2



CODE NO	
F99C-602	1

- ⊖ F10C 5.5x100, 6.5x125, 8.0x150, 10x175 mm
- ⊕ F17C PZ2x100, PZ3x150 mm

05 Screwdrivers and Bits

C-PLUS Diamond Tip Screwdrivers

The screwdrivers which bite into the screw

This range incorporates blades with tiny diamond particles on the tip part. Hence, a very tight connection between the tip and the screw is guaranteed. Slipping off, which can cause problems when working on delicate materials, is therefore avoided.



F10D Series

C-PLUS Slotted Screwdrivers (Diamond Tip)

DIN TS ISO 2380-1

new



CODE NO	Ø mm	mm	
F10D-030-075	3.0	75	12
F10D-040-100	4.0	100	12
F10D-055-125	5.5	125	12
F10D-060-150	6.0	150	12
F10D-080-150	8.0	150	12



F10D-060-025	6.0	25	12
--------------	-----	----	----

F14D Series

C-PLUS Phillips Screwdrivers (Diamond Tip)

DIN ISO 8764-1, TS 59-5

new



CODE NO	+	mm	
F14D-001-080	PH1	80	12
F14D-002-100	PH2	100	12
F14D-003-150	PH3	150	12



F14D-002-025	PH2	25	12
--------------	-----	----	----

F17D Series

C-PLUS Pozidriv Screwdrivers (Diamond Tip)

DIN ISO 8764-1, TS 59-5

new



CODE NO	+	mm	
F17D-001-080	PZ1	80	12
F17D-002-100	PZ2	100	12
F17D-003-150	PZ3	150	12



F17D-002-025	PZ2	25	12
--------------	-----	----	----

F99D-601

6 Piece C-PLUS Screwdriver Set - Slotted/Phillips (Diamond Tip)

new



CODE NO	
F99D-601	1

- F10D 3.0x75, 4.0x100, 5.5x125, 6.0x150 mm
- ⊕ F14D PH1x80, PH2x100 mm

F99D-602

6 Piece C-PLUS Screwdriver Set - Slotted/Pozidriv (Diamond Tip)

new



CODE NO	
F99D-602	1

- F10D 3.0x75, 4.0x100, 5.5x125, 6.0x150 mm
- ⊕ F17D PZ1x80, PZ2x100 mm

TOREX Screwdriver Programme

The Classic screwdriver series from Ceta Form has been revised with a new ergonomic handle.

Precision machined ultimate fit non-peel black finish tips

Precision hardened Chrome-Vanadium-Molybdenum steel

Refined ergonomic design and premium quality plastic materials for a comfortable grip



4100M Series / C

TOREX Slotted Screwdrivers (Cabinet Tip)

DIN TS ISO 2380-1, TS 59-1/3/4



CODE NO	mm	mm	
4100/21M	2.5	75	12
4100/31M	3.0	75	12
4100/32M	3.0	100	12
4100/35M	3.5	100	12
4100/41M	4.0	75	12
4100/42M	4.0	100	12
4100/43M	4.0	125	12
4100/44M	4.0	150	12

4100M Series / W

TOREX Slotted Screwdrivers (Flared Tip)

DIN TS ISO 2380-1, TS 59-1/3/4



CODE NO	mm	mm	
4100/52M	5.5	100	12
4100/53M	5.5	125	12
4100/54M	5.5	150	12
4100/56M	5.5	200	12
4100/62M	6.5	100	12
4100/63M	6.5	125	12
4100/64M	6.5	150	12
4100/66M	6.5	200	12
4100/74M	8.0	150	12
4100/75M	8.0	175	12
4100/86M	10.0	200	12
4100/87M	10.0	250	12
4100/107M	12.0	250	12

4100M Series / TP

TOREX Stubby Slotted Screwdrivers

DIN TS ISO 2380-1/2, TS 59-1/3/4



Stubby design ideal for tight spaces

CODE NO	mm	mm	
4100/TP40M	4.0	25	12
4100/TP55M	5.5	25	12
4100/TP65M	6.5	25	12

4200M Series

TOREX Phillips Screwdrivers

DIN ISO 8764-1/2, TS 59-1/5/6



CODE NO		mm	
4200/30M	PH0	60	12
4200/31M	PH0	80	12
4200/51M	PH1	80	12
4200/52M	PH1	100	12
4200/53M	PH1	125	12
4200/56M	PH1	200	12
4200/62M	PH2	100	12
4200/63M	PH2	125	12
4200/64M	PH2	150	12
4200/66M	PH2	200	12
4200/84M	PH3	150	12
4200/106M	PH4	200	12

4200M Series / TP

TOREX Stubby Phillips Screwdrivers

DIN ISO 8764-1/2, TS 59-1/5/6



Stubby design ideal for tight spaces

CODE NO		mm	
4200/TP1M	PH1	25	12
4200/TP2M	PH2	25	12



05 Screwdrivers and Bits

TOREX Screwdrivers

4300M Series

TOREX Pozidriv Screwdrivers

DIN ISO 8764-1/2, TS 59-1/5/6



CODE NO	+	mm	
4300/30M	PZ0	60	12
4300/51M	PZ1	80	12
4300/62M	PZ2	100	12
4300/84M	PZ3	150	12

4300M Series / TP

TOREX Stubby Pozidriv Screwdrivers

DIN ISO 8764-1/2, TS 59-1/5/6



Stubby design ideal for tight spaces

CODE NO	+	mm	
4300/TP1M	PZ1	25	12
4300/TP2M	PZ2	25	12

4400M Series

TOREX TORX Screwdrivers



CODE NO	*	mm	
4400/T10M	T10	80	12
4400/T15M	T15	80	12
4400/T20M	T20	100	12
4400/T25M	T25	100	12
4400/T27M	T27	115	12
4400/T30M	T30	115	12
4400/T40M	T40	130	12

TOREX Screwdriver Sets

1300M Series

TOREX Nut Drivers

DIN ISO 3125, ISO 2236, TS 3793



25 mm deep hexagon socket for long threaded bolts

CODE NO	mm		
1304M	4	125	12
1305M	5	125	12
1355M	5.5	125	12
1306M	6	125	12
1307M	7	125	12
1308M	8	125	12
1309M	9	125	12
1310M	10	125	12
1311M	11	125	12
1312M	12	125	12
1313M	13	125	12
1314M	14	125	12

4000M/4ST4

4 Piece TOREX Screwdriver Set - Phillips



CODE NO	
4000M/4ST4	1
4200M	PH0x60, PH1x80, PH2x100, PH3x150 mm

4000M/5ST1

5 Piece TOREX Screwdriver Set - Slotted/Phillips



CODE NO	
4000M/5ST1	1
4100M	2.5x75, 4.0x100, 5.5x125 mm
4200M	PH1x80, PH2x100 mm

4000M/5ST3

5 Piece TOREX Screwdriver Set - Slotted



CODE NO	
4000M/5ST3	1
4100M	3.0x75, 4.0x100, 5.5x125, 6.5x150, 8.0x150 mm

1300M/5ST1

5 Piece TOREX Nut Driver Set



CODE NO	
1300M/5ST1	1
1300M	6x125, 7x125, 8x125, 10x125, 13x125 mm

4000M/6ST1

6 Piece TOREX Screwdriver Set - Slotted/Phillips



CODE NO	
4000M/6ST1	1
4100M	3.0x75, 4.0x100, 5.5x125, 6.5x150 mm
4200M	PH1x80, PH2x100 mm

TOREX Screwdriver Sets

4000M/6ST2

6 Piece TOREX Screwdriver Set - Slotted/Pozidriv

 x4

 x2


CODE NO

4000M/6ST2



1

- 4100M 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm
- ⊕ 4300M PZ1x80, PZ2x100 mm

4400M/6ST1

7 Piece TOREX Screwdriver Set - TORX

 x6


CODE NO

4400M/6ST1



1

- ⊕ 4400M T10x80, T15x80, T20x100, T25x100, T30x115, T40x130 mm

4000M/7ST1

7 Piece TOREX Screwdriver Set - Slotted/Phillips

 x4

 x3


CODE NO

4000M/7ST1



1

- 4100M 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm
- ⊕ 4200M PH0x60, PH1x80, PH2x100 mm

4000M/7ST2

7 Piece TOREX Screwdriver Set - Slotted/Pozidriv

 x4

 x3


CODE NO

4000M/7ST2



1

- 4100M 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm
- ⊕ 4300M PZ0x60, PZ1x80, PZ2x100 mm

4000M/9ST1

9 Piece TOREX Screwdriver Set (in Vinyl Wallet)

 x5

 x2

 x2


CODE NO

4000M/9ST1



1

- 4100M 3.0x75, 4.0x100, 5.5x125, 6.5x150 mm
- ⊕ 4300M PZ1x80, PZ2x100 mm
- ⊕ 4200M PH1x80, PH2x100 mm
- 6105CP Voltage Tester (Short)

S4000M/ST Series

TOREX Screwdriver Set Display Packs



CODE NO

S4000M/6ST1



1

12x 4000M/6ST1

S4000M/6ST2

1

12x 4000M/6ST2

S4000M/7ST1

1

12x 4000M/7ST1

S4000M/7ST2

1

12x 4000M/7ST2



Chapter /1 Page 54



05 Screwdrivers and Bits

Ceta Form Multi-System

The reversible screwdriver program – redesigned



- Unique telescoping design of blades allows variable blade lengths
- All reversible blades manufactured from Chrome Vanadium Molybdenum steel
- Selection of socket adaptors and bit holders also available
- 8002QH handle offers secure and quick clamping of blades



8000Q/M15 15 Piece Multi-System Set

new
design



CODE NO		
8000Q/M15		1
8246Q 4.0/6.0 mm		
8312Q PH1/PH2		
8412Q PZ1/PZ2		
8500Q T15/T20, T25/T30		
8102Q 1/4"x175 mm		

8002QH C-PLUS Telescopic Handle (for Multi-System Blades)

new
design



Enables telescopic clamping of 1/4" hex Multi-System blades, secure hold, rapid blade exchange

CODE NO			
8002QH	1/4	130	6

8101Q Multi-System Bit Holder (Telescopic)



For use with 1/4" bits, stainless steel holder with magnet



CODE NO			
8101Q	1/4	175	6

8102Q Multi-System Socket Adaptor (Telescopic)



For use with 1/4" drive sockets, spring loaded ball bearing

CODE NO			
8102Q	1/4	175	6

8246Q Multi-System Slotted Combination Blade (Telescopic) DIN ISO 2380-1



CODE NO			
8246Q	4.0/6.0	175	6

8312Q Multi-System Phillips Combination Blade (Telescopic) DIN ISO 8764-1



CODE NO			
8312Q	PH1 / PH2	175	6

8412Q Multi-System Pozidriv Combination Blade (Telescopic) DIN ISO 8764-1



CODE NO			
8412Q	PZ1 / PZ2	175	6

8500Q Series Multi-System TORX Combination Blades (Telescopic)



CODE NO			
8515Q	T15 / T20	175	6
8525Q	T25 / T30	175	6

Reversible Screwdrivers and Magnetizing Tool

8000/PH3

3 Piece Multi-System Set - Hex



CODE NO	
8000/PH3	1

8800 3.0 / 4.0, 5.0/6.0 mm

8002 6x130 mm

FX-MD

Magnetiser / Demagnetiser



Used for magnetizing or demagnetizing screwdriver blades, hex keys and similar driving tools



CODE NO	WxHxD/mm	
FX-MD	51x49x29	25

3100/TF2

Reversible Screwdriver

DIN ISO 2380-1/2, DIN ISO 8764-1/2



Slotted / Phillips

CODE NO	mm	mm	
3100/TF2	PH2 / 6.0	175	12 •



Offset Screwdrivers

Z Series

Offset Slotted Screwdrivers

TS 59-2/1-2



Ideal for tight spaces

CODE NO	mm	mm	
Z/40	4.0	100	12 •
Z/55	5.5	125	12 •

Z/12

Offset Phillips Screwdriver

TS 59-2/1-2



Ideal for tight spaces

CODE NO		mm	
Z/12	PH1 x PH2	100	12 •



1) Press sleeve to unlock blade



2) Set the desired blade length

80-150 mm



3) Release the sleeve to lock the blade

05 Screwdrivers and Bits

Impact Driver Bits

Observing the trend towards impact screwdriving machines, Ceta Form has launched a special bit and bit holder range. This range delivers when the ultimate durability is required.

Performance Chart

Impact use

System	Life Time
	
	
	



The best performance even with the strongest machines.



CB/250TM Series

Phillips Insert Bits (Impact Grade)



CODE NO	+	mm	
CB/251TM	PH1	25	12 •
CB/252TM	PH2	25	12 •
CB/253TM	PH3	25	12 •

CB/350TM Series

Pozidriv Insert Bits (Impact Grade)



CODE NO	+	mm	
CB/351TM	PZ1	25	12 •
CB/352TM	PZ2	25	12 •
CB/353TM	PZ3	25	12 •

CB/800TM Series

TORX Insert Bits (Impact Grade)



CODE NO		mm	
CB/806TM	T10	25	12 •
CB/807TM	T15	25	12 •
CB/808TM	T20	25	12 •
CB/809TM	T25	25	12 •
CB/811TM	T30	25	12 •
CB/812TM	T40	25	12 •

CB/490TM Series

Phillips Power Bits (Impact Grade)



CODE NO	+	mm	
CB/491TM	PH1	50	12 •
CB/492TM	PH2	50	12 •
CB/493TM	PH3	50	12 •

CB/590TM Series

Pozidriv Power Bits (Impact Grade)



CODE NO	+	mm	
CB/591TM	PZ1	50	12 •
CB/592TM	PZ2	50	12 •
CB/593TM	PZ3	50	12 •

CB/820TM Series

TORX Power Bits (Impact Grade)



CODE NO		mm	
CB/824TM	T10	50	12 •
CB/825TM	T15	50	12 •
CB/826TM	T20	50	12 •
CB/827TM	T25	50	12 •
CB/829TM	T30	50	12 •
CB/830TM	T40	50	12 •

BT/01TM

Magnetic Bit Holder (Impact Grade)



CODE NO	mm	mm	
BT/01TM	1/4	68	6

CB/490TM Series - XL

Phillips Power Bits (Impact Grade)- Extra Long



CODE NO	+	mm	
CB/702TM	PH2	70	12 •
CB/902TM	PH2	90	12 •

CB/590TM Series - XL

Pozidriv Power Bits (Impact Grade)- Extra Long



CODE NO	+	mm	
CB/712TM	PZ2	70	12 •
CB/912TM	PZ2	90	12 •

BT/65 - TM Series

Magnetic Nut Setters (Impact Grade)

DIN 3126-E 6.3, ISO 1173



CODE NO	mm	mm	
BT/0865TM	8	65	10 •
BT/1065TM	10	65	6 •
BT/1365TM	13	65	6 •

Color Coded Torsion Bits

Color coding for easy identification of the needed tip profile

1/4
"



new

TORX



Phillips



Pozidriv



Slotted



Hexagon



CB/250TC Series

Phillips Bits (Color Coded)



CODE NO	+	mm	
CB/251TC	PH1	25	12 •
CB/252TC	PH2	25	12 •
CB/253TC	PH3	25	12 •

CB/350TC Series

Pozidriv Bits (Color Coded)



CODE NO	+	mm	
CB/351TC	PZ1	25	12 •
CB/352TC	PZ2	25	12 •
CB/353TC	PZ3	25	12 •

CB/600TC Series

Slotted Bits (Color Coded)



CODE NO	mm	mm	
CB/611TC	4.0	25	12 •
CB/612TC	5.5	25	12 •
CB/613TC	6.5	25	12 •

CB/800TC Series

TORX Bits (Color Coded)



CODE NO		mm	
CB/806TC	T10	25	12 •
CB/807TC	T15	25	12 •
CB/808TC	T20	25	12 •
CB/809TC	T25	25	12 •
CB/811TC	T30	25	12 •
CB/812TC	T40	25	12 •

CB/1800TC Series

Hexagon Bits (Color Coded)



CODE NO	mm	mm	
CB/1815TC	1.5	25	12 •
CB/1820TC	2	25	12 •
CB/1825TC	2.5	25	12 •
CB/1830TC	3	25	12 •
CB/1840TC	4	25	12 •
CB/1850TC	5	25	12 •
CB/1860TC	6	25	12 •

CB/490TC Series

Phillips Bits (Color Coded)



CODE NO	+	mm	
CB/491TC	PH1	50	12 •
CB/492TC	PH2	50	12 •
CB/493TC	PH3	50	12 •

CB/590TC Series

Pozidriv Bits (Color Coded)



CODE NO	+	mm	
CB/591TC	PZ1	50	12 •
CB/592TC	PZ2	50	12 •
CB/593TC	PZ3	50	12 •

CB/ST31TC

31 Piece Bit Set (Color Coded)



CODE NO	
CB/ST31TC	6
CB/610TC 4.0, 5.5, 6.5 mm	CB/800TC T10, T15, 2xT20, 2xT25, T30, T40
CB/250TC 2xPH1, 3xPH2, PH3	CB/1800TC 1.5, 2, 2.5, 3, 4, 5, 6 mm
CB/350TC 2xPZ1, 3xPZ2, PZ3	BT/02

05 Screwdrivers and Bits

CETA FORM Bits and Accessories

A complete range of industrial quality screwdriver bits. Save time and money by utilising Ceta Form high-performance driver bits.

	4 mm C4	 new
	1/4" C6.3	
	1/4" E6.3	
	M5	
	5/16" C8	
	10 mm	



New Compact Set Boxes

Engineered for the highest possible number of tools in most compact dimensions. Ideal for field technicians, mechanics and engineers.

DURABLE

Manufactured from premium quality materials. The integrated soft areas help absorb impacts protecting the box itself and the contents.

VERSATILE

Two different box dimensions and a large number of set options offered within these boxes.

SECURE

The tools are securely placed into their slots either within a foam module or a plastic insert.



1/4" Insert Bits

CB/250 Series

Phillips Bits

DIN ISO 8764-1, TS 8748-2, DIN 3126-C 6.3, ISO 1173



CODE NO	+	mm	
CB/250	PH0	25	12 •
CB/251	PH1	25	12 •
CB/252	PH2	25	12 •
CB/253	PH3	25	12 •
CB/254	PH4	32	12 •

CB/252D

Phillips Bit Wholesale Package (PH2) - 240 Pieces

BUY MORE
PAY LESS



CODE NO	
CB/252D	1
240x CB/252 (PH2)	

CB/250X Series

Phillips Bits (Display Packed)



The code represents a 3 piece package

CODE NO	+	mm	
CB/251X	PH1	25	50 pk.
CB/252X	PH2	25	50 pk.
CB/253X	PH3	25	50 pk.

CB/252DB

Drywall Phillips Screw Setter

DIN ISO 8764-1, TS 8748-2, DIN 3126-C 6.3, ISO 1173



Ensures precise depth control especially for drywall screws

CODE NO	+	mm	
CB/252DB	PH2	25	12 •

CB/250B Series

Phillips Bits (in 50 pc. Packs)



ECO
PACK

CODE NO	+	mm	
CB/251B	PH1	25	50 •
CB/252B	PH2	25	50 •
CB/253B	PH3	25	50 •

CB/252BD

Phillips Bit Wholesale Package (PH2) - 500 Pieces

BUY MORE
PAY LESS



CODE NO	
CB/252BD	1
500x CB/252B (PH2)	

CB/262

Phillips Bit (Reduced Diameter)

DIN ISO 8764-1, TS 8748-2, DIN 3126-C 6.3, ISO 1173



CODE NO	+	mm	
CB/262	PH2	25	12 •

CB/350 Series

Pozidriv Bits

DIN ISO 8764-1, TS 8748-2, DIN 3126-C 6.3, ISO 1173



CODE NO	+	mm	
CB/350	PZ0	25	12 •
CB/351	PZ1	25	12 •
CB/352	PZ2	25	12 •
CB/353	PZ3	25	12 •
CB/354	PZ4	32	12 •

CB/352D

Pozidriv Bit Wholesale Package (PZ2) - 240 Pieces

BUY MORE
PAY LESS



CODE NO	
CB/352D	1
240x CB/352 (PZ2)	

CB/350X Series

Pozidriv Bits (Display Packed)



The code represents a 3 piece package

CODE NO	+	mm	
CB/351X	PZ1	25	50 pk.
CB/352X	PZ2	25	50 pk.
CB/353X	PZ3	25	50 pk.

05 Screwdrivers and Bits

1/4" Insert Bits

CB/350B Series

Pozidriv Bits (in 50 pc. Packs)



ECO
PACK

CODE NO	+	mm	
CB/351B	PZ1	25	50 •
CB/352B	PZ2	25	50 •
CB/353B	PZ3	25	50 •

CB/352BD

Pozidriv Bit Wholesale Package (PZ2) - 500 Pieces

BUY MORE
PAY LESS



CODE NO	
CB/352BD	1
500x CB/352B (PZ2)	

CB/610 Series

Slotted Bits

DIN 5264-C, ISO 2380, TS 8748-1, DIN 3126-C 6.3, ISO 1173



CODE NO	mm	mm	
CB/610	3.0	25	12 •
CB/611	4.0	25	12 •
CB/612	5.5	25	12 •
CB/613	6.5	25	12 •

CB/660 Series

Double Ended Insert Bits

DIN 3126, ISO 1173



CODE NO	ÖLÇÜ	TIP	mm	
CB/660P1S4	PH1 / 4.0	+	30	12 •
CB/660P2S5	PH2 / 5.0	+	30	12 •
CB/660Z1H4	PZ1 / 4.0	+	30	12 •
CB/660Z2H5	PZ2 / 5.0	+	30	12 •
CB/660S6H6	6.0 / 6.0	+	30	12 •
CB/660T2T3	T20 / T30	+	30	12 •

CB/800 Series

TORX Bits

DIN 3126-C 6.3, ISO 1173



CODE NO		mm	
CB/801	T05	25	12 •
CB/802	T06	25	12 •
CB/803	T07	25	12 •
CB/804	T08	25	12 •
CB/805	T09	25	12 •
CB/806	T10	25	12 •
CB/807	T15	25	12 •
CB/808	T20	25	12 •
CB/809	T25	25	12 •
CB/810	T27	25	12 •
CB/811	T30	25	12 •
CB/812	T40	25	12 •
CB/813	T45	35	12 •
CB/814	T50	35	12 •

CB/800X Series

TORX Bits (Display Packed)



The code represents a 3 piece package

CODE NO	+	mm	
CB/806X	T10	25	50 pk.
CB/807X	T15	25	50 pk.
CB/808X	T20	25	50 pk.
CB/809X	T25	25	50 pk.
CB/811X	T30	25	50 pk.
CB/812X	T40	25	50 pk.

CB/800T Series

TORX Tamper Proof Bits

DIN 3126-C 6.3, ISO 1173



for TORX screws with safety pin

CODE NO		mm	
CB/806T	T10	25	12 •
CB/807T	T15	25	12 •
CB/808T	T20	25	12 •
CB/809T	T25	25	12 •
CB/810T	T27	25	12 •
CB/811T	T30	25	12 •
CB/812T	T40	25	12 •

CB/800B Series

TORX Bits (in 50 pc. Packs)



ECO
PACK

CODE NO		mm	
CB/808B	T20	25	50 •
CB/809B	T25	25	50 •
CB/811B	T30	25	50 •

CB/800BD Series

TORX Bit Wholesale Packages - 500 Pieces

BUY MORE
PAY LESS



CODE NO	
CB/808BD	1
500x CB/808B (T20)	
CB/809BD	1
500x CB/809B (T25)	
CB/811BD	1
500x CB/811B (T30)	

CB/800IP Series

TORX PLUS Bits

DIN 3126-C 6.3, ISO 1173



CODE NO		mm	
CB/806IP	IP10	25	12 •
CB/807IP	IP15	25	12 •
CB/808IP	IP20	25	12 •
CB/809IP	IP25	25	12 •
CB/811IP	IP30	25	12 •
CB/812IP	IP40	25	12 •

CB/800IPR Series

TORX IPR Bits

DIN 3126-C 6.3, ISO 1173



Especially for ECU, air conditioning and fuel injection pump applications in automotive

CODE NO		mm	
CB/806IPR	IPR10	25	12 •
CB/807IPR	IPR15	25	12 •
CB/808IPR	IPR20	25	12 •
CB/809IPR	IPR25	25	12 •
CB/810IPR	IPR27	25	12 •
CB/811IPR	IPR30	25	12 •
CB/812IPR	IPR40	25	12 •

1/4" Insert Bits

CB/840 Series

Square Bits

DIN 3126-C 6.3, ISO 1173



For square socket (Robertson) screws

CODE NO		mm	
CB/841	No.1	25	12 •
CB/842	No.2	25	12 •
CB/843	No.3	25	12 •

CB/1800 Series

Hexagon Bits

TS ISO 2936, DIN 3126-C 6.3, ISO 1173



CODE NO	mm	mm	
CB/1815	1.5	25	12 •
CB/1820	2	25	12 •
CB/1825	2.5	25	12 •
CB/1830	3	25	12 •
CB/1835	3.5	25	12 •
CB/1840	4	25	12 •
CB/1850	5	25	12 •
CB/1860	6	25	12 •
CB/1880	8	25	6 •
CB/1810	10	25	6 •

CB/850 Series

XZN (Spline) Bits

DIN 3126-C 6.3, ISO 1173



Especially for use in automotive

CODE NO		mm	
CB/854	M4	25	12 •
CB/855	M5	25	12 •
CB/856	M6	25	12 •
CB/858	M8	25	6 •

CB/1800 Series - SAE

Hexagon Bits - SAE

DIN 3126-C 6.3, ISO 1173



CODE NO	"	mm	
CB/180332	3/32	25	12 •
CB/180108	1/8	25	12 •
CB/180964	9/64	25	12 •
CB/180532	5/32	25	12 •
CB/180316	3/16	25	12 •
CB/180732	7/32	25	12 •
CB/180104	1/4	25	12 •

CB/SP Series

Spanner Bits

DIN 3126-C 6.3, ISO 1173



Used in security applications including control panels and display cases

CODE NO		mm	
CB/SP04	4	25	12 •
CB/SP06	6	25	12 •
CB/SP08	8	25	12 •
CB/SP10	10	25	12 •

CB/SVB25

Schrader® Valve Core Tool Bit



For removal of cores from inside the valves

CODE NO	mm	mm	
CB/SVB25	4	25	12 •



AEROSPACE BITS

1/4"

5/16"

CB/870 Series

TRI-WING Bits (25 mm)

DIN 3126-C 6.3, ISO 1173



For TRI-WING screws

CODE NO		mm	
CB/871	TW1	25	12 •
CB/872	TW2	25	12 •
CB/873	TW3	25	12 •
CB/874	TW4	25	12 •
CB/875	TW5	25	12 •

CB/860 Series

TORQ-SET Insert Bits (25 mm)

DIN 3126-C 6.3, ISO 1173



Especially for use in aviation industry

CODE NO		mm	
CB/860	No.0	25	12 •
CB/861	No.1	25	12 •
CB/862	No.2	25	12 •
CB/863	No.3	25	12 •
CB/864	No.4	25	12 •
CB/865	No.5	25	12 •
CB/866	No.6	25	12 •
CB/867	No.8	25	12 •
CB/868	No.10	25	12 •
CB/869	1/4"	25	12 •

CB/860510

TORQ-SET Power Bits (50 mm)

DIN 3126-E 6.3, ISO 1173



Especially for use in aviation industry

CODE NO		mm	
CB/860510	No.10	50	12 •

CB/8603 Series

TORQ-SET Power Bits (32 mm)

DIN 3126-E 6.3, ISO 1173



Especially for use in aviation industry

CODE NO		mm	
CB/860300	No.0	32	12 •
CB/860301	No.1	32	12 •
CB/860302	No.2	32	12 •
CB/860303	No.3	32	12 •
CB/860304	No.4	32	12 •
CB/860305	No.5	32	12 •
CB/860306	No.6	32	12 •
CB/860308	No.8	32	12 •
CB/860310	No.10	32	12 •
CB/860314	1/4"	32	6 •

CB/8613 Series

5/16" TORQ-SET Power Bits (32 mm)

DIN 3126-E 8, ISO 1173



Especially for use in aviation industry

CODE NO		mm	
CB/861314	1/4"	32	6 •
CB/861351	5/16"	32	6 •

05 Screwdrivers and Bits

1/4" Power Bits

CB/490 Series

Phillips Bits

DIN ISO 8764-1, TS 8748-2

DIN 3126-E 6.3, ISO 1173



CODE NO	+	mm	
CB/491	PH1	50	12 •
CB/492	PH2	50	12 •
CB/493	PH3	50	12 •

CB/492D

Phillips Bit Wholesale Package (PH2) - 240 Pieces



CODE NO	
CB/492D	1
240x CB/492 (PH2)	

CB/490X Series

Phillips Bits (Display Packed)



The code represents a 3 piece package

CODE NO	+	mm	
CB/491X	PH1	50	50 pk.
CB/492X	PH2	50	50 pk.
CB/493X	PH3	50	50 pk.

CB/662TM

Double Ended Phillips Bits (Torsion)

DIN 5264-C, DIN ISO 8764



Torsion zone allows for higher torque values

CODE NO	+	mm	
CB/662TM	PH2 / PH2	65	12 •

CB/490B Series

Phillips Bits (in 50 pc. Packs)



ECO
PACK

CODE NO	+	mm	
CB/491B	PH1	50	50 •
CB/492B	PH2	50	50 •
CB/493B	PH3	50	50 •

CB/492BD

Phillips Bit Wholesale Package (PH2) - 500 Pieces




CODE NO	
CB/492BD	1
500x CB/492B (PH2)	

CB/XL Series - PH

Phillips Bits - Extra Long

DIN ISO 8764-1, TS 8748-2

DIN 3126-E 6.3, ISO 1173



CODE NO	+	mm	
CB/701	PH1	70	12 •
CB/702	PH2	70	12 •
CB/703	PH3	70	12 •
CB/901	PH1	90	12 •
CB/902	PH2	90	12 •
CB/903	PH3	90	12 •
CB/1101	PH1	110	12 •
CB/1102	PH2	110	12 •
CB/1103	PH3	110	12 •
CB/1271	PH1	127	10 •
CB/1272	PH2	127	10 •
CB/1273	PH3	127	10 •
CB/1521	PH1	150	10 •
CB/1522	PH2	150	10 •
CB/1523	PH3	150	10 •
CB/2022	PH2	200	10 •

CB/590 Series

Pozidriv Bits

DIN ISO 8764-1, TS 8748-2, DIN 3126-E 6.3, ISO 1173



CODE NO	+	mm	
CB/591	PZ1	50	12 •
CB/592	PZ2	50	12 •
CB/593	PZ3	50	12 •

CB/592D

Pozidriv Bit Wholesale Package (PZ2) - 240 Pieces



CODE NO	
CB/592D	1
240x CB/592 (PZ2)	

CB/590X Series

Pozidriv Bits (Display Packed)



The code represents a 3 piece package

CODE NO	+	mm	
CB/591X	PZ1	50	50 packs
CB/592X	PZ2	50	50 packs
CB/593X	PZ3	50	50 packs

1/4" Power Bits

CB/590B Series

Pozidriv Bits (in 50 pc. Packs)



ECO
PACK

CODE NO		mm	
CB/591B	PZ1	50	50 •
CB/592B	PZ2	50	50 •
CB/593B	PZ3	50	50 •

CB/592BD

Pozidriv Bit Wholesale Package (PZ2) - 500 Pieces

BUY MORE
PAY LESS



CODE NO	
CB/592BD	1
500x CB/592B (PZ2)	

CB/XL Series - PZ

Pozidriv Bits - Extra Long

DIN ISO 8764-1, TS 8748-2, DIN 3126-E 6.3, ISO 1173



CODE NO		mm	
CB/711	PZ1	70	12 •
CB/712	PZ2	70	12 •
CB/713	PZ3	70	12 •
CB/911	PZ1	90	12 •
CB/912	PZ2	90	12 •
CB/913	PZ3	90	12 •

CB/820 Series

TORX Bits

DIN 3126-E 6.3, ISO 1173



CODE NO		mm	
CB/820	T06	50	12 •
CB/821	T07	50	12 •
CB/822	T08	50	12 •
CB/823	T09	50	12 •
CB/824	T10	50	12 •
CB/825	T15	50	12 •
CB/826	T20	50	12 •
CB/827	T25	50	12 •
CB/828	T27	50	12 •
CB/829	T30	50	12 •
CB/830	T40	50	12 •

CB/820X Series

TORX Bits (Display Packed)



The code represents a 3 piece package

CODE NO		mm	
CB/824X	T10	50	50 pk.
CB/825X	T15	50	50 pk.
CB/826X	T20	50	50 pk.
CB/827X	T25	50	50 pk.
CB/829X	T30	50	50 pk.
CB/830X	T40	50	50 pk.

CB/XL Series - TORX

TORX Bits - Extra Long

DIN 3126-E 6.3, ISO 1173



CODE NO		mm	
CB/8094	T10	90	12 •
CB/8095	T15	90	12 •
CB/8096	T20	90	12 •
CB/8097	T25	90	12 •
CB/8099	T30	90	12 •
CB/8156	T20	150	10 •
CB/8157	T25	150	10 •
CB/8159	T30	150	10 •

CB/820B Series

TORX Bits (in 50 pc. Packs)



ECO
PACK

CODE NO		mm	
CB/826B	T20	50	50 •
CB/827B	T25	50	50 •
CB/829B	T30	50	50 •

CB/820BD Series

TORX Bit Wholesale Packages - 500 Pieces

BUY MORE
PAY LESS



CODE NO	
CB/826BD	1
500x CB/826B (T20)	
CB/827BD	1
500x CB/827B (T25)	
CB/829BD	1
500x CB/829B (T30)	

CB/600 Series

Slotted Bits

DIN 5264-C, ISO 2380, TS 8748-1

DIN 3126-E 6.3, ISO 1173



CODE NO	mm	mm	
CB/619	3.0	50	12 •
CB/620	4.0	50	12 •
CB/621	5.5	50	12 •
CB/622	6.5	50	12 •
CB/690	4.0	90	12 •

05 Screwdrivers and Bits

1/4" Power Bits and Nut Setters

CB/1900 Series

Hexagon Bits

TS ISO 2936, DIN 3126-E 6.3, ISO 1173



CODE NO	mm	mm	
CB/1915	1.5	50	12 •
CB/1920	2	50	12 •
CB/1925	2.5	50	12 •
CB/1930	3	50	12 •
CB/1940	4	50	12 •
CB/1950	5	50	12 •
CB/1960	6	50	12 •
CB/1980	8	50	6 •

CB/1900 Series - SAE

Hexagon Bits - SAE

TS ISO 2936, DIN 3126-E 6.3, ISO 1173



CODE NO	inch	mm	
CB/190332	3/32	50	12 •
CB/190532	5/32	50	12 •
CB/190316	3/16	50	12 •

CB/8800 Series

Nut Setters (Magnetic)

DIN 5264-C, ISO 2380, DIN 3126-C 6.3, ISO 1173



CODE NO	mm	mm	
CB/8806	6	33	12 •
CB/8807	7	33	12 •

BT/42 Series

Nut Setters (Magnetic) - 45 mm

DIN 3126-E 6.3, ISO 1173



CODE NO	mm	mm	
BT/0542	5	42	12 •
BT/0642	6	42	12 •
BT/0742	7	42	12 •
BT/0842	8	42	12 •
BT/1045	10	45	12 •
			12



For display carded delivery = Item code + X
Available for BT/0842, BT/1045

BTA/42 Series

Nut Setters (Magnetic) - SAE

DIN 3126-E 6.3, ISO 1173



CODE NO	inch	mm	
BTA/010442	1/4	42	6 •
BTA/051642	5/16	42	6 •
BTA/010245	1/2	45	6 •

BT/65 Series

Nut Setters (Magnetic) - 65 mm

DIN 3126-E 6.3, ISO 1173



CODE NO	mm	mm	
BT/0665	6	65	12 •
BT/0765	7	65	10 •
BT/0865	8	65	10 •
BT/1065	10	65	8 •
BT/1165	11	65	4 •
BT/1265	12	65	4 •
BT/1365	13	65	4 •
BT/1465	14	65	4 •
BT/1765	17	65	3 •
			12



For display carded delivery = Item code + X
Available for BT/0865, BT/1065

BT/ST061

6 Piece Nut Setter Set - 65 mm



CODE NO	
BT/ST061	6

BT/65

6 PC: 6, 7, 8, 10, 12, 13 mm

BTD Series

Deep Nut Setters

DIN 3126-E 6.3, ISO 1173




Deep recess ideal for long threaded bolts

CODE NO	mm	mm	
BTD/08	8	90	6 •
BTD/10	10	90	6 •
BTD/13	13	110	6 •

4 mm Bit Sets

New 4 mm Precision Bit Sets

All bits you need in an ultra compact case



F26A/BT4

Bit Driver (Aluminum)

new




CODE NO	mm	mm	mm
F26A/BT4	4	125	12



CB4/ST25

25 Piece Precision Screwdriver Bit Set

new



CODE NO	mm
CB4/ST25	1

F26A/BT4	CB/HX - H4 1.5, 2.0 mm
CB/PH - H4 PH000, PH00, PH0, PH1, PH2	CB/PL - H4 P2, P5
CB/SL - H4 1.5, 2.0, 3.0, 4.0 mm	CB/TY - H4 1.0
CB/TX - H4 T2, T3, T4	CB/TR - H4 2.3
CB/TH - H4 T5, T6, T8, T10, T15	CB/SP - H4 2.6

CB4/ST49

49 Piece Precision Screwdriver Bit Set

new



FRONT BACK



CODE NO	mm
CB4/ST49	1

F26A/BT4	CB/PL - H4 P2, P5, P6
CB/PH - H4 PH000, PH00, PH0, PH1, PH2	CB/TY - H4 1.0, 2.0, 2.5, 3.0, 3.5, 4.0 mm
CB/SL - H4 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 mm	CB/TR - H4 2.0, 2.3, 3.0
CB/TX - H4 T2, T3, T4	CB/SP - H4 2.6, 3.0
CB/TH - H4 T5, T6, T7, T8, T9, T10, T15, T20	CB/SIM - H4 0.8
CB/HX - H4 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 mm	CB/MID - H4 2.5
	CB/SQ - H4 S0, S1, S2

05 Screwdrivers and Bits

CB4/EST28

28 Piece Cordless Precision Driver Set - 4 mm

 **CB/PH - H4** PH000, PH00, PH0, PH1, PH2

 **CB/TH - H4** T5, T6, T8, T10, T15

 **CB/SL - H4** 1.5, 2.0, 3.0, 4.0 mm

 **CB/TX - H4** T2, T3, T4

 **CB/HX - H4** 1.5, 2.0 mm

 **CB/TY - H4** 1.0

 **CB/PL - H4** P2, P5

 **CB/SP - H4** 2.6

 **CB/TR - H4** 2.3


0.5 m Charging Cable


Degaussing Device


Blue Dual-Purpose Crowbar



4 mm


 **LED FILL LIGHT**

 **MAGNETIC BASE AND BACK**


 **1 HOURS RUNTIME**



USB CHARGING



CHARGE STATUS INDICATOR



REVERSIBLE



POWERFUL MOTOR



3 BUILT-IN LED LIGHTS

 **MAGNETIC BASE AND BACK**

 **MANUAL & ELECTRIC SWITCH**

 **USB Type C**



- Input voltage: 3.7V;
- Battery type: lithium battery
- Battery capacity: 350mAh
- Charging time <50 minutes
- Idling speed: 200r/min
- Manual torque: 3 Nm
- Electric torque: 0.25-0.35 Nm
- Fully charged continuous battery life: standby battery life for 30 days



4 mm Micro Precision Bits

CB/PH - H4 Series

Phillips Precision Bits

DIN ISO 8764-1, TS 8748-2, DIN 3126-C 6.3, ISO 1173

new

CODE NO		mm	
CB/PH30H4	PH000	28	12 •
CB/PH20H4	PH00	28	12 •
CB/PH10H4	PH0	28	12 •
CB/PH01H4	PH1	28	12 •
CB/PH02H4	PH2	28	12 •

CB/TH - H4 Series

TORX Tamper Proof Precision Bits

DIN 3126-C 6.3, ISO 1173

new

CODE NO		mm	
CB/TH05H4	T5	28	12 •
CB/TH06H4	T6	28	12 •
CB/TH07H4	T7	28	12 •
CB/TH08H4	T8	28	12 •
CB/TH09H4	T9	28	12 •
CB/TH10H4	T10	28	12 •
CB/TH15H4	T15	28	12 •
CB/TH20H4	T20	28	12 •

CB/TY - H4 Series

Tri Point Type Precision Bits

DIN 3126-C 6.3, ISO 1173

new

CODE NO		mm	
CB/TY30H4	0.6	28	12 •
CB/TY20H4	1.0	28	12 •
CB/TY10H4	2.0	28	12 •
CB/TY01H4	2.5	28	12 •

CB/SL - H4 Series

Slotted Precision Bits

DIN 5264-C, ISO 2380, TS 8748-1, DIN 3126-C 6.3, ISO 1173

new

CODE NO		mm	
CB/SL10H4	1.0	28	12 •
CB/SL15H4	1.5	28	12 •
CB/SL20H4	2.0	28	12 •
CB/SL25H4	2.5	28	12 •
CB/SL30H4	3.0	28	12 •
CB/SL35H4	3.5	28	12 •
CB/SL40H4	4.0	28	12 •

CB/HX - H4 Series

Hexagon Precision Bits

new

CODE NO		mm	
CB/HX07H4	0.7	28	50 •
CB/HX09H4	0.9	28	50 •
CB/HX13H4	1.3	28	50 •
CB/HX15H4	1.5	28	50 •
CB/HX20H4	2.0	28	50 •
CB/HX25H4	2.5	28	50 •
CB/HX30H4	3.0	28	50 •
CB/HX35H4	3.5	28	50 •
CB/HX40H4	4.0	28	50 •

CB/TR - H4 Series

Triangle Precision Bits

DIN 3126-C 6.3, ISO 1173

new

CODE NO		mm	
CB/TR20H4	2.0	28	12 •
CB/TR23H4	2.3	28	12 •
CB/TR30H4	3.0	28	12 •

CB/TX - H4 Series

TORX Precision Bits

DIN 3126-C 6.3, ISO 1173

new

CODE NO		mm	
CB/TX02H4	T2	28	12 •
CB/TX03H4	T3	28	12 •
CB/TX04H4	T4	28	12 •

CB/PL - H4 Series

Pentalobe Precision Bits

DIN 3126-C 6.3, ISO 1173

new

CODE NO		mm	
CB/PL02H4	P2	28	12 •
CB/PL05H4	P5	28	12 •
CB/PL06H4	P6	28	12 •

CB/SP - H4 Series

Spanner Precision Bits

DIN 3126-C 6.3, ISO 1173

new

CODE NO		mm	
CB/SP06H4	2.6	28	12 •
CB/SP08H4	3.0	28	12 •

05 Screwdrivers and Bits

5/16" Impact Drivers and Bits

The ideal range for impact assisted loosening of tight or frozen screws



F28-P12

12 Piece Impact Bit Driver Set

new design



CODE NO	
F28-P12	1

- CB/516SL 10 mm
- CB/516TX T30, T40, T45, T50
- CB/516PH PH2, PH3, PH4
- CB/516HX 5, 6, 8 mm
- F28/BT 5/16" Impact Bit Driver

CB/516SL Series

Slotted Bits (Impact Grade)

DIN 5264-C, ISO 2380, DIN 3126-C8, ISO 1173



CODE NO	mm	mm	
CB/516SL08	8	30	6 •
CB/516SL10	10	30	6 •
CB/516SL12	12	30	6 •

CB/516PH Series

Phillips Bits (Impact Grade)

DIN ISO 8764-1, DIN 3126-C8, ISO 1173



CODE NO		mm	
CB/516PH2	PH2	30	6 •
CB/516PH3	PH3	30	6 •
CB/516PH4	PH4	30	6 •

CB/516PZ Series

Pozidriv Bits (Impact Grade)

DIN ISO 8764-1, DIN 3126-C8, ISO 1173



CODE NO		mm	
CB/516PZ2	PZ2	30	6 •
CB/516PZ3	PZ3	30	6 •
CB/516PZ4	PZ4	30	6 •

CB/516TX Series

TORX Bits (Impact Grade)

DIN 3126-C8, ISO 1173



CODE NO		mm	
CB/516TX20	T20	30	6 •
CB/516TX25	T25	30	6 •
CB/516TX30	T30	30	6 •
CB/516TX40	T40	30	6 •
CB/516TX45	T45	30	6 •
CB/516TX50	T50	30	6 •
CB/516TX55	T55	30	6 •

CB/516HX Series

Hexagon Bits (Impact Grade)

TS ISO 2936, DIN 3126-C8, ISO 1173



CODE NO	mm	mm	
CB/516HX05	5	30	6 •
CB/516HX06	6	30	6 •
CB/516HX07	7	30	6 •
CB/516HX08	8	30	6 •
CB/516HX10	10	30	6 •
CB/516HX12	12	30	6 •
CB/516HX14	14	30	3 •

CB/516XZ06

XZN (Spline) Bit (Impact Grade)

DIN 3126-C8, ISO 1173



CODE NO		mm	
CB/516XZ06	M06	30	6 •

F28/BT

5/16" Impact Bit Driver




5/16"

CODE NO	mm	
F28/BT	145	1

10 mm Bits Range

For use with bit holder sockets BT/8008 and BT/8005.
Chrome Vanadium Molybdenum steel, hardened and tempered. Precision machined for exact fit.



Chapter /3 Page 133



CB/1000G Series

TORX Bits - Short



CODE NO		mm	
CB/1020G	T20	30	12 •
CB/1025G	T25	30	12 •
CB/1027G	T27	30	12 •
CB/1030G	T30	30	12 •
CB/1040G	T40	30	12 •
CB/1045G	T45	30	12 •
CB/1050G	T50	30	12 •
CB/1055G	T55	30	12 •

CB/2000G Series

Hexagon Bits - Short

TS ISO 2936



CODE NO	mm	mm	
CB/2004G	4	30	12 •
CB/2005G	5	30	12 •
CB/2006G	6	30	12 •
CB/2007G	7	30	12 •
CB/2008G	8	30	12 •
CB/2010G	10	30	12 •
CB/2012G	12	30	12 •

CB/3000G Series

XZN (Spline) Bits - Short



CODE NO		mm	
CB/3005G	M05	30	12 •
CB/3006G	M06	30	12 •
CB/3008G	M08	30	12 •
CB/3010G	M10	30	12 •
CB/3012G	M12	30	12 •

CB/1100G Series

TORX Bits - Long



CODE NO		mm	
CB/1120G	T20	75	10 •
CB/1125G	T25	75	10 •
CB/1127G	T27	75	10 •
CB/1130G	T30	75	10 •
CB/1140G	T40	75	10 •
CB/1145G	T45	75	10 •
CB/1150G	T50	75	10 •
CB/1155G	T55	75	10 •

CB/2100G Series

Hexagon Bits - Long

TS ISO 2936



CODE NO	mm	mm	
CB/2104G	4	75	10 •
CB/2105G	5	75	10 •
CB/2106G	6	75	10 •
CB/2107G	7	75	10 •
CB/2108G	8	75	10 •
CB/2110G	10	75	10 •
CB/2112G	12	75	6 •

CB/3100G Series

XZN (Spline) Bits - Long



CODE NO		mm	
CB/3105G	M05	75	10 •
CB/3106G	M06	75	10 •
CB/3108G	M08	75	10 •
CB/3110G	M10	75	10 •
CB/3112G	M12	75	6 •

CB/PH2M5

Phillips Bit (for Stationary Screw Systems)

DIN ISO 8764-1, TS 8748-2



M5 thread drive, ideal for use in stationary screw systems

CODE NO		mm	
CB/PH2M5	PH2	45	12 •

CB/PZ2M5

Pozidriv Bit (for Stationary Screw Systems)

DIN ISO 8764-1, TS 8748-2



M5 thread drive, ideal for use in stationary screw systems

CODE NO		mm	
CB/PZ2M5	PZ2	45	6 •

CB/T M5 Series

TORX Bits (for Stationary Screw Systems)



M5 thread drive, ideal for use in stationary screw systems

CODE NO		mm	
CB/T25M5	T25	45	6 •
CB/T30M5	T30	45	6 •

05 Screwdrivers and Bits

Socket Adaptors

BT/7000 Series - M

Socket Adaptors (for Manual Use)

DIN 3126-C6.3, ISO 1173



Ideal for manual use, spring loaded ball bearing

CODE NO	"	"	mm	
BT/7010	1/4	1/4	25	12 •
BT/7017M	1/4	1/4	75	12 •
BT/7027	3/8	1/4	75	6 •
BT/7028	3/8	1/4	100	6 •

BT/7000 Series - P

Socket Adaptors (for Power Use)

DIN 3126-E6.3, ISO 1173




Ideal for power use, spring loaded ball bearing

CODE NO	"	"	mm	
BT/7015	1/4	1/4	50	12 •
BT/7018	1/4	1/4	100	12 •
BT/7020	3/8	1/4	50	6 •
BT/7030	1/2	1/4	50	6 •

BT/7000S3

3 Piece Socket Adaptor Set



CODE NO	
BT/7000S3	10

BT/7015 1/4"-1/4"

BT/7020 3/8"-1/4"

BT/7030 1/2"-1/4"

Bit Holders

BT/01QH

Magnetic Bit Holder (Quick Release)

DIN 3126-E6.3, ISO 1173



Suitable for 1/4" hex C 6.3 and E 6.3 bits, quick release mechanism, strong permanent magnet

CODE NO	"	mm	
BT/01QH	1/4	60	6

BT/01DUO

DUO Bit Holder (with Socket Adaptor)

DIN 3126-E6.3, ISO 1173



Socket adaptor and bit holder in one tool

CODE NO	"	mm	
BT/01DUO	1/4	60	6

BT/01SL2

Slim Magnetic Bit Holder (Screw Grab Magnet)

DIN 3126-E6.3, ISO 1173



Suitable for 1/4" hex C 6.3 bits, unique ring magnet securely holds the screw, strong permanent magnet

CODE NO	mm	mm	
BT/01SL2	14.8 - 11.0	73.4 - 67.2	6

BT/00 Series

Magnetic Bit Holders

DIN 3126-E6.3, ISO 1173



Suitable for 1/4" hex C 6.3 bits, stainless steel sleeve with strong permanent magnet

CODE NO	"	mm	
BT/02	1/4	60	10 •
BT/03	1/4	75	10 •
BT/05	1/4	150	10 •
			10

For display carded delivery = Item code + X

BT/08

Magnetic Bit Holder - SDS-Plus



SDS-Plus drive, suitable for 1/4" hex C 6.3 bits, stainless steel sleeve with strong permanent magnet

CODE NO	"	mm	
BT/08	1/4	80	10 •
			10

For display carded delivery = Item code + X



Ratchet Bits Drivers

New T90 Ratcheting Bit Drivers

For high speed and accurate screwdriving

This new series, available in both stubby and full size versions, feature a very robust ratchet mechanism. This mechanism allows for a return angle as low as 8°. Moreover it can stand up to a torque level of 50 Nm.



12-in1 Stubby Ratchet Bit Driver

Handy, compact and robust

- Compact sizes for confined spaces
- Forged ratchet components for robustness
- 12 sizes in 6 double ended bits
- Retractable bit cartridge



CB/660 Series
12 sizes in 6 double
ended bits (Page 158)

F26/RDF90

T90 Ratcheting Bit Driver

new



Ultra smooth ratcheting action thanks to fine gears, retractable bit cartridge of 6 bits



CODE NO	Ø"	mm	
F26/RDF90	1/4	250	1
CB/610 4.0, 5.5 mm			
CB/250 PH1, PH2			
CB/350 PZ1, PZ2			

F26/RDS90

T90 Ratcheting Bit Driver (Stubby)

new



Ultra smooth ratcheting action thanks to fine gears, compact sizes for confined spaces



CODE NO	Ø"	mm	
F26/RDS90	1/4	95	1

F26/RDS

12-in-1 Stubby Ratchet Bit Driver



Bit magazine

CODE NO	Ø"	mm	
F26/RDS	1/4	105	12 •
F26/RDS 1/4" x 105 mm			
CB/660P154 PH1/4.0 x 30 mm			
CB/660P255 PH2/5.0 x 30 mm			
CB/660S6H6 56.0/6.0 x 30 mm			
CB/660Z1H4 PZ1/4.0 x 30 mm			
CB/660Z2H5 PZ2/5.0 x 30 mm			

05 Screwdrivers and Bits

Bit Drivers

F26/BDS

12-in-1 Stubby Bit Driver



CODE NO		mm	
F26/BDS	1/4	90	12

	CB/660P1S4 PH1/4.0 x 30 mm
	CB/660P2S5 PH2/5.0 x 30 mm
	CB/660Z1H4 PZ1/4.0 x 30 mm
	CB/660Z2H5 PZ2/5.0 x 30 mm

3100/BT1

Bit Driver with Magazine



Suitable for 1/4" hex C 6.3 bits, stainless steel sleeve with strong permanent magnet

CODE NO		mm	
3100/BT1	1/4	100	12

3100/BT6A

7 Piece Bit Driver Set



CODE NO	
3100/BT6A	12

	CB/250 PH1, PH2
	CB/350 PZ1

F26/BT Series

C-PLUS Bit Drivers

new
design



Suitable for 1/4" hex C 6.3 bits, stainless steel sleeve with strong permanent magnet

CODE NO		mm	
F26/BT	1/4	100	12
F26/BTL	1/4	300	12

F26/SBT

C-PLUS Bit Driver (Compact)

new
design



Suitable for 1/4" hex C 6.3 bits, stainless steel holder with strong permanent magnet

CODE NO		mm	
F26/SBT	1/4	110	12

F26/LBT

C-PLUS Bit Driver (Compact-Quick Release)

new
design



Suitable for 1/4" hex C 6.3 and E 6.3 bits, quick release mechanism, strong permanent magnet

CODE NO		mm	
F26/LBT	1/4	146	12

F26/SGBT

C-PLUS Bit Driver (Screw Grab Magnet)

new
design



Suitable for 1/4" hex C 6.3 bits, unique ring magnet securely holds the screw, strong permanent magnet

CODE NO		mm	
F26/SGBT	1/4	100	12

F26/GBT

C-Plus Bit Driver (Flexible Shaft)

new
design



Suitable for 1/4" hex C 6.3 bits, flexible shaft for restricted areas, strong permanent magnet

CODE NO		mm	
F26/GBT	1/4	150	12

F26/TBT

T-Handle Bit Driver



Suitable for 1/4" hex C 6.3 bits, stainless steel sleeve with strong permanent magnet

CODE NO		mm	
F26/TBT	1/4	160	6

Reversible Bit Ratchets

F26/BR

Reversible Bit Ratchet No.1

Supplied
with 1/4" drive
socket adaptor



- 72-tooth fine mechanism
- Forged body (curved)
- Switch lever
- Supplied with 1/4" socket adaptor



CODE NO			
F26/BR	1/4	95	6

F26/BR2

Reversible Bit Ratchet No.2

- 60-tooth fine mechanism
- Forged body (flat)
- Switch lever
- Low profile for maximum access



CODE NO			
F26/BR2	1/4	90	6

F26/BR3

Reversible Bit Ratchet No.3

- 15-tooth basic mechanism
- Punched steel body
- Switch lever
- Super low profile for maximum access



CODE NO			
F26/BR3	1/4	100	6

Gear Drivers

F26/AG

Angled Gear Driver (Rotating Arm 90°)

DIN 3126-E 6.3, ISO 1173



Suitable for 1/4" hex C 6.3 and E 6.3 bits, for use with power tools especially in restricted areas, 90° pivoting arm, 360° rotating head, compact design
Max 57 Nm - 2000 rpm



CODE NO			
F26/AG	1/4	140	6

F26/AG-2

Angled Gear Driver (Fixed Arm)



Suitable for 1/4" hex C 6.3 and E 6.3 bits, for use with power tools especially in restricted areas, right/left hand exchangeable grip, compact design
Max 32 Nm - 2000 rpm



CODE NO			
F26/AG-2	1/4	140	6

BT/01XF

1/4" Long Reach Bit Holder (Flexible Shaft)



Particularly for use in restricted areas thanks to long and flexible shaft
Max 57 Nm - 2000 rpm

CODE NO			
BT/01XF	1/4	300	10

05 Screwdrivers and Bits

Bit Sets

CB/ST31

31 Piece Bit Set



CODE NO

CB/ST31



6

CB/610 4.0, 5.5, 6.5 mm
 CB/250 2xPH1, 3xPH2, PH3
 CB/350 2xPZ1, 3xPZ2, PZ3
 BT/02

CB/800 T10, T15, T20, T25, T27, T30, T40
 CB/800T T20, T30
 CB/1800 2, 2.5, 3, 4, 5, 6 mm

CB/ST25

25 Piece Mini Socket and Bit Set



6.3
1/4"

CODE NO

CB/ST25



6

F26/BR2
 BT/02
 BT/7010
 C02-H 6PC
 5.5, 6, 7, 8, 10, 13 mm

CB/610 4.0, 6.5 mm
 CB/250 PH1, PH2
 CB/350 PZ1, PZ2
 CB/800 T10, T15, T20, T25, T30, T40
 CB/1800 3, 4, 5, 6 mm



CB/ST111

11 Piece Bit Set - Slotted/PH/PZ



CODE NO

CB/ST111



6

CB/610 4.0, 6.5 mm
 CB/250 PH1, 2xPH2, PH3
 BT/02
 CB/350 PZ1, 2xPZ2, PZ3

CB/ST113

11 Piece Bit Set - TORX



CODE NO

CB/ST113



6

CB/800 T6, T8, T9, T10, T15, T20, T25, T27, T30, T40
 BT/02

CB/ST114

11 Piece Bit Set - Hexagon



CODE NO

CB/ST114



6

CB/1800 2, 2.5, 2x3, 2x4, 2x5, 2x6 mm
 BT/02

CB/ST112

11 Piece Bit Set - PH/PZ



CODE NO

CB/ST112



6

CB/250 PH1, 3xPH2, PH3
 CB/350 PZ1, 3xPZ2, PZ3
 BT/02

CB/ST113T

11 Piece Bit Set - TORX Tamper Proof



CODE NO

CB/ST113T



6

CB/800T T10, T15, 2xT20, 2xT25, T27, 2xT30, T40
 BT/02



Bit Sets

CB/ST32

32 Piece Screwdriver Bit Set



CODE NO		
CB/ST32		6
 CB/610 4.0, 5.5, 6.5 mm	 CB/800 T10, T15, T20, T25, T27, T30, T40	
 CB/250 2xPH1, 3xPH2, PH3	 CB/800T T20, T30	
 CB/350 2xPZ1, 3xPZ2, PZ3	 CB/1800 2, 2.5, 3, 4, 5, 6 mm	
 BT/02 ○	 F26/SBT 1/4"	

CB/ST61

61 Piece Bit Set



CODE NO		
CB/ST61		6
 	 	
CB/610 4.0, 5.5, 6.5 mm	CB/800 T6, T7, T8, T9, T10, T15, 2xT20, T25, T27, 2xT30, T40	
 	 	
CB/250 PH0, PH1, 10xPH2, PH3	CB/800T T10, T15, T20, T25, T27, T30, T40	
 	 	
CB/350 PZ0, PZ1, 10xPZ2, PZ3	CB/800IPR IPR20	
 	  	
CB/840 No.1, No.2, No.3	BT/8001 1/4" - 1/4"	
 	 	
CB/1800 2, 2.5, 3, 4, 5, 6 mm	BT/02 ○	

CB/ST56

56 Piece Screwdriver Bit Set

new
design



CODE NO	
CB/ST56	1
  CB/610 4.0, 5.5, 6.5 mm	  CB/1800 2, 2.5, 3, 4, 5, 6 mm
  CB/250 PH0, PH1, PH2, PH3	  CB/840 No.1, No.2, No.3
  CB/350 PZ0, PZ1 PZ2, PZ3	  CB/850 M5, M6, M8
  CB/800 T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	  CB/860 No.6, No.8, No.10
  CB/800T T10, T15, T20, T25, T27, T30, T40	  CB/870 TW1, TW2, TW3, TW4, TW5
  CB/800IPR IPR20, IPR25, IPR30	  BT/7010 ○
 F26/BT C-PLUS Bit Driver	   BT/8001 1/4" - 1/4"
 BT/02 ○	

CETA FORM



PLIERS AND CUTTERS

■ Combination Pliers	191
■ Diagonal Cutters and Plastic Cutters	191
■ Pliers Sets / Slip Joint Pliers / Duckbill Pliers	192
■ Long Nose Pliers	193
■ Multi-Purpose Electrician's Pliers and Wire Strippers	194
■ Water Pump Pliers	196
■ Pincers, Nippers and Compact Bolt Cutter	198
■ Grip Pliers	199
■ Special Pliers	201
■ Cable Shears	202
■ Multi-Purpose Electrician's Shears / Wire Rope Shears / Crimping Pliers Set	203
■ Circlip Pliers	205



06 Pliers and Cutters

Ceta Form Pliers Programme

Ceta Form, the expert pliers manufacturer, precisely satisfies the expectations of most demanding customers. Any professional user will recognise the difference from the outset.



Combination Pliers

E01-11 Series

Combination Pliers
(Chrome Finish / DuoTech Handles)

DIN / TS ISO 5746



Suitable for cutting soft and hard wire,
180 and 200 mm now in high-leverage design



CODE NO	mm "	Ø mm	
E01-11-0160	160 - 6"	1.8	6
E01-11-0180	180 - 7"	2.0	6
E01-11-0200	200 - 8"	2.5	6

E01-41 Series

Combination Pliers
(Polished Finish / DuoTech Handles)

DIN / TS ISO 5746



Suitable for cutting soft and hard wire,
180 and 200 mm now in high-leverage design



CODE NO	mm "	Ø mm	
E01-41-0160	160 - 6"	1.8	6
E01-41-0180	180 - 7"	2.0	6
E01-41-0200	200 - 8"	2.5	6

E01-44 Series

Combination Pliers (Polished Finish / PVC Sleeves)

DIN / TS ISO 5746



Suitable for cutting soft and hard wire,
180 and 200 mm now in high-leverage design



CODE NO	mm "	Ø mm	
E01-44-0160	160 - 6"	1.8	6
E01-44-0180	180 - 7"	2.0	6
E01-44-0200	200 - 8"	2.5	6

Diagonal Cutters / Plastic Cutters

E06-11 Series

Diagonal Cutters
(Chrome Finish / DuoTech Handles)

DIN / TS ISO 5749



Suitable for cutting soft and hard wire,
160 mm now in high-leverage design



CODE NO	mm "	Ø mm	
E06-11-0140	140 - 5-1/2"	1.8	6
E06-11-0160	160 - 6"	2.0	6
E06-11-0180	180 - 7"	2.5	6

E06-41 Series

Diagonal Cutters
(Polished Finish / DuoTech Handles)

DIN / TS ISO 5749



Suitable for cutting soft and hard wire,
160 mm now in high-leverage design



CODE NO	mm "	Ø mm	
E06-41-0140	140 - 5-1/2"	1.8	6
E06-41-0160	160 - 6"	2.0	6
E06-41-0180	180 - 7"	2.5	6

E06-44 Series

Diagonal Cutters (Polished Finish / PVC Sleeves)

DIN / TS ISO 5749



Suitable for cutting soft and hard wire,
160 mm now in high-leverage design



CODE NO	mm "	Ø mm	
E06-44-0140	140 - 5-1/2"	1.8	6
E06-44-0160	160 - 6"	2.0	6
E06-44-0180	180 - 7"	2.5	6

E08-11 Series

Power Diagonal Cutters
(Chrome Finish / DuoTech Handles)

DIN / TS ISO 5749



Dramatically less effort required for cutting
compared to conventional cutters, heavy duty
design, suitable for piano wire



CODE NO	mm "	Ø mm	
E08-11-0180	180 - 7"	2.0	6
E08-11-0200	200 - 8"	2.2	6

E08-41 Series

Power Diagonal Cutters
(Polished Finish / DuoTech Handles)

DIN / TS ISO 5749



Dramatically less effort required for cutting
compared to conventional cutters, heavy duty
design, suitable for piano wire



CODE NO	mm "	Ø mm	
E08-41-0180	180 - 7"	2.0	6
E08-41-0200	200 - 8"	2.2	6

E09 Series

Diagonal Cutters (for Plastic)



Suitable for flush cutting of plastics
Not suitable for cutting steel wires



CODE NO	mm "	
E09-44-0140	140 - 5-1/2"	6
E09-44-0160	160 - 6"	6

06 Pliers and Cutters

Pliers Sets / Slip Joint Pliers / Duckbill Pliers

SE11-24

24 Piece Pliers Display Pack
(Chrome Finish / DuoTech Handles)

12x E01-11-0180
(180 mm)

12x E06-11-0160
(160 mm)

**BUY MORE
PAY LESS**



CODE NO

SE11-24



1

SE41-24

24 Piece Pliers Display Pack
(Polished Finish / DuoTech Handles)

12x E01-41-0180
(180 mm)

12x E06-41-0160
(160 mm)

**BUY MORE
PAY LESS**



CODE NO

SE41-24



1

SE44-24

24 Piece Pliers Display Pack
(Polished Finish / PVC Sleeves)

12x E01-44-0180
(180 mm)

12x E06-44-0160
(160 mm)

**BUY MORE
PAY LESS**



CODE NO

SE44-24



1

E99-41-02A

2 Piece Pliers Set

E01-41-0180
(180 mm)

E06-41-0160
(160 mm)



CODE NO

E99-41-02A



1



E99-41-03A

3 Piece Pliers Set

E01-41-0180
(180 mm)

E06-41-0160
(160 mm)

E15-41-0160
(160 mm)



CODE NO

E99-41-03A



1



E99-41-03B

3 Piece Pliers Set (incl. E30 Water Pump Pliers)

E01-41-0180
(180 mm)

E06-41-0160
(160 mm)

E30-54-0250
(250 mm)



CODE NO

E99-41-03B



1



E99-41-W09 Series

9 Piece Pliers and Screwdriver Sets (in Vinyl Wallet)



CODE NO



E99-41-W09PH

1




E01-41-0180




E06-41-0160



E15-41-0160



F10 2.5x75, 4.0x100, 5.5x125 mm



F14 PH1x80, PH2x100 mm



6105CP Voltage Tester (Short)

E99-41-W09PZ

1

Content: Same as E99-41-W09PH but with Pozidriv screwdriver instead of Phillips.

E05-44-0160

Slip Joint Pliers

DIN / ISO 9343



2-position adjustment

CODE NO

mm
"



E05-44-0160

160 - 6"

6

E19D-200

Duckbill Pliers



Duckbill shaped jaws 6 mm wide at the tip and tapering to 4 mm thickness

CODE NO

mm
"



E19D-200

200 - 8"

6

Long Nose Pliers

E15-11 Series

Long Nose Pliers (Chrome Finish / DuoTech Handles)

DIN / TS ISO 5745



Suitable for cutting soft and hard wire



CODE NO	mm "	Ø mm	
E15-11-0160	160 - 6"	1.6	6
E15-11-0200	200 - 8"	1.6	6

E15-41 Series

Long Nose Pliers (Polished Finish / DuoTech Handles)

DIN / TS ISO 5745



Suitable for cutting soft and hard wire



CODE NO	mm "	Ø mm	
E15-41-0160	160 - 6"	1.6	6
E15-41-0200	200 - 8"	1.6	6

E15-44 Series

Long Nose Pliers (Polished Finish/PVC Sleeves)

DIN / TS ISO 5745



Suitable for cutting soft and hard wire



CODE NO	mm "	Ø mm	
E15-44-0160	160 - 6"	1.6	6
E15-44-0200	200 - 8"	1.6	6

E15XL-340

Extra Long Nose Pliers (Double Fulcrum)



Double fulcrum construction and extra long dimensions allow for access to restricted areas

CODE NO	mm "	
E15XL-340	340	6

E16-11 Series

Bent Long Nose Pliers (Chrome Finish / DuoTech Handles)

DIN / TS ISO 5745



Suitable for cutting soft and hard wire, 45° curved tip



CODE NO	mm "	Ø mm	
E16-11-0160	160 - 6"	1.6	6
E16-11-0200	200 - 8"	1.6	6

E16-41 Series

Bent Long Nose Pliers (Polished Finish/ DuoTech Handles)

DIN / TS ISO 5745



Suitable for cutting soft and hard wire, 45° curved tip



CODE NO	mm "	Ø mm	
E16-41-0160	160 - 6"	1.6	6
E16-41-0200	200 - 8"	1.6	6

E16-44 Series

Bent Long Nose Pliers (Polished Finish/PVC Sleeves)

DIN / TS ISO 5745



Suitable for cutting soft and hard wire, 45° curved tip



CODE NO	mm "	Ø mm	
E16-44-0160	160 - 6"	1.6	6
E16-44-0200	200 - 8"	1.6	6

E16XL-340

Extra Long Bent Nose Pliers (Double Fulcrum)



Double fulcrum construction and extra long dimensions allow for access to restricted areas

CODE NO	mm "	
E16XL-340	340	6

E17-11-0160

Flat Nose Pliers (Chrome Finish / DuoTech Handles)

DIN / TS ISO 5745



Serrated gripping jaws



CODE NO	mm "	
E17-11-0160	160 - 6"	6

E17-41-0160

Flat Nose Pliers (Polished Finish / DuoTech Handles)

DIN / TS ISO 5745



Serrated gripping jaws



CODE NO	mm "	
E17-41-0160	160 - 6"	6

E18-11-0160

Round Nose Pliers (Polished Finish / DuoTech Handles)

DIN / TS ISO 5745



For bending wire loops



CODE NO	mm "	
E18-11-0160	160 - 6"	6

E18-41-0160

Round Nose Pliers (Polished Finish / DuoTech Handles)

DIN / TS ISO 5745



For bending wire loops



CODE NO	mm "	
E18-41-0160	160 - 6"	6

06 Pliers and Cutters

Multi-Purpose Electrician's Pliers / Wire Strippers

E25-MMAX

Multi-Purpose Electrician's Pliers



Wire Stripping Capacities : 0.75, 1.0, 1.5, 2.5 mm²
 Screw Cutting Capacities : M3.5, M4
 Wire Crimping Terminal Capacities : 0.75, 1.0, 1.5, 2.5, 4.0 mm²
 Terminal Crimping Terminal Capacities : 0.50, 0.75, 1.0, 1.5, 2.5 mm²
 Cable Cutting Capacities : Ø15 mm / 50 mm²
 Holding Flat and Round materials, bending cable

7 FUNCTIONS IN ONE TOOL

- Cable cutting
- Cable stripping
- Crimping terminals
- Bolt cutting
- Wire cutting
- Holding
- Cable bending



CODE NO	mm "	
E25-MMAX	225 - 9"	6

E25-BS Series

Wire Strippers (with Adapted Blades)



Leaves wire undamaged thanks to precision ground blade shapes, replaceable blades



CODE NO	Ø	mm	
E25-BSM20	0.5, 1.2, 1.6, 2.0 mm	165	5
E25-BSA22	AWG 8, 10, 12, 14, 18, 22	165	5
E25-BSM20R	Spare Blades (BSM20)		1
E25-BSA22R	Spare Blades (BSA22)		1

E25-11-0160

Wire Stripping Pliers (Chrome Finish / DuoTech Handles)



For stripping of single / multi-strand conductors' plastic insulations



CODE NO	mm "	mm ²	
E25-11-0160	160 - 6"	10	6

E26-11-0160

Combi Cutter /Stripper (Chrome Finish / DuoTech Handles)



Suitable for cutting soft wire, stripping holes for 1.5 and 2.5 mm² single conductors



CODE NO	mm "	mm ²	
E26-11-0160	160 - 6"	1.5, 2.5	6

E25-MULTI1

Multi-Purpose Wire Stripper, Cutter and Crimping Tool



Wire Stripping Capacities:

AWG: 18/ 17/ 16/ 14/ 12/ 10

Metric: 1/ 1.2/ 1.3/ 1.6/ 2.0/ 2.6

Screw Cutting Capacities:

Inch :4-40, 5-40, 6-32, 8-32, 10-24, 10-32

Metric: M2.6, M3, M3.5, M4, M4.5, M5

Wire Crimping Terminal Capacities:

16-10 AWG (2.5-1.3 mm) / 22-18 AWG (1.0-0.6 mm)



CODE NO	mm "	
E25-MULTI1	210 - 8 1/4"	10

E25-41-0160

Wire Stripping Pliers (Polished Finish / DuoTech Handles)



For stripping of single / multi-strand conductors' plastic insulations



CODE NO	mm "	mm ²	
E25-41-0160	160 - 6"	10	6

E26-41-0160

Combi Cutter /Stripper (Polished Finish / DuoTech Handles)



Suitable for cutting soft wire, stripping holes for 1.5 and 2.5 mm² single conductors



CODE NO	mm "	mm ²	
E26-41-0160	160 - 6"	1.5, 2.5	6

E25-AT1

Automatic Wire Stripper



For automatic stripping and cutting of conductors, also suitable for crimping terminals, self-adjusting mechanism



CODE NO	mm "	mm ²	
E25-AT1	205 - 8"	6	10

StripX Automatic Wire Strippers



E25-AS06

Automatic stripping for all common stranded and solid wires

E25-AS06

Automatic Wire Stripper



Adjustable length stop of 5 to 12 mm (removable if required), easily accessible built-in side cutter for max. 2 mm Ø



CODE NO	mm "	mm ²	
E25-AS06	170 - 7"	0.2 - 6	6

E25-CK28

Cable Stripper



No damage of the inner conductors due to infinitely variable adjustment of the cutting depth



CODE NO	mm "	mm ²	
E25-CK28	140 - 5 1/2"	8 - 28	12

E25-MIC

Micro Wire Stripper



Precise stripping, stepwise adjustment to the conductor diameters, with wire cutter



CODE NO	mm "	mm ²	
E25-MIC	112	0.16-0.8	6

E25-CK28H

Cable Stripper (Hook Knife)



No damage of the inner conductors due to infinitely variable adjustment of the cutting depth, hook knife



CODE NO	mm "	mm ²	
E25-CK28H	185 - 7"	4 - 28	12

E25-COS

Automatic stripping for all common stranded and solid wires



E25-CK28H and E25-CK28

Accurate, fast and safe stripping of all common



E25-COS

Coax-Stripper



Also strips flexible cables such as 3 x 0.75 mm², 10 mm² and 16 mm², needs no adjustment of the cutting depth



CODE NO	mm "	mm ²	
E25-COS	110 - 4"	4.8 - 7.5	12

E25-CK28R

Cable Stripper Spare Blade



CODE NO		
E25-CK28R	for E25-CK28 & E25-CK28H	6 •

06 Pliers and Cutters

Water Pump Pliers

E30 Series Water Pump Pliers

Special tool steel hot forged in Solingen, Germany

Phosphate finish

Induction hardened aggressive tooth profile

9 position wobble-free box joint

Multipurpose use

+30% greater capacity

CETA FORM
E30-54-0250

E30-51-0250
Water Pump Pliers (Box Joint / DuoTech Handles)
DIN ISO 8976

E30-54 Series
Water Pump Pliers (Box Joint / PVC Sleeves)
DIN ISO 8976

9-position adjustment

CODE NO	mm "	max. mm	
E30-51-0250	250 - 10"	50	6

9-position adjustment

CODE NO	mm "	max. mm	
E30-54-0250	250 - 10"	50	6
E30-54-0300	300 - 12"	70	6

Special Function Pump Pliers

E30W Pliers Wrench (Parallel Jaws)

- This smartly designed tool replaces the need for sets or metric and imperial wrenches.
- Parallel jaws allow for infinitely variable gripping of all widths.
- Fast adjustment directly on the workpiece is possible by pushing a button.



MAX
42 mm

Easy adjustment
with metric scale

Phosphate finish

Gear mechanism
for quick clutch

E30W-54-0250

Pliers Wrench (Parallel Jaws)

DIN ISO 8976



Parallel jaws allow for infinitely variable gripping of all widths. Fast adjustment directly on the workpiece is possible by pushing a button. 

CODE NO	mm "	mm	
E30W-54-0250	250 - 10"	42	6

E34-250

Cannon Plug Pliers (Exchangeable Plastic Jaws)



For use on connectors, siphons and tube fittings, plastic jaws for sensitive surfaces

CODE NO	mm "	max. mm	
E34-250	230 - 9"	65	6

E29-54-0250

Water Pump Pliers (Self-Adjusting)

DIN ISO 8976



Automatic adjustment to the workpiece 

CODE NO	mm "	max. mm	
E29-54-0250	250 - 10"	35	6

E34-250R

Spare Plastic Jaw Set (for E34-250)



CODE NO		
E34-250R	Spare Plastic Jaw Set	6


CETA FORM
QUALITY

06 Pliers and Cutters

Pincers, Nippers and Compact Bolt Cutter

E36-54 Series

Concreters' Nippers (PVC Sleeves)

DIN ISO 9242, TS 60-12



For binding and cutting building wires



CODE NO	mm "	
E36-54-0225	225 - 9"	6
E36-54-0250	250 - 10"	6
E36-54-0280	280 - 11"	6
For display carded delivery = Item code + X		6

E36-54-0280D

E36-54-0280 Concreters' Nippers Display Pack

ÇOK AL
AZ ÖDE



CODE NO	
E36-54-0280D	1
8 x E36-54-0280	

E36-56 Series

Concreters' Nippers (No Sleeves)

DIN ISO 9242, TS 60-12



For binding and cutting building wires



CODE NO	mm "	
E36-56-0225	225 - 9"	6
E36-56-0250	250 - 10"	6
E36-56-0280	280 - 11"	6
For display carded delivery = Item code + X		6

E36-56-0280D

E36-56-0280 Concreters' Nippers Display Pack

ÇOK AL
AZ ÖDE



CODE NO	
E36-56-0280D	1
8 x E36-56-0280	

Identical head dimensions on 250 mm and 280 mm versions of concreters' nippers. Selection according to different user habits in different countries.

E35 Series

Carpenters' Pincers

DIN ISO 9243, TS 60-3



For binding and cutting building wires

CODE NO	mm "	
E35-54-0160	160 - 6"	6
E35-54-0180	180 - 7"	6
E35-54-0200	200 - 8"	6
For display carded delivery = Item code + X		6

E37 Series

End Cutting Nippers

DIN ISO 5748



For cutting soft and hard wire as well as binding/cutting building wires

CODE NO	mm "	
E37-54-0160	160 - 6"	6
E37-54-0180	180 - 7"	6
For display carded delivery = Item code + X		6

E38-54-0200

Compact Bolt Cutter (for Nails, Rivets, Bolts etc)



For cutting nails, rivets, bolts etc., high-leverage design: minimum cutting effort

CODE NO	mm "	Ø mm	
E38-54-0200	200 - 8"	3.6	6

Grip Pliers

X Grip

Grip Pliers Series

The new grip pliers programme from Ceta Form. Superb mechanical properties now coupled with epoxy coating. Perfect anti-rust properties.

E50-2 Series

Grip Pliers (Curved Jaws)



For gripping and clamping round materials

CODE NO	mm	max. mm	
E50-140-2	140	0-32	1
E50-190-2	190	0-42	1
E50-240-2	240	0-62	1
E50-300-2	300	0-75	1

E51-2 Series

Grip Pliers (Straight Jaws)



For gripping and clamping flat materials

CODE NO	mm	max. mm	
E51-190-2	190	0-42	1
E51-240-2	240	0-63	1

E52-240-2

Grip Pliers (Prism Jaws)



For gripping and clamping round and flat materials

CODE NO	mm	max. mm	
E52-240-2	240	0-62	1

E52S-240-2

Grip Pliers (Multi-Purpose Jaws)



For gripping and clamping round and flat materials

CODE NO	mm	max. mm	
E52S-240-2	240	0-67	1

E50L-2 Series

Long Nose Grip Pliers



For gripping and clamping in tight spaces

CODE NO	mm	CAPACITY Max mm	
E50L-170-2	170	0-50	1
E50L-230-2	230	0-68	1

E53-280-2

Welder's Grip Pliers (Fork Jaws)



For gripping and clamping pipes, sheet steel, profiles etc., ideal for welders

CODE NO	mm	max. mm	
E53-280-2	290	0-90	1

E54-200-2

Clamp Grip Pliers (Sheet Metal)



For gripping and clamping flat materials, 80 mm jaws

CODE NO	mm	CAPACITY Max mm	
E54-200-2	200	0-55	1

E50-R03

3 Piece Grip Pliers Set (in Vinyl Wallet)



CODE NO	
E50-R03	1



06 Pliers and Cutters

Grip Pliers

E55-2 Series

Clamp Grip Pliers (C Jaw)



For gripping and clamping of angle sections and deep channels, ideal for welders



CODE NO	mm	max. mm	
E55-280-2	288	0-110	1
E55-470-2	470	0-260	1

E55P-2 Series

Clamp Grip Pliers (C Jaw-Swivel Padded)



For gripping and clamping of angle sections and deep channels, ideal for welders, swivel pads for parallel clamping



CODE NO	mm	max. mm	
E55P-180-2	178	0-50	1
E55P-300-2	300	0-100	1

E55T-2 Series

Clamp Grip Pliers (Table "C" Clamps)

new



Five holes in base to allow fixture to work surface as a permanent clamp. Swivel foot to clamp tapered workpieces.



CODE NO	mm	h/mm	
E55T-390-2	390	0-145	1
E55T-500-2	500	0-225	1

E56-L1

Axial Grip Pliers - L Jaw



Suitable for clamping of overlapping sheet steels, axial moving jaws allow for perpendicular grip



CODE NO	mm	h/mm	
E56-L1	195	0-15	1

E56-L2

Axial Grip Pliers - LL Jaw



Suitable for clamping of two adjacent sheet steels, axial moving jaws allow for perpendicular grip



CODE NO	mm	h/mm	
E56-L2	220	0-15	1

E56-J1

Axial Grip Pliers - J Jaw



Suitable for clamping of 90° bent forms, axial moving jaws allow for perpendicular grip



CODE NO	mm	h/mm	
E56-J1	210	0-15	1

E56-J2

Axial Grip Pliers - JJ Jaw



Suitable for clamping of two 90° bent forms together, axial moving jaws allow for perpendicular grip



CODE NO	mm	h/mm	
E56-J2	235	0-15	1

E56-W1

Axial Grip Pliers - W Jaw



Allows for clamping and spot welding of 4 adjacent spots while the tool is in position, axial moving jaws allow for perpendicular grip



CODE NO	mm	h/mm	
E56-W1	195	0-15	1

E50MIC

Micro Grip Pliers



World's smallest grip pliers. Indispensable in restricted areas thanks to micro dimensions and perpendicular gripping.



CODE NO	mm	h/mm	
E50MIC	91	0-12.7	1

Grip Pliers / Special Pliers

E50 Series

Grip Pliers (Curved Jaws)



For gripping and clamping of round materials



CODE NO	mm	max. mm	
E50-16-0140	140	0-32	6
E50-16-0190	190	0-42	6

E52-16-0240

Grip Pliers (Prism Jaws)



For gripping and clamping of round or flat materials



CODE NO	mm	max. mm	
E52-16-0240	240	0-62	6

E80 Series

Wire Twisting Pliers (Reversible)



For cutting and bending security wires, cross milled wire holding section, 45° offset narrow head, ratcheting mechanism



YouTube Clip

CODE NO	mm	mm	
E80-230R	0.5 - 1.6	230	1
E80-280R	0.5 - 1.6	280	1

E53-16-0280

Welder's Grip Pliers (Fork Jaws)



For gripping and clamping of pipes, sheet steel, profiles etc., ideal for welders



CODE NO	mm	max. mm	
E53-16-0280	280	0-90	1

E55-16-0290

Clamp Grip Pliers (C Jaw)



For gripping and clamping of angle sections and deep channels, ideal for welders



CODE NO	mm	max. mm	
E55-16-0290	290	0-100	1

E80-230

Wire Twisting Pliers



Same structural specs as E80 series but in non-reversible design

CODE NO	mm	mm	
E80-230	0.5 - 1.6	230	1

E81-180

Nut Pliers



For 3-13 mm spanner nuts, conical grip surface, for use in restricted areas

CODE NO	mm	
E81-180	180 - 7"	6

E82-190

Cleco Pliers



For use with all spring loaded Cleco fasteners and clamps

CODE NO	mm	
E82-190	190	6

E70-225-2

Revolving Punch Pliers



For punching holes in leather, textile and plastics, 6 punch sizes in a revolver design



CODE NO	mm	mm	
E70-225-2	1.5 - 4.1	225	6

06 Pliers and Cutters

Cable Shears

E62 Series

Ratchet Cable Shears

new



For cutting thicker copper and aluminum cables, ratchet shear mechanism for single handed, effortless cuts

Not suitable for steel wire and wire ropes

CODE NO	mm	Ø mm	
E62-32	250	32	1
E62-52	280	52	1



E62-32R	Spare Blade	1
E62-52R	Spare Blade	1



E60-51-0170

RZR Cable Shears (DuoTech Handles)

RZR



For cutting copper and aluminium cables

Not suitable for steel wire and wire ropes



CODE NO	mm	Ø mm	
E60-51-0170	170 - 6-1/2"	15	6

E60-41 Series

Cable Shears (DuoTech Handles)



For cutting copper and aluminium cables, double cut

Not suitable for steel wire and wire ropes



CODE NO	mm	Ø mm	
E60-41-0160	160 - 6"	10	6
E60-41-0200	200 - 8"	10	6

E60-54-0170

RZR Cable Shears (PVC Sleeves)

RZR



For cutting copper and aluminium cables

Not suitable for steel wire and wire ropes



CODE NO	mm	Ø mm	
E60-54-0170	170 - 6-1/2"	15	6

E60-44 Series

Cable Shears (PVC Sleeves)



For cutting copper and aluminium cables, double cut

Not suitable for steel wire and wire ropes



CODE NO	mm	Ø mm	
E60-44-0160	160 - 6"	10	6
E60-44-0200	200 - 8"	10	6



Multi-Purpose Electrician's Shears / Wire Rope Shears / Crimping Pliers Set

G40-48-0145

Multi-Purpose Electrician's Shears



Ideal scissors for the electrician, micro toothed stainless steel blades, integrated cable cutter

Not suitable for high voltage live working

StainlessSteel



CODE NO	mm	
G40-48-0145	145	6

E64-54-0200

Wire Rope Shears (Forged Jaws)



For cutting wire ropes, high-leverage design: minimum cutting effort

new



CODE NO	mm	Ø mm	
E64-54-0200	200	4	6

E64-44-0190

Wire Rope Shears (Punched Jaws)



For cutting wire ropes, high-leverage design: minimum cutting effort

CODE NO	mm	Ø mm	
E64-44-0190	190	4	6

E69Q-P04

4 Piece Crimping Pliers Set



CODE NO	
E69Q-P04	1



4 interchangeable crimping dies and a high quality ratchet crimping tool in a kit. Quick and effortless change of crimping dies without the need for an additional tool.



			APPLICATIONS	CAPACITY (mm ²)	AWG
OB2			Non-insulated open plug type connectors	0.5 - 6	20 - 10
YT1			Insulated terminals, plug connectors and butt connectors	0.5 - 6	20 - 10
ES1			Insulated and non-insulated and sleeves (females)	0.5 - 10	20 - 7
NT1			Non-insulated crimp terminals, tube and compressions cable lugs	0.5 - 10	20 - 7

06 Pliers and Cutters

Crimping Pliers

E69-YT1

Crimping Pliers (for Insulated Terminals)



For crimping insulated terminals, precision crimping dies, self-releasing mechanism



CODE NO	mm ²	mm	
E69-YT1	0.5 - 6.0	220	10

E69-NT1

Crimping Pliers (for non-Insulated Terminals)



For crimping non-insulated terminals, precision crimping dies, self-releasing mechanism



CODE NO	mm ²	mm	
E69-NT1	0.5 - 10.0	220	10

E69-ES1

Crimping Pliers (for End Sleeves)



For crimping end sleeves (ferrules), precision crimping dies, self-releasing mechanism



CODE NO	mm ²	mm	
E69-ES1	0.5 - 6.0	220	10

E69-ESSQ

Crimping Tool (for End Sleeves-Square Form)



For square crimping of end sleeves (ferrules) up to 6 mm², compact tool dimensions



CODE NO	mm ²	AWG	mm	
E69-ESSQ	0.25 - 6	23-10	175	6

E69-T046

Crimping Pliers for Western Plugs (for Phone / Data)



For crimping 6- and 8-pole Western plugs type RJ 11/12 and RJ 45, also cuts and strips telephone ribbon cables



CODE NO		mm	
E69-T046	6-8 pin	190	10

E69F-ES2

Crimping Pliers (for End Sleeves-Forged)

new
design



For crimping end sleeves (ferrules)



CODE NO	mm ²	mm	
E69F-ES2	0.50 - 16.0	215	10

E69-T468

Crimping Pliers for Western Plugs (for Phone / Data)



For crimping 4-, 6- and 8-pole Western plugs type RJ 10, RJ 11/12 and RJ 45, also cuts and strips telephone ribbon cables

CODE NO		mm	
E69-T468	4-6-8 pin	190	10

E69F-SL

Crimping Pliers (for Scotchlok Connectors)



For crimping Scotchlok connectors, with opening spring



CODE NO	CAPACITY Ø mm	mm	
E69F-SL	0.4 - 1.1	150	6




Circlip Pliers

Forged in Germany

Completely redesigned range of circlip pliers in industrial quality

- Inserted tips manufactured from spring steel: extra-long life
- Precision machined contact faces: No distortion, easy fitting
- Bolted joint for play-free operation
- Invisible spring



E65 Series

External Circlip Pliers (Straight-with Spring)

DIN / ISO 5254 A, TS 60-10



For fitting and removal of external circlips, straight tips



CODE NO	mm	mm	
E65-44-0140	140	10 - 25 / A1	6
E65-44-0180	180	19 - 60 / A2	6
E65-44-0225	225	40 - 100 / A3	6
E65-44-0310	310	85 - 140 / A4	6

E66 Series

External Circlip Pliers (Bent-with Spring)

DIN / ISO 5254 B, TS 60-10



For fitting and removal of external circlips, bent tips



CODE NO	mm	mm	
E66-44-0140	140	10 - 25 / A1B	6
E66-44-0180	180	19 - 60 / A2B	6
E66-44-0225	225	40 - 100 / A3B	6
E66-44-0310	310	85 - 140 / A4B	6

E67 Series

Internal Circlip Pliers (Straight)

DIN / ISO 5256 C, TS 60-9



For fitting and removal of internal circlips, straight tips



CODE NO	mm	mm	
E67-44-0140	140	12 - 25 / J1	6
E67-44-0180	180	19 - 60 / J2	6
E67-44-0225	225	40 - 100 / J3	6
E67-44-0310	310	85 - 140 / J4	6

E68 Series

Internal Circlip Pliers (Bent)

DIN / ISO 5256 D, TS 60-9



For fitting and removal of internal circlips, bent tips



CODE NO	mm	mm	
E68-44-0140	140	12 - 25 / J1B	6
E68-44-0180	180	19 - 60 / J2B	6
E68-44-0225	225	40 - 100 / J3B	6
E68-44-0310	310	85 - 140 / J4B	6



E99-CP04A

4 Piece Circlip Pliers Set (in Roll Pouch)



CODE NO

E99-CP04A



1



E65-44-0180



E67-44-0180



E66-44-0180



E68-44-0180

E99-CP04A/2

4 Piece Circlip Pliers Set (in Roll Pouch)

new



CODE NO

E99-CP04A/2



1



E65-44-0140



E66-44-0140



E65-44-0180



E66-44-0180

CETA FORM





VDE 1000V INSULATED TOOLS AND MULTIMETERS

■ C-PLUS 1000V Screwdrivers and Sets	210
■ C-PLUS 1000V Slimline Screwdrivers and Sets	212
■ Voltage Testers	213
■ 1000V Pliers / Cutters (VDE) / Pliers Sets	214
■ 1000V Long Nose Pliers / Cable Shears / Wire Stripping (VDE)	215
■ 1000V Wrenches / Adjustable Wrench / T Handle Keys	216
■ 1000V 3/8" Drive Sockets and Accessories	217
■ 1000V 1/2" Drive Sockets and Accessories / Torque Wrenches	218
■ 1000V Special Tool and 1000V Tool Sets (VDE)	219
■ 1000V Tool Sets	220
■ Digital Multimeters	222
■ Digital Clampmeters and Infrared Thermometers	223



07 VDE 1000V Tools and Multimeters

Extended Range of 1000V Insulated Tools

Ultimate safety with comfort

Considering the ever-increasing hybrid and electric vehicle sector, we have extended our successful range of 1000V insulated tools. The range now includes mechanics tools such as wrenches, sockets and torque wrenches in an insulated design for safe live working. Like all our insulated tools, the new tools are also manufactured to EN 60900 standard and individually tested to 1000V AC and 1500V DC.

DuoTech



1000 V
EN 60900



new
design

VDE 1000V Insulated Softgrip Screwdrivers



Every tool is individually tested in a water bath at 10.000 Volts according to DIN EN 60900, IEC 900 norms.




Precision machined,
ultimate fit non-peel
black finish tip


Dielectric tested blade
insulation directly molded onto
the blade thus safeguarding
against electricity

Refined ergonomic
design and premium
quality plastic materials
for a comfortable grip


2K Handle
technology for high
torque transmission with less stress




COLD IMPACT RESISTANCE (-25°C)




ELECTRICAL TEST (10.000V)




PRESSURE TEST (5000V)



INSULATION ADHESION TEST



FLAMMABILITY TEST



10.000V TEST (%100 Control)

VDE 1000V Insulated Softgrip Pliers

Ultimate safety with comfort




Larger teeth for holding
circular objects i.e.
screws, pipes, etc.


High performance cutting
edges, extra hardened by
special Ceta Form process

Plastic components
resistant to all
petroleum products


DuoTech
ergonomic handles




COLD IMPACT RESISTANCE (-25°C)




ELECTRICAL TEST (10.000V)




PRESSURE TEST (5000V)



INSULATION ADHESION TEST



FLAMMABILITY TEST



10.000V TEST (%100 Control)

07 VDE 1000V Tools and Multimeters

C-PLUS 1000V Screwdriver (VDE)

G01 Series

C-PLUS 1000V Slotted Screwdrivers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 2380



CODE NO	mm	mm	
G01-025-075	2.5	75	12
G01-030-100	3.0	100	12
G01-035-100	3.5	100	12
G01-040-100	4.0	100	12
G01-045-125	4.5	125	12
G01-055-125	5.5	125	12
G01-065-150	6.5	150	12
G01-080-175	8.0	175	12

G02 Series

C-PLUS 1000V Phillips Screwdrivers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 8764



CODE NO		mm	
G02-000-060	PH0	60	12
G02-001-080	PH1	80	12
G02-002-100	PH2	100	12
G02-002-150	PH2	150	12
G02-003-150	PH3	150	12

G03 Series

C-PLUS 1000V Pozidriv Screwdrivers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 8764



CODE NO		mm	
G03-000-060	PZ0	60	12
G03-001-080	PZ1	80	12
G03-002-100	PZ2	100	12
G03-002-150	PZ2	150	12
G03-003-150	PZ3	150	12

G04 Series

C-PLUS 1000V TORX Screwdrivers (VDE)

EN 60900, VDE 0682 Teil 201

new



CODE NO		mm	
G04-010-100	T10	100	12
G04-015-100	T15	100	12
G04-020-100	T20	100	12
G04-025-125	T25	125	12
G04-027-150	T27	150	12
G04-030-150	T30	150	12


G05 Series

C-PLUS 1000V Terminal Screwdrivers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 8764



For terminal screws
(Pozidriv/Slotted)



CODE NO		mm	
G05-001-080	#1	80	12
G05-002-100	#2	100	12

G06 Series

C-PLUS 1000V Hexagon Screwdrivers (VDE)

EN 60900, VDE 0682 Teil 201



CODE NO	mm	mm	
G06-030-080	3	80	12
G06-040-080	4	80	12
G06-050-080	5	80	12
G06-060-100	6	100	12

G07 Series

C-PLUS 1000V Nut Drivers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 2236



CODE NO	mm	mm	
G07-050-125	5	125	12
G07-055-125	5.5	125	12
G07-060-125	6	125	12
G07-070-125	7	125	12
G07-080-125	8	125	12
G07-090-125	9	125	12
G07-100-125	10	125	12
G07-110-125	11	125	12
G07-120-125	12	125	12
G07-130-125	13	125	12

G26/BT

C-PLUS 1000V Bit Drivers (VDE)

EN 60900, VDE 0682 Teil 201



CODE NO		mm	
G26/BT	1/4	100	12



C-PLUS 1000V Screwdriver Sets (VDE)

G05-B02

2 Piece C-PLUS 1000V Terminal Screwdriver Set (VDE)



x2



CODE NO

G05-B02



1

G05 #1x80, #2x100 mm

G99-401

4 Piece C-PLUS 1000V Screwdriver Set (VDE) - Slotted/Phillips



x3

x1



CODE NO

G99-401



1

G01 2.5x75, 4.0x100, 5.5x125 mm
 G02 PH2x100 mm

G99-402

4 Piece C-PLUS 1000V Screwdriver Set (VDE) - Slotted/Pozidriv



x3

x1



CODE NO

G99-402



1

G01 2.5x75, 4.0x100, 5.5x125 mm
 G03 PZ2x100 mm

G07-B05

5 Piece C-PLUS 1000V Nut Driver Set (VDE)



x5



CODE NO

G07-B05



1

G07 6.0x125, 7.0x125, 8.0x125, 10x125 mm, 13x125 mm


G99-701

7 Piece C-PLUS 1000V Screwdriver Set (VDE) - Slotted/Phillips + Tester



x5

x2



CODE NO

G99-701



1

G01 3.0x100, 4.0x100, 5.5x125, 6.5x150 mm
 G02 PH1x80, PH2x100 mm
 6105CP Voltage Tester (Short)

G99-702

7 Piece C-PLUS 1000V Screwdriver Set (VDE) - Slotted/Pozidriv + Tester



x5

x2



CODE NO

G99-702



1

G01 3.0x100, 4.0x100, 5.5x125, 6.5x150 mm
 G03 PZ1x80, PZ2x100 mm
 6105CP Voltage Tester (Short)

G99-901

9 Piece C-PLUS 1000V Screwdriver Set (in Vinyl Wallet)



x5

x2

x2



CODE NO

G99-901



1

G01 3.0x100, 4.0x100, 5.5x125, 6.5x150 mm
 G03 PZ1x80, PZ2x100 mm
 G02 PH1x80, PH2x100 mm
 6105CP Voltage Tester (Short)

SG99 Series

C-PLUS 1000V Screwdriver Set Display Packs (VDE)



CODE NO

SG99-701

12x G99-701

SG99-702

12x G99-702



1

1


07 VDE 1000V Tools and Multimeters

Slimline 1000V Screwdrivers (VDE)

Unlimited access in critical working areas

new
design

slimline



Precision machined,
ultimate fit non-peel
black finish tip

Dielectric tested blade insulation
directly molded onto the blade thus
safeguarding against electricity

Refined ergonomic
design and premium
quality plastic materials
for a comfortable grip

2K Handle
technology for high
torque transmission
with less stress

1000 V
EN 60900



G01S Series

C-PLUS 1000V Slotted Screwdrivers (Slimline)

EN 60900, VDE 0682 Teil 201, DIN ISO 2380



1000 V
EN 60900

CODE NO	mm	mm	
G01S-035-100	3.5	100	12
G01S-040-100	4.0	100	12
G01S-055-125	5.5	125	12
G01S-065-150	6.5	150	12

G05S-002-100

C-PLUS 1000V Terminal Screwdriver (Slimline)

EN 60900, VDE 0682 Teil 201, DIN ISO 8764



For terminal screws
(Pozidriv/Slotted)

1000 V
EN 60900

CODE NO		mm	
G05S-002-100	#2	100	12

G02S Series

C-PLUS 1000V Phillips Screwdrivers (Slimline)

EN 60900, VDE 0682 Teil 201, DIN ISO 8764



1000 V
EN 60900

CODE NO		mm	
G02S-001-080	PH1	80	12
G02S-002-100	PH2	100	12

G99-701S

7 Piece C-PLUS 1000V Screwdriver Set
(Slimline) - Slotted/PH + Tester

1000 V
EN 60900

x5

x2



CODE NO	
G99-701S	1

- G01S 3.5x100, 4.0x100, 5.5x125, 6.5x150 mm
- G02S PH1x80, PH2x100 mm
- 6105CP Voltage Tester (Short)

G03S Series

C-PLUS 1000V Pozidriv Screwdrivers (Slimline)

EN 60900, VDE 0682 Teil 201, DIN ISO 8764



1000 V
EN 60900

CODE NO		mm	
G03S-001-080	PZ1	80	12
G03S-002-100	PZ2	100	12

G99-702S

7 Piece C-PLUS 1000V Screwdriver Set
(Slimline) - Slotted/PZ + Tester

1000 V
EN 60900

x5

x2



CODE NO	
G99-702S	1

- G01S 3.5x100, 4.0x100, 5.5x125, 6.5x150 mm
- G03S PZ1x80, PZ2x100 mm
- 6105CP Voltage Tester (Short)

Voltage Testers

Maximum safety in an ergonomic design

- Handle in Ceta Form C-PLUS design
- Premium quality impact resistant plastic material
- High quality Silicon Chrome Vanadium steel blade
- Solid brass earthing contact

6105CP

C-PLUS Voltage Tester (VDE-Short)

VDE 0680/06, DIN 57680/6, TS 13108



110 - 250V, Silicon Chrome Vanadium steel blade, with clips



CODE NO	Ø mm	mm	
6105CP	3.0	140	24 •
For display carded delivery = Item code + X			12

6106CP

C-PLUS Voltage Tester (VDE-Long)

VDE 0680/06, DIN 57680/6, TS 13108



110 - 250V, Silicon Chrome Vanadium steel blade



CODE NO	Ø mm	mm	
6106CP	3.5	170	24 •
For display carded delivery = Item code + X			12

6105

Single-Pole Voltage Tester (Short)

DIN 57680/6, TS 13108



110 - 250V, Silicon Chrome Vanadium steel blade, with clips



CODE NO	Ø mm	mm	
6105	3.0	140	24 •

6106

Single-Pole Voltage Tester (Long)

DIN 57680/6, TS 13108



110 - 250V, Silicon Chrome Vanadium steel blade



CODE NO	Ø mm	mm	
6106	3.5	180	24 •

6106EX

Single-Pole Voltage Tester (Long)



For 100V to 500V, highly durable blade

CODE NO	Ø mm	mm	
6106EX	4.0	187	24 •



G09-NC1

Non-Contact AC Voltage Detector



For 90V - 1000V AC, aural and visual notifications, CAT II insulation, 2 x 1.5 V AAA batteries, 6 hours of battery time



CODE NO	mm	mm	
G09-NC1	4.5	152	20

GRT-M Series Rethreading Tools

new
design



For cleaning out and cutting damaged threads in electrical boxes, precision ground HSS tap

CODE NO	M SIZE	mm	
GRT-M35	M3.5x0.6	118	12
GRT-M40	M4.0x0.7	118	12

07 VDE 1000V Tools and Multimeters

1000V Pliers / Cutters (VDE) / Pliers Sets

G10 Series

1000V Combination Pliers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 5746



Ideal for live working up to 1000V AC or 1500V DC, suitable for cutting soft and hard wire



CODE NO	mm "	Ø mm	
G10-18-0160	160 - 6"	1.8	6
G10-18-0180	180 - 7"	2.0	6
G10-18-0200	200 - 8"	2.5	6

G10H Series

1000V Combination Pliers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 5746



Ideal for live working up to 1000V AC or 1500V DC, suitable for cutting soft and hard wire



CODE NO	mm "	Ø mm	
G10H-18-0180	180 - 7"	2.0	6
G10H-18-0200	200 - 8"	2.5	6

G20-MMAX

1000V Multi-Purpose Electrician's Pliers



Wire Stripping Capacities : 0.75, 1.0, 1.5, 2.5 mm²
 Screw Cutting Capacities : M3.5, M4
 Wire Crimping Terminal Capacities : 0.75, 1.0, 1.5, 2.5, 4.0 mm²
 Terminal Crimping Capacities : 0.50, 0.75, 1.0, 1.5, 2.5 mm²
 Cable Cutting Capacities : Ø15 mm / 50 mm²
 Holding Flat and Round materials, bending cable

7 FUNCTION IN ONE TOOL



CODE NO	mm "	
G20-MMAX	225 - 9"	6

G12 Series

1000V Diagonal Cutters (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 5749



Ideal for live working up to 1000V AC or 1500V DC, suitable for cutting soft and hard wire
 160 mm size in high leverage design



CODE NO	mm "	Ø mm	
G12-18-0140	140 - 5-1/2"	1.8	6
G12-18-0160	160 - 6"	2.0	6
G12-18-0180	180 - 7"	2.5	6

G14 Series

1000V Power Diagonal Cutters (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 5749



Ideal for live working up to 1000V AC or 1500V DC, suitable for cutting all wires (incl. piano wire)



CODE NO	mm "	Ø mm	
G14-18-0180	180 - 7"	2.0	6
G14-18-0200	200 - 8"	2.2	6

SG18-24

24 Piece 1000V Pliers (VDE) Display Pack

BUY MORE
PAY LESS



CODE NO	
SG18-24	1




12x G10-18-0180



12x G12-18-0160

G99-18-02A


2 Piece 1000V Pliers Set (VDE)



CODE NO	
G99-18-02A	1

G99-18-03A

3 Piece 1000V Pliers Set (VDE)



CODE NO	
G99-18-03A	1

G99-18-05 Series

5 Piece 1000V Pliers and Screwdriver Sets (VDE)



CODE NO	
G99-18-05PH	1



G10-18-0180



G12-18-0160



G01 4.0x100, 5.5x125 mm



G02 PH2x100 mm

CODE NO	
G99-18-05PZ	1

Content: Same as G99-18-05PH but with Pozidriv screwdrivers instead of Phillips

1000V Long Nose Pliers / Cable Shears / Wire Stripping (VDE)

G15 Series

1000V Long Nose Pliers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 5745



Suitable for cutting soft and hard wire   1000 V  

CODE NO	mm "	mm	
G15-18-0160	160 - 6"	1.6	6
G15-18-0200	200 - 8"	1.6	6

G18-18-0160

1000V Round Nose Pliers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 5745



For bending wire loops   1000 V  

CODE NO	mm "	
G18-18-0160	160 - 6"	6

G25-58-0250

1000V Water Pump Pliers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 8976



9-position adjustment, box-joint design   1000 V  

CODE NO	mm "	max. mm	
G25-58-0250	250 - 10"	28	6

G16 Series

1000V Bent Long Nose Pliers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 5745



Suitable for cutting soft and hard wire   1000 V  

CODE NO	mm "	mm	
G16-18-0160	160 - 6"	1.6	6
G16-18-0200	200 - 8"	1.6	6

G20-18-0160

1000V Wire Stripping Pliers (VDE)

EN 60900, VDE 0682 Teil 201



For stripping of single / multi-strand conductors' plastic insulations   1000 V  

CODE NO	mm "	mm ²	
G20-18-0160	160 - 6"	10	6

G30-48 Series

1000V Cable Shears (VDE)

EN 60900, VDE 0682 Teil 201



For cutting copper and aluminum cables   1000 V  
Not suitable for steel wire and wire ropes

CODE NO	mm "	mm	
G30-48-0160	160 - 6"	10	6
G30-48-0200	200 - 8"	18	6

G17-18-0160

1000V Flat Nose Pliers (VDE)

EN 60900, VDE 0682 Teil 201, DIN ISO 5745



Serrated gripping jaws   1000 V  

CODE NO	mm "	
G17-18-0160	160 - 6"	6

G21-18-0160

1000V Combi Cutter / Stripper (VDE)

EN 60900, VDE 0682 Teil 201



Suitable for cutting soft wire, stripping holes for 1.5 and 2.5 mm² single conductors   1000 V  

CODE NO	mm "	mm ²	
G21-18-0160	160 - 6"	1.5, 2.5	6

new
design

G30-58-0170

RZR Series 1000V Cable Shears (VDE)

EN 60900, VDE 0682 Teil 201



For cutting copper and aluminum cables   1000 V  
Not suitable for steel wire and wire ropes

CODE NO	mm "	mm	
G30-58-0170	170 - 6-1/2"	15	6

07 VDE 1000V Tools and Multimeters

1000V Wrenches / Adjustable Wrench / T Handle Keys

GB09 Series

1000V Open End Wrenches

EN 60900, VDE 0682 Teil 201

new



Open end offset from shaft at 15°

1000 V
EN 60900

CODE NO	mm	mm	
GB09-05/2	5.5	93	12
GB09-06	6	93	12
GB09-07	7	97	12
GB09-08	8	99	12
GB09-09	9	103	12
GB09-10	10	113	12
GB09-11	11	123	12
GB09-12	12	133	12
GB09-13	13	143	12
GB09-14	14	155	12
GB09-15	15	158	12
GB09-16	16	163	12
GB09-17	17	173	12
GB09-18	18	180	12
GB09-19	19	188	12
GB09-22	22	203	12
GB09-24	24	228	6

GB09-R06

6 Piece 1000V Open End Wrench Set (in Roll Pouch)

new



CODE NO	
GB09-R06	1
6 PC: 10, 12, 13, 14, 17, 19 mm	

GB14 Series

1000V Ring End Wrenches

EN 60900, VDE 0682 Teil 201

new



75° deep offset ring end

1000 V
EN 60900

CODE NO	mm	mm	
GB14-10	10	170	12
GB14-11	11	175	12
GB14-12	12	180	12
GB14-13	13	185	12
GB14-14	14	190	12
GB14-15	15	195	12
GB14-16	16	200	12
GB14-17	17	205	12
GB14-18	18	210	6
GB14-19	19	215	6
GB14-22	22	245	6
GB14-24	24	265	6

GB14-R06

6 Piece 1000V Ring End Wrench Set (in Roll Pouch)

new



CODE NO	
GB14-R06	1
6 PC: 10, 12, 13, 14, 17, 19 mm	

GB21-250

1000V Adjustable Wrench

EN 60900, VDE 0682 Teil 201

new



1000 V
EN 60900

CODE NO	mm	mm	
GB21-250	250 - 10"	30	6

GK10 Series

1000V T-Handle Hexagon Keys

new



1000 V
EN 60900

CODE NO	mm	mm	
GK10-030	3	100	12
GK10-040	4	150	12
GK10-050	5	150	12
GK10-060	6	200	12
GK10-080	8	200	12



3/8" Drive 1000V Sockets and Accessories

GC12-H Series

3/8" Drive 1000V 6-Point Sockets

EN 60900, VDE 0682 Teil 201



CODE NO	mm	mm	
GC12-H06	6	48	12
GC12-H07	7	48	12
GC12-H08	8	48	12
GC12-H09	9	48	12
GC12-H10	10	48	12
GC12-H11	11	48	12
GC12-H12	12	48	12
GC12-H13	13	48	12
GC12-H14	14	48	12
GC12-H15	15	48	12
GC12-H16	16	48	12
GC12-H17	17	50	12
GC12-H18	18	50	12
GC12-H19	19	50	12
GC12-H20	20	50	12
GC12-H22	22	52	12

GC18S-H Series

3/8" Drive 1000V Hexagon Socket Bits

EN 60900, VDE 0682 Teil 201



CODE NO	mm	mm	
GC18S-H04	4	65	12
GC18S-H05	5	65	12
GC18S-H06	6	65	12
GC18S-H08	8	65	12

GC18S-T Series

3/8" Drive 1000V TORX Socket Bits

EN 60900, VDE 0682 Teil 201



CODE NO		mm	
GC18S-T20	T20	65	12
GC18S-T25	T25	65	12
GC18S-T27	T27	65	12
GC18S-T30	T30	65	12
GC18S-T40	T40	65	12
GC18S-T45	T45	65	12

GC18S-X Series

3/8" Drive 1000V XZN Socket Bits

EN 60900, VDE 0682 Teil 201



Especially for use in automotive

CODE NO		mm	
GC18S-X08	M08	75	12
GC18S-X10	M10	75	12

GC11-12

3/8" Drive 1000V Quick Release Reversible Ratchet

EN 60900, VDE 0682 Teil 201, DIN 3122, ISO 3315



41-tooth strong mechanism, switch pawl



CODE NO	mm	mm	
GC11-12	43	200	6

GC11-40

3/8" Drive 1000V T-Handle

EN 60900, VDE 0682 Teil 201, DIN 3122, TS ISO 3315



CODE NO	mm	
GC11-40	210	6

GC11-70 Series

3/8" Drive 1000V Extension Bars

EN 60900, VDE 0682 Teil 201, DIN 3123, ISO 3316



CODE NO	mm	
GC11-72	80	12
GC11-75	155	12

GC10-19PH2

19 Piece 3/8" Drive 1000V 6 Point Socket Set



GC12-H 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22 mm



GC11-12



GC11-70 80, 155 mm

CODE NO	
GC10-19PH2	1

07 VDE 1000V Tools and Multimeters

1/2" Drive 1000V Sockets and Accessories / Torque Wrenches

GC22-H Series

1/2" Drive 1000V 6-Point Sockets

EN 60900, VDE 0682 Teil 201, DIN 3124, TS ISO 2725-1

new



CODE NO	mm	mm	
GC22-H10	10	55	12
GC22-H11	11	55	12
GC22-H12	12	55	12
GC22-H13	13	55	12
GC22-H14	14	55	12
GC22-H15	15	55	12
GC22-H16	16	55	12
GC22-H17	17	55	12
GC22-H18	18	55	12
GC22-H19	19	55	12
GC22-H20	20	55	12
GC22-H22	22	55	12
GC22-H24	24	58	6
GC22-H27	27	60	6
GC22-H30	30	61	6
GC22-H32	32	62	6

GC28S-HL Series

1/2" Drive 1000V Hexagon Socket Bits - Long

EN 60900, VDE 0682 Teil 201

new



CODE NO	mm	mm	
GC28S-H04L	4	120	12
GC28S-H05L	5	120	12
GC28S-H06L	6	120	12
GC28S-H08L	8	120	12
GC28S-H10L	10	120	12

GC21-12

1/2" Drive 1000V Quick Release

Reversible Ratchet

EN 60900, VDE 0682 Teil 201, DIN 3122, TS ISO 3315

new



45-tooth strong mechanism, switch pawl



CODE NO	mm	mm	
GC21-12	47.5	234	6

GC21-40

1/2" Drive 1000V T-Handle

EN 60900, VDE 0682 Teil 201, DIN 3122, TS ISO 3315

new



CODE NO	mm	
GC21-40	205	12

GC21-70 Series

1/2" Drive 1000V Insulated Extension Bars

EN 60900, VDE 0682 Teil 201, DIN 3123, ISO 3316

new



CODE NO	mm	
GC21-75	130	12
GC21-77	255	12

GC20-19PH2

19 Piece 1/2" Drive 1000V 6 Point Socket Set



GC22-H 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27, 30, 32 mm



GC21-12

GC21-70 130 mm, 255 mm

CODE NO	
GC20-19PH2	1

GD02 Series

1000V Torque Wrenches

EN 60900, VDE 0682 Teil 201, DIN/EN ISO 6789

new

Click type with reversible ratchet (45-tooth), Nm / lbf.ft window scale, push-lock scale setting, supplied in plastic case Individual calibration certificate to DIN ISO 6789



CODE NO	Nm		mm	
GD02-1125	5 - 25	3/8	400	1
GD02-1105	10 - 50	3/8	467	1
GD02-2110	20 - 100	1/2	467	1

1000V Special Tool

E75-081

Control Cabinet Key - 8 Profiles



For control cabinets and shut-off systems in supply of gas, water and electricity, die-casted zinc



CODE NO	mm	
E75-081	71	12

1000V Tool Sets (VDE)

G99-BP04

4 Piece 1000V Pliers and Screwdriver Set (VDE-in Belt Pouch)

new



CODE NO	2023	
G99-BP04		1
G12-18-0160		
G01 4x100 mm		
G105CP Voltage Tester (Short)		
G02 PH2x100 mm		

G99-BP06

6 Piece 1000V Pliers and Screwdriver Set (VDE-in Belt Pouch)

new



CODE NO	2023	
G99-BP06		1
G10-18-0180		
G01 4x100, 5.5x125 mm		
G02 PH2x100 mm		
G12-18-0160		
G105CP Voltage Tester (Short)		

G99-18-W09 Series

9 Piece 1000V Pliers and Screwdriver Sets (VDE-in Vinyl Wallet)



CODE NO	2023	
G99-18-W09PH		1
G10-18-0180		
G01 2.5x75, 4x100, 5.5x125 mm		
G12-18-0160		
G02 PH1x80, PH2x100 mm		
G15-18-0160		
G105CP Voltage Tester (Short)		

G99-18-W09PZ

1

Content: Same as G99-18-W09PH but with Pozidriv screwdrivers instead of Phillips

G99-18-W12 Series

12 Piece 1000V Pliers and Screwdriver Sets (VDE-in Vinyl Wallet)

new content



CODE NO	2023	
G99-18-W12PH		1
G10-18-0180		
G01 2.5x75, 4x100, 5.5x125 mm		
G12-18-0160		
G02 PH1x80, PH2x100 mm		
G15-18-0160		
G105CP Voltage Tester (Short)		
G30-48-0160		
E25-CK28H		
P05-0316 3mx16mm		

G99-18-W12PZ

1

Content: Same as G99-18-W12PH but with Pozidriv screwdriver instead of Phillips

07 VDE 1000V Tools and Multimeters

G99-P26

26 Piece Electrician Tool Set

new

26 PIECE

- The perfect tool kit for professional working on live electricity - particularly the electric / hybrid car sector
- All tools in the set are individually tested to EN 60900 standard at 1000V AC and 1500V DC.
- Rigid and durable high density Polyethylene (HDPE) case



CODE NO	PIECES	WxHxD / mm
G99-P26	26	440x320x100




1000 V
EN 60900



G10-18
180 mm

G12-18
160 mm



G01

G02



GB09 6 PC
10, 12, 13, 14, 17, 19 mm



GJ47-EK1
215 mm



GC12-H 10 PC
8, 10, 12, 13, 14, 15, 16, 17, 19, 22 mm




GC11-12



GC11-70 2 PC
80 mm, 155 mm

G99-0431**31 Piece Electrician Tool Set****new**
content**31 PIECE**

- The perfect tool kit for professional electricians in the industry and trade
- All tools in the set are of genuine industrial quality unlike most other combination tool kits on the market
- Available in different tool boxes and tool cases

**1000 V**
EN 60900**G10-18**
180 mm**G12-18**
160 mm**G15-18**
160 mm**G30-58**
170 mm

3.0x100 mm

4.0x100 mm

5.5x125 mm

6.5x150 mm

PH1x80 mm

PH2x100 mm

G105CP**G09-NC1****G01****G02****J36**
150 mm**L01**
500 gr**L25-200-2**
24x200 mm**P05-0519**
5M x 19 mm**E75-081****F26/RDS**
12 in 1**E25-CK28H****E25-AS06****31 Piece Tool Set****Sets in Tool Boxes / Bags**

Contents Only



(G99-0431+A26-TB19)



(G99-0431+A27-19PL)



(G99-0431+A32)



(G99-0431+A32H)

**CODE NO** **G99-0431****G99-0431A26****G99-0431A27****G99-0431A32****G99-0431A32H**

07 VDE 1000V Tools and Multimeters

Digital Multimeters

G80-AAC1

Digital Multimeter (AC/DC Current-Auto Ranging)



**TRUE
RMS**

CODE NO	
G80-AAC1	1

NCV function, MAX/MIN mode, data hold, backlit display, REL mode, frequency/duty cycle, auto power off and beeper alarm, anti-high voltage circuit design, 1000V CATII, large LCD display, 2xAAA batteries



FUNCTION	INTERVALS	ACCURACY
DC Voltage	400mV/4V/40V/400V/1000V	$\pm(0.5\%+5)$
AC Voltage	400mV/4V/40V/400V/750V	$\pm(0.8\%+10)$
DC Current	400uA/4000uA/40mA/400mA/4A/20A	$\pm(1.0\%+5)$
AC Current	400uA/4000uA/40mA/400mA/4A/20A	$\pm(1.5\%+10)$
Resistance	400Ω/4kΩ/40kΩ/400kΩ/4MΩ/40MΩ	$\pm(0.8\%+2)$
Capacitance	4nF/40nF/400nF/4uF/40uF/200uF	$\pm(2.5\%+5)$
	40nF/400nF/4uF/40uF/400uF/4mF/40mF	
Frequency	10Hz/100Hz/1kHz/10kHz/100kHz/1MHz	$\pm(0.5\%+4)$
Temperature	-40°C ~ 1000°C	$\pm(1.0\%+5)$
	-OFF ~ 1832°F	$\pm(1.0\%+5)$

G80-AAC2

Digital Multimeter (DC Current)



**TRUE
RMS**

new

CODE NO	
G80-AAC2	1

Auto ranging, Automatically range, no shift for AVO tests, LCD display, NCV, True RMS tests, Data hold and backlight function, Analog bar display, Works with 3V AAAx2 battery



ONE BUTTON OPERATION

FUNCTION	INTERVALS	ACCURACY
DC Voltage	6V/60V/600V	$\pm(0.5\%+5)$
AC Voltage	6V/60V/600V	$\pm(0.8\%+10)$
AC Current	10A	$\pm(1.5\%+10)$
Resistance	600Ω/6kΩ/60kΩ/600kΩ/6MΩ/60MΩ	$\pm(0.8\%+2)$
AC Frequency	Current 10Hz-1000Hz/ voltage 10kHz-100kHz, 1mHz-10mHz	$\pm(0.5\%+4)$
Temperature	-40°C ~ 1000°C	$\pm(1.0\%+5)$
	-OFF ~ 1832°F	$\pm(1.0\%+5)$

G80-MDC2

Digital Multimeter (DC Current-Manual Ranging)



new

CODE NO	
G80-MDC2	1

Manual ranging, Voltage (AC/DC), current (DC), resistance, diode functions, LCD display, NCV, True RMS tests, Data hold function, Works with 3V AAAx2 battery



FUNCTION	INTERVALS	ACCURACY
DC Voltage	200mV/2V/20V/200V/600V	$\pm(0.5\%+4)$
AC Voltage	200V/600V	$\pm(1.0\%+6)$
DCA Current	20uA/2mA/200mA/10A	$\pm(1.0\%+5)$
Resistance	200Ω/2kΩ/20kΩ/2MΩ/200MΩ	$\pm(0.8\%+1)$

Digital Clampmeters

G85-ADC1

Digital Clampmeter
(AC/DC Current-Auto Ranging)

MAX/MIN mode, data hold, clamp jaw lighting, backlit display, REL mode, frequency/duty cycle, auto power off and warning functions, anti-high voltage circuit design, 600V CATIII, large LCD display, 2xAAA batteries

TRUE R M S

CODE NO	Clamp Span max. mm	
G85-ADC1	52	1
FUNCTION	INTERVALS	ACCURACY
DC Voltage	400mV/4V/40V/400V/1000V	±(0.5%+5)
AC Voltage	4V/40V/400V/750V	±(1.0%+5)
DC Current	40A/400A/1000A	±(2.0%+5)
AC Current	40A/400A/1000A	±(2.0%+5)
Resistance	400Ω/4kΩ/40kΩ/400kΩ/4MΩ/40MΩ	±(0.8%+3)
Capacitance	4nF/40nF/400nF/4μF/40μF/400μF/4mF/40mF	±(3.5%+10)
Frequency	10Hz/100Hz/1kHz/ 10kHz/100kHz/1MHz/10MHz	±(2%+5)
Temperature	-40°C~1000°C / -40°F~1832°F	±(1.0%+5)



G85-AAC1

Digital Clampmeter (AC
Current-Auto Ranging)

MAX/MIN mode, data hold, clamp jaw lighting, backlit display, REL mode, frequency/duty cycle, auto power off and warning functions, anti-high voltage circuit design, 600V CATIII, large LCD display, 2xAAA batteries

TRUE R M S

CODE NO	Clamp Span max. mm	
G85-AAC1	52	1
FUNCTION	INTERVALS	ACCURACY
DC Voltage	200mV/2V/20V/200V/1000V	±(0.5%+5)
AC Voltage	2V/20V/200V/750V	±(1.0%+5)
AC Current	2A/20A/200A/1000A	±(2.0%+5)
Resistance	200Ω/2kΩ/20kΩ/200kΩ/2MΩ/20MΩ	±(0.8%+3)
Temperature	-40°C~1000°C / -40°F~1832°F	±(1.0%+5)



Infrared Thermometers

G90-IR750

Infrared Thermometer

new



Backlight function, low battery indication, data hold function, Max./Min./AVG./DIF. HOLD function, High/Low temperature Alarm function, zero offset adjustment, unit symbol display



CODE NO	
G90-IR750	1
TECHNICAL SPECIFICATIONS	
Measurement Range	-20°C ~ 750°C / 4°F ~ 1382°F
Accuracy (Deviation)	< -10°C ± 3°C / < 14°F ± 6°F
Response Time	< 400°C (< 500ms) / > 400°C (< 300ms)
Measuring Distance	D:S=12:1
Display Resolution	0.1°C / 0.2°F
Auto power off	Appr. 6 Sec.
Measurement speed	≤ 0.5 seconds
Adjustable ignition ratio	0.1 ~ 1
Led screen display	3 digits
Power consumption	≤ 50mW
Battery	9V battery (6F22or equivalent)

G90-IR550

Infrared Thermometer



Built-in laser pointer, backlit LCD display, data storage, max/min/average/DIF data storage, high/low heat alarm function, alert function on pre-set temperature, set to zero function, low battery warning, auto power off, 1x9V battery

CODE NO	
G90-IR550	1
TECHNICAL SPECIFICATIONS	
Measurement Range	-50°C ~ 550°C / -58°F ~ 1022°F
Accuracy (Deviation)	±1.5°C or ±1.5%
Distance / Target Ratio	D:S=12:1
Auto power off	Appr. 6 Sec.
Measurement speed	≤ 0.5 seconds
Adjustable ignition ratio	0.1 ~ 1
Led screen display	3 digits
Power consumption	≤ 50mW
Battery	9V battery (6F22or equivalent)



CETA FORM
QUALITY

CETA FORM





ELECTRONIC SCREWDRIVERS AND PLIERS

■ C-TRONIC Electronics Screwdrivers and Sets	227
■ C-TRONIC Comfort Electronics Pliers and Sets	228
■ C-TRONIC Basic Electronics Pliers and Sets	230
■ Professional Tweezers	232
■ Soldering Tools	234



08 Electronic Screwdrivers and Pliers

Electronics Screwdrivers



Precision machined, ultimate fit, non-peel black finish tip

Highly durable, Chrome Vanadium Molybdenum steel

Soft-grip handle for extra ergonomics

Ultra-slim grip enables fast twisting and finger-tip accuracy

Broad handle base provides increased grip


Minimum friction with free-rotating cap



Electronics Pliers



StainlessSteel




Hot drop forged, hardened and tempered steel

Replaceable sheet steel springs

Induction hardened, precision milled cutting edges

Refined ergonomic handle design for a comfortable grip

2K Handle technology for a silk smooth feeling



Box joint construction

Welded sheet steel spring mechanism

Induction hardened, precision milled cutting edges

Hot drop forged, hardened and tempered quality stainless steel

PVC handle

C-TRONIC Electronics Screwdrivers

H01 Series

Electronics Slotted Screwdrivers

DIN 8320, DIN 5264



CODE NO	mm	mm	
H01-12-040	1.2	40	12 •
H01-15-040	1.5	40	12 •
H01-18-060	1.8	60	12 •
H01-20-060	2.0	60	12 •
H01-20-100	2.0	100	12 •
H01-25-080	2.5	80	12 •
H01-25-100	2.5	100	12 •
H01-30-080	3.0	80	12 •
H01-30-100	3.0	100	12 •
H01-30-150	3.0	150	12 •
H01-35-080	3.5	80	12 •
H01-40-080	4.0	80	12 •
H01-40-100	4.0	100	12 •
H01-40-150	4.0	150	12 •

H02 Series

Electronics Phillips Screwdrivers

DIN 5260, ISO 8764



CODE NO		mm	
H02-00-060	PH00	60	12 •
H02-0-060	PH0	60	12 •
H02-1-080	PH1	80	12 •

H99-12-06

6 Piece Electronics Screwdriver Set - Slotted/Phillips



CODE NO	
H99-12-06	1

- H01 1.5x40, 2.0x60, 2.5x80, 3.0x80 mm
- ⊕ H02 PH00x60, PH0x60 mm

H03 Series

Electronics Pozidriv Screwdrivers

DIN ISO 8764-1, TS 59-5



CODE NO		mm	
H03-0-060	PZ0	60	12 •
H03-1-080	PZ1	80	12 •

H04 Series

Electronics TORX Screwdrivers



CODE NO		mm	
H04-04-040	T4	40	12 •
H04-05-040	T5	40	12 •
H04-06-040	T6	40	12 •
H04-07-040	T7	40	12 •
H04-08-040	T8	40	12 •
H04-09-060	T9	60	12 •
H04-10-060	T10	60	12 •
H04-15-060	T15	60	12 •
H04-20-060	T20	60	12 •

H05 Series

Electronics Pentalobe Screwdrivers



For Pentalobe screws which are used on Apple products

CODE NO		mm	
H05-02-040	P2	40	12 •
H05-05-040	P5	40	12 •

H99-04-06

6 Piece Electronics Screwdriver Set - TORX



CODE NO	
H99-04-06	1

- ⬠ H04 T5x40, T6x40, T7x40, T8x40, T9x60, T10x60 mm

H06 Series

Electronics Hexagon Screwdrivers



CODE NO	mm	mm	mm	
H06-15-040	1.5	-	40	12 •
H06-20-060	2.0	5/64	60	12 •
H06-25-080	2.5	-	80	12 •
H06-30-080	3.0	-	80	12 •
H06A-0050	-	0.05	40	12
H06A-0116	-	1/16	40	12
H06A-0332	-	3/32	80	12
H06A-0764	-	7/64	80	12

H99-JK-05

4-in-1 Replaceable Precision Screwdriver Set

new



CODE NO	mm	
H99-JK-05	100	1

- 1.4x32, 1.8x32 mm
- ⊕ PH00x32, PH0x32 mm

H99-JK-06

6 Piece Jewellers Screwdriver Set



CODE NO	
H99-JK-06	1

- 1.4x85, 2.0x90, 2.4x100, 3.0x110 mm
- ⊕ PH0x100, PH1x110 mm

H99-06-06

6 Piece Electronics Screwdriver Set - Hexagon



CODE NO	
H99-06-06	1

- ⬠ H06 1.5x40, 2 (5/64")x60, 2.5x80, 3x80, 3/32"x80, 7/64"x80 mm

08 Electronic Screwdrivers and Pliers

C-TRONIC Comfort Electronics Pliers

H20S-120SB

Electronics Diagonal Cutter (Small Bevel)



Cutting edges for soft and medium hard wire, screw joint design



CODE NO	mm	mm	
H20S-120SB	120	1.0	6

H20T-120SB

Electronics Diagonal Cutter (Tapered Head-Small Bevel)



Cutting edges for soft and medium hard wire, screw joint design



CODE NO	mm	mm	
H20T-120SB	120	1.0	6

H21N-130SB

Electronics Oblique End Cutter (Extra Narrow Head)



Cutting edges for soft and medium hard wire, offset head, box-joint design

StainlessSteel



CODE NO	mm	mm	
H21N-130SB	130	1.0	6

H20S-120FL

Electronics Diagonal Cutter (Flush Cut)



Cutting edges for soft and medium hard wire, screw joint design



CODE NO	mm	mm	
H20S-120FL	120	1.0	6

H22-130

Electronics Combination Pliers



Cutting edges for soft and medium hard wire, lap joint design



CODE NO	mm	mm	
H22-130	130	1.0	6

H23S-130

Electronics Short Needle Nose Pliers (Serrated)



Serrated gripping jaws, box-joint design

StainlessSteel



CODE NO	mm		
H23S-130	130		6

H20C-118SB

Electronics Diagonal Cutter (Slim Head-Small Bevel)



Cutting edges for soft and medium hard wire, screw joint design



CODE NO	mm	mm	
H20C-118SB	118	1.0	6

H21S-125SB

Electronics End Cutter



Cutting edges for soft and medium hard wire, box-joint design

StainlessSteel



CODE NO	mm	mm	
H21S-125SB	125	1.0	6

H23F-130

Electronics Short Needle Nose Pliers (Flat)



Flat gripping jaws, box-joint design

StainlessSteel



CODE NO	mm		
H23F-130	130		6

C-TRONIC Comfort Electronics Pliers

H24-130

Electronics Bent Needle Nose Pliers



Serrated gripping jaws, box-joint design

StainlessSteel

CODE NO	mm	
H24-130	130	6

H26-130

Electronics Round Nose Pliers



For forming wire loops, box-joint design

StainlessSteel

CODE NO	mm	
H26-130	130	6

H20-W04

4 Piece Electronics Pliers Set (in Vinyl Wallet)



CODE NO

H20-W04



1

4PC: H20S-120SB, H21S-125SB,
H23S-130, H27-130

H25-155

Electronics Long Needle Nose Pliers



Serrated gripping jaws, box-joint design

StainlessSteel

CODE NO	mm	
H25-155	155	6

H27-130

Electronics Flat Nose Pliers



Flat gripping jaws, box-joint design

StainlessSteel

CODE NO	mm	
H27-130	130	6

H20-W06

6 Piece Electronics Pliers Set (in Vinyl Wallet)



CODE NO

H20-W06



1

6PC: H20S-120SB, H21S-125SB,
H23S-130, H25-155, H26-130, H27-130



08 Electronic Screwdrivers and Pliers

C-TRONIC Basic Electronics Pliers

H30S-110SB

Electronics Diagonal Cutters (Small Bevel)



Cutting edges for soft and medium hard wire, box-joint design

StainlessSteel

CODE NO	mm	mm	
H30S-110SB	110	1.0	6
For display carded delivery = Item code + X			6

H30T-110SB

Electronics Diagonal Cutters (Tapered Head-Small Bevel)



Cutting edges for soft and medium hard wire, box-joint design

StainlessSteel

CODE NO	mm	mm	
H30T-110SB	110	1.0	6
For display carded delivery = Item code + X			6

H33S-120

Electronics Short Needle Nose Pliers (Serrated)



Serrated gripping jaws, box-joint design

StainlessSteel

CODE NO	mm	
H33S-120	120	6
For display carded delivery = Item code + X		6

H30S-110FL

Electronics Diagonal Cutters (Flush Cut)



Cutting edges for soft and medium hard wire, box-joint design

StainlessSteel

CODE NO	mm	mm	
H30S-110FL	110	1.0	6
For display carded delivery = Item code + X			6

H31S-120SB

Electronics End Cutter



Cutting edges for soft and medium hard wire, box-joint design

StainlessSteel

CODE NO	mm	mm	
H31S-120SB	120	1.0	6
For display carded delivery = Item code + X			6

H33F-120

Electronics Short Needle Nose Pliers (Flat)



Flat gripping jaws, box-joint design

StainlessSteel

CODE NO	mm	
H33F-120	120	6
For display carded delivery = Item code + X		6

H30C-105SB

Electronics Diagonal Cutters (Slim Head-Small Bevel)



Cutting edges for soft and medium hard wire, box-joint design

StainlessSteel

CODE NO	mm	mm	
H30C-105SB	105	1.0	6
For display carded delivery = Item code + X			6

H31N-120SB

Electronics Oblique End Cutter (Extra Narrow Head)



Cutting edges for soft and medium hard wire, offset head, box-joint design

StainlessSteel

CODE NO	mm	mm	
H31N-120SB	120	1.0	6
For display carded delivery = Item code + X			6

H34S-115

Electronics Bent Needle Nose Pliers



Serrated gripping jaws, box-joint design

StainlessSteel

CODE NO	mm	
H34S-115	115	6
For display carded delivery = Item code + X		6

C-TRONIC Basic Electronics Pliers

H35S-140

Electronics Long Needle Nose Pliers



Serrated gripping jaws, box-joint design

StainlessSteel

CODE NO	mm	
H35S-140	140	6
For display carded delivery = Item code + X		6

H36-120

Electronics Round Nose Pliers




For forming wire loops, box-joint design

StainlessSteel

CODE NO	mm	
H36-120	120	6
For display carded delivery = Item code + X		6

H37-120

Electronics Flat Nose Pliers



Flat gripping jaws, box-joint design

StainlessSteel

CODE NO	mm	
H37-120	120	6
For display carded delivery = Item code + X		6

H30-W04

4 Piece C-TRONIC Basic Electronics Pliers Set (in Vinyl Wallet)



StainlessSteel

CODE NO	
H30-W04	1
4 PC: H30S-110SB, H31S-120SB, H33S-120, H37-120	

H30-W06

6 Piece C-TRONIC Basic Electronics Pliers Set (in Vinyl Wallet)



StainlessSteel

CODE NO	
H30-W06	1
6 PC: H30S-110SB, H31S-120SB, H33S-120, H35S-140, H36-120, H37-120	

H30-W10

10 Piece C-TRONIC Electronics Pliers and Screwdriver Set (in Vinyl Wallet)



CODE NO	
H30-W10	1



H30S-110SB




H33S-120



H35S-140



H01 1.5x40, 2.0x60, 2.5x80, 3.0x80 mm



H02 PH00x60, PH0x60 mm



H43-120-SA



08 Electronic Screwdrivers and Pliers

Professional Tweezers

Ceta Form presents its new tweezers range developed especially to professional requirements. The new programme comprises precision, general purpose, cross-over and insulated product families. The large range addresses requirements in electronics, watchmaking, computer and telecommunication sectors.



StainlessSteel

● Precision

For precision assembly work, non-serrated slim tips. Anti-magnetic, acid-resistant stainless steel

● General Purpose

Universal use, serrated narrow tips. Stainless steel.

● Insulated

PVC insulated, serrated, wide and round tips. Stainless steel.

● Cross-Over

For effortless gripping of small parts. Stainless steel.

H40-AA-SA Pointed Tweezers



Suitable for precise assembly, straight jaws, thin tips, anti-magnetic, acid-resistant, stainless steel

CODE NO	mm	
H40-AA-SA	130	1

H40-00-SA Pointed Tweezers



Suitable for precise assembly, straight jaws, thin tips, anti-magnetic, acid-resistant, stainless steel

CODE NO	mm	
H40-00-SA	120	1

H40-1-SA Pointed Tweezers



Suitable for precise assembly, straight jaws, thin tips, anti-magnetic, acid-resistant, stainless steel

CODE NO	mm	
H40-1-SA	120	1

H40-3C-SA Pointed Tweezers



Suitable for precise assembly, straight jaws, thin tips, anti-magnetic, acid-resistant, stainless steel

CODE NO	mm	
H40-3C-SA	110	1

H40-5-SA Needle Pointed Tweezers



Suitable for very precise assembly, straight jaws, extra thin tips, anti-magnetic, acid-resistant, stainless steel

CODE NO	mm	
H40-5-SA	110	1

H40-7-SA Needle Pointed Tweezers (Bent)



Suitable for very precise assembly, bent jaws, extra thin tips, anti-magnetic, acid-resistant, stainless steel

CODE NO	mm	
H40-7-SA	120	1

Professional Tweezers

H40-2A-SA

Round Slim Shape Tweezers



2 mm wide rounded tips, straight jaws, anti-magnetic, acid-resistant, stainless steel

CODE NO	mm	
H40-2A-SA	115	1

H43G-150-SA

Pointed Tweezers (Centering Pin)



Universal use, thin tips, toothed jaws, serrated holding area, stainless steel

CODE NO	mm	
H43G-150-SA	150	1

H43G-150B-SA

Pointed Tweezers (Centering Pin-Bent)



Universal use, bent thin tips, toothed jaws, serrated holding area, stainless steel

CODE NO	mm	
H43G-150B-SA	155	1

H43 Series

Blunt Shape Tweezers- Serrated



Universal use, wide rounded tips, toothed jaws, serrated holding area, stainless steel

CODE NO	mm	
H43-120-SA	120	1
H43-140-SA	140	1

H44-160-SA

Cross-Over Tweezers



Suitable for picking up very small objects without applying high force, stainless steel

CODE NO	mm	
H44-160-SA	160	1

H44-160B-SA

Cross-Over Tweezers (Bent)



Suitable for picking up very small objects without applying high force, stainless steel

CODE NO	mm	
H44-160B-SA	160	1

H44T-160-SA

Cross-Over Tweezers



Suitable for picking up very small objects without applying high force, stainless steel

CODE NO	mm	
H44T-160-SA	160	1

H43-125B-SA

Blunt Shape Tweezers - Serrated (Bent)



Universal use, wide rounded bent tips, toothed jaws, serrated holding area, stainless steel

CODE NO	mm	
H43-125B-SA	125	1

H45D-150-SA

Insulated Tweezers



PVC insulated, wide rounded tips, toothed jaws, stainless steel

CODE NO	mm	
H45D-150-SA	150	1

H45D-150B-SA

Insulated Tweezers (Bent)



PVC insulated, wide rounded bent tips, toothed jaws, stainless steel

CODE NO	mm	
H45D-150B-SA	150	1

H40-R04

4 Piece Tweezers Set



CODE NO	
H40-R04	10



H44-115-SA



H43T-110-SA



H43-120-SA



H43-125B-SA

08 Electronic Screwdrivers and Pliers

Soldering Tools

H55

Gas Soldering Iron



Adjustable power, spare tip available

CODE NO	mm	
H55	185	1

H55-SC010

Spare Conical Tip (for H55)



CODE NO	mm	
H55-SC010	1.0	6

H59AL

Aluminum Desoldering Pump (PTFE Nozzle)



CODE NO	mm	
H59AL	195	6

H60-3

3 Piece Soldering Aid Kit



Hook, reamer, knife, scraper, brush and fork tips in a single kit

CODE NO	mm	
H60-3	175	6

H57-1516

Desoldering Braid



CODE NO	W / mm	m	
H57-1516	1.5	1.5	1

H62-YC

Anti Static Wrist Strap (with Cord)

new
design



Protection from static electricity, resistance: < 10K Ohm (Wrist Strap), 1M Ohm 10% (Cord)

CODE NO	
H62-YC	6

H63

Fiberglass Scratch Brush



For cleaning of contacts, rotary mechanism, plastic casing

CODE NO	mm	
H63	120	6

H64

Dust Brush



Black bristles, wooden handle

CODE NO	mm	
H64	160	6

H65-10

10 Piece Plastic Alignment Kit



CODE NO	
H65-10	1

H99-N80 80 Piece Electro Technician Tool Set

80 PIECE

new

- The perfect too kit for the professional electro technician
- Can be ordered as contents only or in Raptor tool cases



B09 3 PC
5x5.5, 6x7, 8x10 mm



B21-B
150 mm



LT/9 9 PC
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



6105CP
3.0 mm



E01-41-0160
160 mm



E06-41-0140
140 mm



E15-41-0160
160 mm



E25-AS06



E25-MIC



F10M 2 PC
4.5x100, 6.0x150 mm



H01 4 PC
1.5, 2, 2.5, 3 mm



H02 2 PC
PH00, PH0



H04 3 PC
T5, T8, T10



H99-JK-05
4-in-1



G80-MDC2



Z/40
(4.0/4.0) x 100 mm



Z/12
(PH1/PH2) x 100 mm



H30S-110SB
110 mm



H31S-120SB
120 mm



H33S-120
120 mm



H37-120
120 mm



H43-120-SA
120 mm



H43-125B-SA
125 mm



H59AL
195 mm



H60-3 3 PC
175 mm



H62-YC



H63
120 mm



H64
160 mm



H65-10 10 PC



J17-190
190 mm



J46CPM
9 mm



J75-R06 6 PC



P05-0316
3M x 16 mm



R11-PEN
100 Lumen



R20RP
Ø30 x 175 mm



R36-1



R36-2



R36-3



R36-4



CO0SP15NEU **Weller**
15W / 400°C / 230V



H57-1516 **3M**
Ø 1.2 mm **Insulation Tape**



R21P **STANNOL**
Solder Tip Cleaner



80 Piece Electro Technician Tool Set

Sets in Tool Boxes

Contents Only

(H99-N80+A32)

(H99-N80+A32H)



H99-N80

H99-N80A32

H99-N80A32H

CETA FORM



PLUMBING TOOLS

■ Swedish Pattern Pipe Wrenches	238
■ Heavy Duty Pipe Wrenches	238
■ Chain Pipe Wrenches	238
■ PPRC Pipe Cutters	239
■ Tubing Cutters	239
■ Flaring Tool	239



09 Plumbing Tools

Pipe Wrenches

I01 Series

Swedish Pattern Pipe Wrenches (90° Jaws)

DIN 5234, TS 3796-A




Jaws set at 90°

CODE NO	∅ "	mm	
I01-10	1	320	1
I01-15	1-1/2	425	1
I01-20	2	555	1

I02 Series

Swedish Pattern Pipe Wrenches (S Jaws)

DIN 5234, TS 3796-A




S-shaped jaws set at 90°

CODE NO	∅ "	mm	
I02-10	1	320	1
I02-15	1-1/2	425	1
I02-20	2	535	1

I01-/A Series

Spare Nuts (for I01, I02 Series)



CODE NO		
I01-10/A	1"	6
I01-15/A	1-1/2"	6
I01-20/A	2"	6

I06-2 Series

Heavy Duty Pipe Wrenches

new



Especially for heavy duty work


CODE NO	∅ "	mm	
I06-10-2	1-1/2	250	1
I06-12-2	2	300	1
I06-14-2	2	350	1
I06-18-2	2-1/2	450	1
I06-24-2	3	600	1
I06-36-2	5	900	1

I06-2/A Series

Spare Heads (for I06-2 Series)

new




CODE NO		
I06-10-2/A	I06-10-2	1
I06-12-2/A	I06-12-2	1
I06-14-2/A	I06-14-2	1
I06-18-2/A	I06-18-2	1
I06-24-2/A	I06-24-2	1
I06-36-2/A	I06-36-2	1

I06-2/B Series

Spare Nuts (for I06-2 Series)

new



CODE NO		
I06-10-2/B	I06-10-2	6
I06-12-2/B	I06-12-2	6
I06-14-2/B	I06-14-2	6
I06-18-2/B	I06-18-2	6
I06-24-2/B	I06-24-2	6
I06-36-2/B	I06-36-2	6

Chain Pipe Wrenches

I11 Series

Chain Pipe Wrenches



Twin serration reversible jaws

CODE NO	∅ "	mm	
I11-40	4	900	1
I11-60	6	1000	1

I11-R Series

Spare Chains (for I11 Series)



CODE NO		
I11-40R	I11-40	1
I11-60R	I11-60	1

I12-40

Mini Chain Pipe Wrench



Twin serration jaws, forged

CODE NO	∅ "	mm	
I12-40	4	300	1

I12-40R

Spare Chain (for I12-40)



CODE NO		
I12-40R	I12-40	1

PPRC Pipe Cutters

I21-42-2

PPRC Pipe Cutters (Adjustable Capacity)



For cutting PVC, PP, PE, PVDF, PB, PEX and VPE plastic pipes



CODE NO	Ø max. mm	mm	
I21-42-2	42	230	6



I21-42-2R	for I21-42-2	1
-----------	--------------	---

I20-190

PPRC Pipe Cutter - Basic



For cutting PVC, PP, PE, PVDF, PB, PEX and VPE plastic pipes

CODE NO	Ø max. mm	mm	
I20-190	42	190	8



I20-190R	for I20-190	1
----------	-------------	---

Tubing Cutters / Flaring Tool

I30-2

Steel Pipe Cutter



For cutting steel pipes, steel body

CODE NO	Ø mm	mm	
I30-2	10 - 60	380	1



I30-2R	32	1 pack
--------	----	--------

I32-2

Tubing Cutter



For cutting copper and light alloy pipes, light alloy body



CODE NO	Ø mm	mm	
I32-2	3 - 30	150	12



I32-2R	18.5	1 pack
--------	------	--------

I34

Telescopic Tubing Cutter



For cutting copper and light alloy pipes, light alloy body, deburrer included



CODE NO	Ø mm	mm	
I34	6-35	150	5



I34-2R	18.5	1 pack
--------	------	--------

I38-2

Mini Tubing Cutter



For cutting copper and light alloy pipes, light alloy body



CODE NO	Ø mm	mm	
I38-2	3 - 16	50	50



I38-2R	18.5	1 pack
--------	------	--------

I50

Flaring Tool



For forming 45° conical flared ends on copper and light alloy pipes



CODE NO	CAPACITY (Ø mm)	
I50	5-16	1



CETA FORM



CUTTING TOOLS AND FILES

■ Aviation Tin Snips	242
■ Metal Snips	243
■ Jewellers' Snips, Bolt Cutters and Mitre Shears	243
■ Multi-Purpose Scissors	243
■ Pruning Shears	244
■ Hacksaws, Blades and Wallboard Saw	245
■ Holesaws	246
■ Reciprocating Saw Blades and Jigsaw Blades	247
■ Snap-Off Knives - 18 mm	248
■ Trimming Knives, Razor Blade Scraper	249
■ Snap-Off Knives - 9 mm	249
■ Snap-Off Knife Blades, Razor Scraper Blades	250
■ Files	251
■ Rasps and File Sets	254
■ Needle Files and Sets	255



10 Cutting Tools and Files

Ceta Form Aviation Snips Redesigned for maximum performance

new
design

- High carbon special tool steel
- Easy cutting with minimum effort thanks to the well-designed compound leverage mechanism
- Cutting edges with micro serration for slip-proof working
- Durable self-opening spring
- Ergonomic handles for a comfortable grip

J04-R03

3 Piece Aviation Tin Snip Set (in Roll Pouch)



CODE NO

J04-R03



1



J04-250L

J04-250S

J04-250R

J04-250L

Aviation Tin Snips (Left Cut)



Cuts up to 1.2 mm cold rolled steel / 0.9 mm stainless steel, high-leverage design: effortless cuts



CODE NO

J04-250L



40



250



6

J04-250R

Aviation Tin Snips (Right Cut)



Cuts up to 1.2 mm cold rolled steel / 0.9 mm stainless steel, high-leverage design: effortless cuts



CODE NO

J04-250R



40



250



6

J04-250S

Aviation Tin Snips (Straight Cut)



Cuts up to 1.2 mm cold rolled steel / 0.9 mm stainless steel, high-leverage design: effortless cuts



CODE NO

J04-250S



40



250




6

J04-300S

Aviation Tin Snips (Long Cut)



Cuts up to 1.2 mm cold rolled steel / 0.9 mm stainless steel, high-leverage design: effortless cuts



CODE NO

J04-300S



83



300



6

J04H-250L

Offset Aviation Tin Snips (Left Cut)

new



Cuts up to 1.2 mm cold rolled steel / 0.9 mm stainless steel, high-leverage design: effortless cuts, offset blades keep hands away from metal



CODE NO

J04H-250L



40



250



6

J04H-250R

Offset Aviation Tin Snips (Right Cut)

new



Cuts up to 1.2 mm cold rolled steel / 0.9 mm stainless steel, high-leverage design: effortless cuts, offset blades keep hands away from metal



CODE NO

J04H-250R



40



250



6

Metal, Jeweller's Snips

J01 Series

Punch Snips



Cuts up to 1.0 mm cold rolled steel / 0.5 mm stainless steel



CODE NO	mm	DIRECTION	
J01-250L	250	left	6
J01-250R	250	right	6

J06-2 Series

English Pattern Snips



For long straight cuts on cold rolled steel and stainless steel



CODE NO	mm	mm	
J06-200-2	46	200	6
J06-250-2	57	250	6
J06-300-2	68	300	6

J16-180S

Jeweller's Snips (Straight)



For cuts on light weight sheet metals, straight blades



CODE NO	mm	mm	
J16-180S	31	180	6

J16-180B

Jeweller's Snips (Curved)



For cuts on light weight sheet metals, curved blades



CODE NO	mm	mm	
J16-180B	29	180	6

Bolt Cutters, Adjustable Scissors

J10 Series

Bolt Cutters



For cutting rods

Cutting capacities quoted for 80 kgf/mm² rods



CODE NO	mm	mm	
J10-450	450	6	1
J10-600	600	8	1
J10-750	750	10	1
J10-900	900	12	1

J10-R Series

Replacement Blades (for J10 Series)



CODE NO		
J10-450R	J10-450	1
J10-600R	J10-600	1
J10-750R	J10-750	1
J10-900R	J10-900	1

J19-220

Mitre Shears

new



For crush-free cutting of plastic, rubber and soft timber sections, cutting base with try square for angle adjusted cuts



CODE NO	DEGREE	mm	
J19-220	45-135°	220	1



Multi-Purpose Scissors

J17-190

Multi-Purpose Cutter (Straight)

new
design



For cuts on a diverse range of materials (light metal, fabric, plastic, cardboard etc.)

StainlessSteel



CODE NO	mm	mm	
J17-190	50	190	6

J17-190B

Multi-Purpose Cutter (Offset)

new
design



For cuts on a diverse range of materials (light metal, fabric, plastic, cardboard etc.)

StainlessSteel



CODE NO	mm	mm	
J17-190B	40	190	6

J18 Series

Stationery Scissors



For cuts on a diverse range of materials

StainlessSteel



CODE NO	mm	mm	
J18-230	84	230	10
J18-250	104	250	10

E61-K1160

KEVLAR Scissors



For cutting KEVLAR® cables inside fiber optic cables, precision ground, milled cutting jaws



CODE NO	mm	
E61-K1160	160	12

10 Cutting Tools and Files


Pruning Shears

J22-215R Pruning Shears

The shears with the revolving handle

It's the revolving handle that makes these pruning shears so distinctive. This reduces the effort required in use to improve your comfort and make cutting easier.

- High carbon special tool steel blade
- Easy cutting with minimum effort thanks to the well-designed compound leverage mechanism
- Spare blades and components are available
- Durable self-opening spring



J22-215R

Pruning Shears (Revolving Handle)



SK-5 steel replaceable blade, forged aluminium handles, unique revolving handle design for added comfort



CODE NO	mm	
J22-215R	210	6
J22-215RR	Spare Blade	1

J22-215C

Pruning Shears (Cast Aluminium Body)



SK-5 steel replaceable blade



CODE NO	mm	
J22-215C	215	6
J22-215CR	Spare Blade	1

J22-215P

Pruning Shears (Forged Aluminium Handles)

TS 3306



SK-5 steel replaceable blade



CODE NO	mm	
J22-215P	210	6
J22-215PR	Spare Blade	1

J23-190

Trimming Shears



Especially for trimming during harvest



CODE NO	mm	mm	
J23-190	53	190	10

J22A-200

Anvil Pruner



Allows cut against a fixed base plate (anvil): no cutting impact and better force transmission, SK-5 steel replaceable blade



CODE NO	mm	
J22A-200	200	12
J22A-200R	Spare Blade	1



Hacksaws and Blades

J30-300 Hacksaw Frame

With in-handle fixing system


The top of the range hacksaw of Ceta Form, manufactured in Europe. Answers to all professional requirements thanks to robust build quality. Aluminum die cast handle and bimetal blade.



J32-300

Hacksaw Frame

DIN 6473



For 12" - 300 mm blades

CODE NO	mm	
J32-300	425	10

J36-150

Mini Hacksaw

DIN 6473




For 6" - 150 mm blades

CODE NO	mm	
J36-150	260	12

J30-300

Hacksaw Frame (in-Handle Fixing System)

DIN 6473



For 12" - 300 mm blades, rapid in-handle blade fixing system

CODE NO	mm	
J30-300	430	10

J36-R

Mini Hacksaw Blades - 10 Pieces



Spring steel body, pinned design, for use with J36-150

The code represents a 10 piece package




CODE NO	mm	TPI*	
J36-R	150	18	10 packs

*TPI: Teeth per inch

J35.B Series

Hacksaw Blades (HSS Bi-Metal) - 10 Pieces

DIN 6494, ISO 2336-1



HSS alloy teeth, spring steel back

The code represents a 10 piece package

Unbreakable



CODE NO	mm	TPI*	
J35-18B	300	18	10 packs
J35-24B	300	24	10 packs

*TPI: Teeth per inch

J44-067

Wallboard Saw



For cutting plasterboard, chipboard or fiber, precision machined 7 TPI* teeth, high carbon steel body



CODE NO	mm/inch	mm	
J44-067	160-6"	300	12

*TPI: Teeth per inch

10 Cutting Tools and Files

Holesaws

J40 Series

Holesaws (HSS Bi-Metal)



DuraMAX

DuraMAX quality, super HSS alloy teeth, 4/6 variable pitch tooth design, spring steel body

CODE NO	mm	"	mm	
J40-014	14	9/16	55	6
J40-016	16	5/8	55	6
J40-017	17	11/16	55	6
J40-019	19	3/4	50	6
J40-020	20	25/32	50	6
J40-021	21	13/16	50	6
J40-022	22	7/8	50	6
J40-024	24	15/16	50	6
J40-025	25	1	50	6
J40-027	27	1-1/16	50	6
J40-029	29	1-1/8	50	6
J40-030	30	1-3/16	50	6
J40-032	32	1-1/4	50	6
J40-033	33	1-5/16	50	6
J40-035	35	1-3/8	50	6
J40-037	37	1-7/16	50	6
J40-038	38	1-1/2	44	6
J40-040	40	1-9/16	44	6
J40-041	41	1-5/8	44	6
J40-043	43	1-11/16	44	6
J40-044	44	1-3/4	44	6
J40-046	46	1-13/16	44	6
J40-048	48	1-7/8	44	6
J40-051	51	2	44	6
J40-052	52	2-1/16	44	6
J40-054	54	2-1/8	44	6
J40-057	57	2-1/4	44	6
J40-060	60	2-3/8	44	6
J40-064	64	2-1/2	44	6
J40-065	65	2-9/16	44	6
J40-067	67	2-5/8	44	6
J40-068	68	2-11/16	44	6
J40-070	70	2-3/4	44	6
J40-073	73	2-7/8	44	6
J40-076	76	3	44	6
J40-079	79	3-1/8	44	6
J40-083	83	3-1/4	44	6
J40-086	86	3-3/8	44	6
J40-089	89	3-1/2	44	6
J40-092	92	3-5/8	44	6
J40-095	95	3-3/4	44	6
J40-098	98	3-7/8	44	6
J40-102	102	4	44	6
J40-105	105	4-1/8	44	6
J40-111	111	4-3/8	44	6
J40-114	114	4-1/2	44	6
J40-121	121	4-3/4	44	6
J40-127	127	5	44	6
J40-140	140	5-1/2	44	6
J40-152	152	6	44	6



J40-A1

Holesaw Arbor #1 (for J40 Series) - Hexagon Shank



Drive: 11 mm (7/16"), Thread: 1/2" - 20 UN

CODE NO	mm	mm	
J40-A1	14- 29	93	10

J40-A2

Holesaw Arbor #2 (for J40 Series) - Hexagon Shank



Drive: 11 mm (7/16"), Yiv: 5/8" - 18 UNF

CODE NO	mm	mm	
J40-A2	30-152	116	10

J40-A3

Holesaw Arbor #3 (for J40 Series) - SDS-Plus Shank



Drive: SDS-Plus, Thread: 1/2" - 20 UNF

CODE NO	mm	mm	
J40-A3	14- 29	130	6

J40-A4

Holesaw Arbor #4 (for J40 Series) - SDS-Plus Shank




Drive: SDS-Plus, Thread: 5/8" - 18 UNF

CODE NO	mm	mm	
J40-A4	30-152	153	6

J40-PD Series

Spare HSS Pilot Drills (for Holesaw Arbors)



CODE NO		
J40-PD1	for A1 and A3	6 •
J40-PD2	for A2 and A4	6 •

J40-P13

13 Piece Holesaw Set

new
design



DuraMAX

CODE NO	
J40-P13	1



J40 20, 22, 25, 32, 35,
40, 44, 51, 60, 64 mm



J40-A1 1/2"-20 UNF



J40-A2 5/8"-18 UNF



L 4 mm

Ceta Form Hole Cutting Saws

- Thanks to HSS teeth, spring steel body, 4/6 variable pitch tooth design, provides a clean, vibration free cut on tough surfaces and materials.
- Special tooth design with side slots and holes for chip removal.
- Suitable for drills and drill saw machines



DuraMAX

RECIPROCATING SAW BLADES



J40R-ME150

Reciprocating Saw Blade (for Metal) - 5 Pieces



For thin sheet steel, pipes and shapes, 18 TPI teeth, bimetal body
The code represents a package with indicated quantity

CODE NO	Ref.	mm	
J40R-ME150	S922EF	150	5

J40R-MB150

Reciprocating Saw Blade (for Metal) - 5 Pieces



For thick sheet steel, pipes and shapes, 14 TPI teeth, bimetal body
The code represents a package with indicated quantity

CODE NO	Ref.	mm	
J40R-MB150	S922BF	150	5

J40R-MB225

Reciprocating Saw Blade (for Metal)



For thick sheet steel, pipes and shapes, 14 TPI teeth, imetal body
The code represents a package with indicated quantity

CODE NO	Ref.	mm	
J40R-MB225	S1122BF	225	5
J40R-MB225B	S1122BF	225	100

J40R-DH225

Reciprocating Saw Blade (for Wood & Metal)



For studded wood, sheet steel, pipes and aluminium shapes, 10 TPI teeth, bimetal body
The code represents a package with indicated quantity

CODE NO	Ref.	mm	
J40R-DH225	S1122HF	225	5
J40R-DH225B	S1122HF	225	100

J40R-PV210F

Reciprocating Saw Blade (For Pallet Repair)



For repairing pallets, 10/14 TPI teeth, bimetal body
The code represents a package with indicated quantity

CODE NO	Ref.	mm	
J40R-PV210F	S722VFR	210	5
J40R-PV210FB	S722VFR	210	100

J40R-WL240

Reciprocating Saw Blade (for Wood) - 5 Pieces



For hard wood, knotless wood, tree pruning, 4/5 TPI teeth, HCS body
The code represents a package with indicated quantity

CODE NO	Ref.	mm	
J40R-WL240	S1531L	240	5

JIGSAW BLADES



J40J-WB100

Jigsaw Blade (for Wood-Basic) - 5 Pieces



8 TPI for cutting hard and soft woods, plywood and plastics, medium-rough cuts, HCS, T shank
The code represents a 5 piece package

CODE NO	Ref.	mm	
J40J-WB100	T111C	100	50 pk

J40J-WF100

Jigsaw Blade (for Wood-Fast Cutting) - 5 Pieces



6 TPI for cutting hard and soft woods, plywood and plastics, straight and very fast cuts, HCS, T shank
The code represents a 5 piece package

CODE NO	Ref.	mm	
J40J-WF100	T144D	100	50 pk

J40J-WF100C

Jigsaw Blade (for Wood-Fast/Curved Cutting) - 5 Pieces



6 TPI for cutting hard and soft woods, plywood and plastics, fast coarse, curved cuts, HCS, T shank
The code represents a 5 piece package

CODE NO	Ref.	mm	
J40J-WF100C	T244D	100	50 pk

J40J-WC100

Jigsaw Blade (for Wood-Clean Cutting) - 5 Pieces



5-6 TPI for cutting hard and soft woods, plywood and plastics, fine clean cuts, HCS, T shank
The code represents a 5 piece package

CODE NO	Ref.	mm	
J40J-WC100	T101D	100	50 pk

J40J-MB075

Jigsaw Blade (for Metal-Basic) - 5 Pieces



24 TPI for cutting metals up to 3 mm thickness, straight cuts, HSS, T shank
The code represents a 5 piece package

CODE NO	Ref.	mm	
J40J-MB075	T118A	75	50 pk

J40J-A100

Jigsaw Blade (for Aluminium) - 5 Pieces



8 TPI for cutting aluminium/non-ferrous metals and plastics, straight cuts, HSS, T shank
The code represents a 5 piece package

CODE NO	Ref.	mm	
J40J-A100	T127D	100	50 pk

10 Cutting Tools and Files

Ceta Form Snap-Off Knives

Excellent ergonomic, unmatched performance

Our snap-off knife range is 100% Ceta Form designed and manufactured



4 types

- Stainless steel blade housing
- Auto-lock mechanism
- Highly ergonomic design
- SK3 quality blades

J45CPM

C-Pro Snap-Off Knife (Metal Body) - 18 mm



Stainless steel blade housing, auto-lock mechanism, ships with 2xJ45-R blades

CODE NO	mm	mm	
J45CPM	155	18	24 •
For display carded delivery = Item code + X			12

J45CM

Compact Snap-Off Knife (Space Grey) - 18 mm



Stainless steel blade housing, auto-lock mechanism, ships with 2xJ45-R blades

CODE NO	mm	mm	
J45CM	163	18	24 •

J45C/D

Compact Utility Knife (Dial Lock) - 18 mm



Stainless steel blade housing, auto lock mechanism with dial lock, ships with 1xJ45-R blade

CODE NO	mm	mm	
J45C/D	155	18	30

J45CP

C-Pro Snap-Off Knife - 18 mm



Stainless steel blade housing, auto-lock mechanism, ships with 2xJ45-R blades

CODE NO	mm	mm	
J45CP	165	18	24 •
For display carded delivery = Item code + X			12

J45C

Compact Snap-Off Knife - 18 mm



Stainless steel blade housing, auto-lock mechanism, ships with 2xJ45-R blades

CODE NO	mm	mm	
J45C	163	18	24 •

J45C/T

Compact Snap-Off Knife (Dial Lock-Carpet Tucker) - 18 mm



Stainless steel blade housing, auto lock mechanism with dial lock, integrated carpet tucker, ships with 1xJ45-R blade

CODE NO	mm	mm	
J45C/T	160	18	30

Trimming Knives / Razor Blade Scraper

Snap-Off Knives – 9 mm

J47SPQ**Foldable Trimming Knife (Trapezoid Blade)**

- Rapid blade change mechanism
- Aluminium body
- Foldable design
- Thumb cushion
- Pocket clip

Spare Blade Codes



J47-R



J47-RH

CODE NO	mm	mm	
J47SPQ	158	19	12

**J47TK-S****Safety Trimming Knife (Auto Retracting - Metal Body)**

Auto-retracting safety system, zinc alloy body, ships with 1xJ47-R spare blade



CODE NO	mm	mm	
J47TK-S	175	19	10

J47C-S**Safety Trimming Knife (Auto Retracting - Plastic Body)**

Stainless steel blade housing, double security system, blade code: J47-RS



CODE NO	mm	mm	
J47C-S	150	19	30

J47TK**Trimming Knife (Metal Body)**

Auto-retracting safety system, zinc alloy body, spare blade codes: J47-R, J47-RH



CODE NO	mm	mm	
J47TK	175	19	10

J49M**Razor Blade Scraper (Metal Body)**

Stainless steel body, especially for scraping on surfaces such as glass and ceramics, with J49-R blade



CODE NO	mm	mm	
J49M	105	19	24

J46CPM**C-Pro Snap-Off Knife (Metal Body) – 9 mm**

Stainless steel blade housing, auto-lock mechanism, ships with 1xJ46-R blade



CODE NO	mm	mm	
J46CPM	145	9	36

J46SL**Slim9 Steel Body Utility Knife – 9 mm**

Slim design, stainless steel body, auto-lock mechanism, ships, with 1xJ46-R blade



CODE NO	mm	mm	
J46SL	145	9	36

J46C**Compact Snap-Off Knife – 9 mm**

Stainless steel body, auto-lock mechanism, ships, with 1xJ46-R blade



CODE NO	mm	mm	
J46C	150	9	36

10 Cutting Tools and Files

Snap of Knife Blades / Razor Scraper Blades

J45-RDM

18 mm Snap-Off Knife Blade - 10 Pieces

DuraMAX



DuraMAX quality, SK2 steel, sharper and more durable, 7 segments

The code represents a 10 piece package



CODE NO	mm	mm	
J45-RDM	108	18	10 pk. •

J45-R

18 mm Snap-Off Knife Blade - 10 Pieces



High carbon SK3 steel, 7 segments

The code represents a 10 piece package



CODE NO	mm	mm	
J45-R	108	18	10 pk. •

J46-R

9 mm Snap-Off Knife Blade - 10 Pieces



High carbon SK3 steel, 12 segments

The code represents a 10 piece package



CODE NO	mm	mm	
J46-R	85	9	10 pk. •

J46-R/30

9 mm Snap-Off Knife Blade (Precision Art) - 10 Pieces



High carbon SK3 steel, 6 segments

The code represents a 10 piece package



CODE NO	mm	mm	
J46-R/30	85	9	10 pk. •

J47-R

Trapezoid Trimming Knife Blade - 10 Pieces



High carbon steel

The code represents a 10 piece package

CODE NO	mm	mm	
J47-R	60	19	10 pk. •

J47-RS

Trapezoid Trimming Knife Blade (with Hole) - 10 Pieces

new



High carbon steel, especially for use with J47C-S

The code represents a 10 piece package

CODE NO	mm	mm	
J47-RS	60	19	10 pk. •

J47-RH

Hooked Trimming Knife Blade - 10 Pieces



High carbon steel

The code represents a 10 piece package

CODE NO	mm	mm	
J47-RH	49	19	10 pk. •

J49-R

Razor Blade - 10 Pieces



High carbon SK2 steel

The code represents a 10 piece package

CODE NO	mm	mm	
J49-R	38.3	19	10 pk. •

Scrapers

J80-200

Flat Scraper

DIN 8350 Form A



Flat blade, ground surface, special tool steel, wooden handle

CODE NO	mm	mm	
J80-200	20	200	10

J81-200

Triangular Scraper

DIN 8350 Form B



Cutting pointed tip, ground surface, special tool steel, wooden handle

CODE NO	mm	mm	
J81-200	10	200	10

J82 Series

Triangular Hollow Scraper



Cutting pointed tip, ground surface, special tool steel, wooden handle

CODE NO	mm	mm	
J82-150	14	150	10
J82-200	16	200	10

J83-200

Triangular Spoon Scraper



Cutting pointed tip, ground surface, special tool steel, wooden handle

CODE NO	mm	mm	
J83-200	14	200	6

Ceta Form Files



E Engineer's Files — for stock removal and surface finish requirements on machined components.


S Saw Files — for sharpening wood working saws and similar thin edges.

R Rasps — used on wood, leather and similar soft materials for rapid stock removal.

 **Double cut:**
Mainly for steel and other materials.

 **Single cut:**
For a good surface finish, sharpening saws, lathe filing and fitters requirements.

 **Rasp cut:**
For soft materials and wood.
Produces a rough surface.



J55 Series Flat Files



Double-cut surfaces

CODE NO	mm "	mm	
Bastard			
J55-106	150 – 6"	16	12 •
J55-108	200 – 8"	20	12 •
J55-110	250 – 10"	25	12 •
J55-112	300 – 12"	30	6 •
Second			
J55-206	150 – 6"	16	12 •
J55-208	200 – 8"	20	12 •
J55-210	250 – 10"	25	12 •
J55-212	300 – 12"	30	6 •
Smooth			
J55-306	150 – 6"	16	12 •
J55-308	200 – 8"	20	12 •
J55-310	250 – 10"	25	12 •
J55-312	300 – 12"	30	6 •

J55-H Series Flat Files (Softgrip Handle)



Same specs as J55 series, with softgrip handle

CODE NO	mm "	mm	
Bastard			
J55-106H	150 – 6"	16	6
J55-108H	200 – 8"	20	6
J55-110H	250 – 10"	25	6
J55-112H	300 – 12"	30	6
Second			
J55-206H	150 – 6"	16	6
J55-208H	200 – 8"	20	6
J55-210H	250 – 10"	25	6
J55-212H	300 – 12"	30	6
Smooth			
J55-306H	150 – 6"	16	6
J55-308H	200 – 8"	20	6
J55-310H	250 – 10"	25	6
J55-312H	300 – 12"	30	6

J55F Series Tapered Flat Files



Double-cut surfaces

CODE NO	mm "	mm	
Second			
J55F-206	150 – 6"	16	12 •
J55F-208	200 – 8"	20	12 •
J55F-210	250 – 10"	25	12 •
J55F-212	300 – 12"	30	6 •

J55F-H Series Tapered Flat Files (Softgrip Handle)



Same specs as J55F series, with softgrip handle

CODE NO	mm "	mm	
Second			
J55F-206H	150 – 6"	16	6
J55F-208H	200 – 8"	20	6
J55F-210H	250 – 10"	25	6
J55F-212H	300 – 12"	30	6

J55W-206 Warding File



Double-cut surfaces

CODE NO	mm "	mm	
Second			
J55W-206	150 – 6"	15	12 •

J55W-206H Warding File (Softgrip Handle)



Double-cut surfaces

CODE NO	mm "	mm	
Second			
J55W-206H	150 – 6"	15	6

10 Cutting Tools and Files

Engineer's Files

J56 Series Half-Round Files



Double-cut surfaces, edges and surfaces tapered to the tip



CODE NO	mm "	mm	
Bastard			
J56-106	150 – 6"	16	12 •
J56-108	200 – 8"	20	12 •
J56-110	250 – 10"	24.5	12 •
J56-112	300 – 12"	29.5	6 •
Second			
J56-206	150 – 6"	16	12 •
J56-208	200 – 8"	20	12 •
J56-210	250 – 10"	24.5	12 •
J56-212	300 – 12"	29.5	6 •
Smooth			
J56-306	150 – 6"	16	12 •
J56-308	200 – 8"	20	12 •
J56-310	250 – 10"	24.5	12 •
J56-312	300 – 12"	29.5	6 •

J56-H Series Half-Round Files (Softgrip Handle)



Same specs as J56 series, with softgrip handle



CODE NO	mm "	mm	
Bastard			
J56-106H	150 – 6"	16	6
J56-108H	200 – 8"	20	6
J56-110H	250 – 10"	24.5	6
J56-112H	300 – 12"	29.5	6
Second			
J56-206H	150 – 6"	16	6
J56-208H	200 – 8"	20	6
J56-210H	250 – 10"	24.5	6
J56-212H	300 – 12"	29.5	6
Smooth			
J56-306H	150 – 6"	16	6
J56-308H	200 – 8"	20	6
J56-310H	250 – 10"	24.5	6
J56-312H	300 – 12"	29.5	6

J57 Series Round Files



Double-cut surfaces, tapered to the tip



CODE NO	mm "	mm	
Bastard			
J57-106	150 – 6"	6	12 •
J57-108	200 – 8"	7.5	12 •
J57-110	250 – 10"	9.5	12 •
J57-112	300 – 12"	12	6 •
Second			
J57-206	150 – 6"	6	12 •
J57-208	200 – 8"	7.5	12 •
J57-210	250 – 10"	9.5	12 •
J57-212	300 – 12"	12	6 •

J57-H Series Round Files (Softgrip Handle)



Same specs as J57 series, with softgrip handle



CODE NO	mm "	mm	
Bastard			
J57-106H	150 – 6"	6	6
J57-108H	200 – 8"	7.5	6
J57-110H	250 – 10"	9.5	6
J57-112H	300 – 12"	12	6
Second			
J57-206H	150 – 6"	6	6
J57-208H	200 – 8"	7.5	6
J57-210H	250 – 10"	9.5	6
J57-212H	300 – 12"	12	6

J58 Series Square Files



Double-cut surfaces, tapered to the tip



CODE NO	mm "	mm	
Bastard			
J58-106	150 – 6"	6	12 •
J58-108	200 – 8"	8	12 •
J58-110	250 – 10"	9.5	12 •
J58-112	300 – 12"	12	6 •
Second			
J58-206	150 – 6"	6	12 •
J58-208	200 – 8"	8	12 •
J58-210	250 – 10"	9.5	12 •
J58-212	300 – 12"	12	6 •

J58-H Series Square Files (Softgrip Handle)



Same specs as J58 series, with softgrip handle



CODE NO	mm "	mm	
Bastard			
J58-106H	150 – 6"	6	6
J58-108H	200 – 8"	8	6
J58-110H	250 – 10"	9.5	6
J58-112H	300 – 12"	12	6
Second			
J58-206H	150 – 6"	6	6
J58-208H	200 – 8"	8	6
J58-210H	250 – 10"	9.5	6
J58-212H	300 – 12"	12	6



Three Square Files

J59 Series

Three Square Files



Double-cut surfaces, tapered to the tip



CODE NO	mm "	mm	
Bastard			
J59-106	150 – 6"	11	12 •
J59-108	200 – 8"	15	12 •
J59-110	250 – 10"	17.5	12 •
J59-112	300 – 12"	20	6 •
Second			
J59-206	150 – 6"	11	12 •
J59-208	200 – 8"	15	12 •
J59-210	250 – 10"	17.5	12 •
J59-212	300 – 12"	20	6 •

J59-H Series

Three Square Files (Softgrip Handle)



Same specs as J59 series, with softgrip handle



CODE NO	mm "	mm	
Bastard			
J59-106H	150 – 6"	11	6
J59-108H	200 – 8"	15	6
J59-110H	250 – 10"	17.5	6
J59-112H	300 – 12"	20	6
Second			
J59-206H	150 – 6"	11	6
J59-208H	200 – 8"	15	6
J59-210H	250 – 10"	17.5	6
J59-212H	300 – 12"	20	6

Saw Files

J64 Series

Milled Files



Single-cut surfaces, one round edge



CODE NO	mm "	mm	
Second			
J64-206	150 – 6"	16	12 •
J64-208	200 – 8"	20	12 •
J64-210	250 – 10"	25	12 •
J64-212	300 – 12"	30	6 •

J64-H Series

Milled Files (Softgrip Handle)



Same specs as J64 series, with softgrip handle



CODE NO	mm "	mm	
Second			
J64-206H	150 – 6"	16	6
J64-208H	200 – 8"	20	6
J64-210H	250 – 10"	25	6
J64-212H	300 – 12"	30	6

J65 Series

Taper Saw Files



Single-cut surfaces, tapered to the tip



CODE NO	mm "	mm	
Bastard			
J65-106	150 – 6"	12	12 •
J65-107	175 – 7"	14	12 •
J65-108	200 – 8"	16	12 •
Second			
J65-204	100 – 4"	6	12 •
J65-245	112 – 4-1/2"	7	12 •
J65-205	125 – 5"	7	12 •
J65-206	150 – 6"	9	12 •

J65-H Series

Taper Saw Files (Softgrip Handle)



Same specs as J65 series, with softgrip handle



CODE NO	mm "	mm	
Bastard			
J65-106H	150 – 6"	12	6
J65-107H	175 – 7"	14	6
J65-108H	200 – 8"	16	6

J65D-207

Double Ended Saw File



Single-cut surfaces



CODE NO	mm "	mm	
Second			
J65D-207	175 – 7"	6	12 •

J66 Series

Round Chainsaw Files



Single-cut surfaces



CODE NO		mm	mm "	
Second				
J66-640	5/32	4	150 – 6"	12 •
J66-848	3/16	4.8	200 – 8"	12 •
J66-855	7/32	5.5	200 – 8"	12 •

WHICH HANDLE FOR WHICH FILE ?

6" 7" 8" 10" 12"

Engineer's Files

E		J55, J55F, J55W Files	J71-03	–	J71-05 J71-05 J71-05
E		J56 Half-Round File	J71-03	–	J71-05 J71-05 J71-05
E		J57 Round File	J71-04	–	J71-04 J71-06 J71-06
E		J58 Square File	J71-04	–	J71-04 J71-06 J71-06
E		J59 Three Square File	J71-04	–	J71-04 J71-06 J71-06

Saw Files

S		J64 Milled File	J71-03	–	J71-05 J71-05 J71-05
S		J65 Taper Saw File	J71-05	J71-06	J71-06 – –

Törpöler

R		J67 Cabinet Rasp	–	–	J71-05 J71-05 –
R		J68 Half-Round Rasp	–	–	J71-05 J71-05 J71-05
R		J70 Round Rasp	–	–	J71-04 J71-06 J71-06

10 Cutting Tools and Files

Rasps and File Sets

J67 Series Cabinet Rasps



Rasp-cut surfaces

CODE NO	mm "	mm	
Bastard			
J67-108	200 – 8"	20	12 •
J67-110	250 – 10"	25	12 •

J67-H Series Cabinet Rasps (Softgrip Handle)



Same specs as J67 series, with softgrip handle

CODE NO	mm "	mm		
Bastard				
J67-108H	200 – 8"	20	6	
J67-110H	250 – 10"	25	6	

J72-A Series 5 Piece File Sets (Combination A)



CODE NO	
J72-0851A	1
200 mm	
J55-108H, J55-208H, J56-108H, J57-108H, J58-108H	
J72-1051A	1
250 mm	
J55-110H, J55-210H, J56-110H, J57-110H, J58-110H	

J68 Series Half Round Rasps



Rasp-cut surfaces, tapered to the tip

CODE NO	mm "	mm	
Bastard			
J68-108	200 – 8"	20	12 •
J68-110	250 – 10"	24	12 •
J68-112	300 – 12"	29	6 •

J68-H Series Half Round Rasps (Softgrip Handle)



Same specs as J68 series, with softgrip handle

CODE NO	mm "	mm		
Bastard				
J68-108H	200 – 8"	20	6	
J68-110H	250 – 10"	24	6	
J68-112H	300 – 12"	29	6	

J72-B Series 5 Piece File Sets (Combination B)



CODE NO	
J72-0851B	1
200 mm - Bastard Cut	
J55-108H, J56-108H, J57-108H, J58-108H, J59-108H	
J72-0852B	1
200 mm - Second Cut	
J55-208H, J56-208H, J57-208H, J58-208H, J59-208H	

J70 Series Round Rasps



Rasp-cut surfaces, tapered to the tip

CODE NO	mm "	mm	
Bastard			
J70-108	200 – 8"	8	12 •
J70-110	250 – 10"	10	12 •
J70-112	300 – 12"	12	6 •

J70-H Series Round Rasps (Softgrip Handle)



Same specs as J70 series, with softgrip handle

CODE NO	mm "	mm		
Bastard				
J70-108H	200 – 8"	8	6	
J70-110H	250 – 10"	10	6	
J70-112H	300 – 12"	12	6	

J71 Series Softgrip File Handles



For use with standard and saw files

CODE NO	mm	
J71-03	95	12 •
J71-04	95	12 •
J71-05	103	12 •
J71-06	103	12 •

Needle Files and Sets

J75-H26

Flat Needle File



CODE NO	mm "	mm	
J75-H26	160 – 6"	7.5	12 •

J75-F26

Tapered Flat Needle File



CODE NO	mm "	mm	
J75-F26	160 – 6"	7.5	12 •

J75-HR26

Half Round Needle File



CODE NO	mm "	mm	
J75-HR26	160 – 6"	6.9	12 •

J75-R26

Round Needle File



CODE NO	mm "	mm	
J75-R26	160 – 6"	4	12 •

J75-R06

6 Piece Needle File Set



CODE NO	
J75-R06	10

6 PC: J75-F26, J75-H26, J75-HR26, J75-R26, J75-S26, J75-TS26

J75-S26

Square Needle File



CODE NO	mm "	mm	
J75-S26	160 – 6"	3.5	12 •

J75-TS26

Three Square Needle File



CODE NO	mm "	mm	
J75-TS26	160 – 6"	5	12 •

J75-K26

Knife Needle File



CODE NO	mm "	mm	
J75-K26	160 – 6"	7.2	12 •

J75-B26

Barrette Needle File



CODE NO	mm "	mm	
J75-B26	160 – 6"	7	12 •

J75-R12

12 Piece Needle File Set



CODE NO	
J75-R12	10

12 PC: J75-F26x2, J75-H26x2, J75-HR26, J75-R26, J75-S26, J75-TS26, J75-K26, J75-B26, J75-C26, J75-O26

J75-C26

Crossing Needle File



CODE NO	mm "	mm	
J75-C26	160 – 6"	6.6	12 •

J75-O26

Oval Needle File



CODE NO	mm "	mm	
J75-O26	160 – 6"	4.6	12 •

J75M-R05

Contact File



Used for filing electrical contacts
The code represents a 5 piece package

CODE NO	mm "	mm	
J75M-R05	160 – 6"	8.0	1

J76-R06

6 Piece Diamond Needle File Set



CODE NO	
J76-R06	10

CETA FORM



HAMMERS AND CHISELS

■ Engineer's and Ball Pein Hammers	258
■ Special Hammers	259
■ Chisels	259
■ Punches / Sets	260
■ Hollow Punches	261
■ Wood Chisels	261
■ Pry Bars / Crow Bars	261



11 Hammers and Chisels

Engineer's and Ball Pein Hammers

L01 Series

Machinist's Hammers (Wooden Handle)

DIN 1041, ISO 15601, TS 5-1



L01 Series

Machinist's Hammers (Wooden Handle)

DIN 1041, ISO 15601, TS 5-1



CODE NO	gr	mm	
L01-100	100	265	6
L01-200	200	280	6
L01-300	300	300	6
L01-500	500	320	6
L01-1000	1000	360	6
L01-1500	1500	380	4
L01-2000	2000	400	4

Spare Handles (for L01 Series)



CODE NO	gr	mm	
L01-H300	300	300	12
L01-H500	500	320	12
L01-H1000	1000	360	12
L01-H1500	1500	380	6
L01-H2000	2000	400	6

L07F-16

Claw Hammer (Fiberglass Handle)



With unbreakable Fiberglass handle

CODE NO	Oz-gr	mm	
L07F-16	16-450	335	6

L02F-12

Ball Pein Hammers (Fiberglass Handle)

ISO 15601, TS 5-1



With unbreakable Fiberglass handle

CODE NO	oz	gr	mm	
L02F-12	12	340	315	6

L02 Series

Ball Pein Hammers (Wooden Handle)

ISO 15601, TS 5-1



Handle protector

CODE NO	oz	gr	mm	
L02-08	8	227	300	6
L02-12	12	340	325	6
L02-16	16	450	350	6
L02-24	24	700	375	6
L02-32	32	910	400	6

Special Hammers

L12DB Series

Dead Blow Hammers



Metal balls inside the head providing recoilless work

CODE NO	mm	gr	mm	
L12DB-35	35	450	290	10
L12DB-45	45	675	305	10
L12DB-50	50	900	325	8

L16 Series

Rubber Mallets

DIN 5128, TS 5-27



Hard rubber head

CODE NO	mm	mm	
L16-30	55	300	6
L16-40	60	310	6
L16-50	65	315	6

L12 Series

Soft Face Hammers



Interchangeable plastic heads, casted body (powder coated finish)

CODE NO	mm	mm	
L12-30	30	280	6
L12-40	40	300	6
L12-50	50	340	6



Spare Plastic Heads (for L12 Series) - Single

CODE NO	mm	M	
L12-R30	30	M12	6•
L12-R40	40	M16	6•
L12-R50S	50	M20	6•

L12C-35

Combi Hammer (Steel and Plastic Faces)

new



CODE NO	mm	mm	
L12C-35	35	295	6



Spare Plastic Heads (for L12C-35) - Single

CODE NO	mm	
L12C-35R	35	6•

L17-40

Aluminium Hammer



CODE NO	mm	mm	
L17-40	40	300	6

L18 Series

Copper Hammers



CODE NO	gr	mm	
L18-750	750	320	6
L18-1000	1000	350	6
L18-1500	1500	360	6

Chisels

L25-2 Series

Flat Chisels

DIN 6453, TS 492-1



For heavy duty cutting and shaping, 60° regrindable tip

CODE NO	mm	mm	
L25-150-2	150	18	12
L25-200-2	200	24	12
L25-250-2	250	28	6
L25-300-2	300	30	6

L25-G-2 Series

Flat Chisel (with Plastic Guard)

DIN 6453, TS 492-1



Structural specs same as L25-2 series, with plastic hand guard

CODE NO	mm	mm	
L25-250G-2	250	28	6
L25-300G-2	300	30	6

L27 Series

Cold Flat Chisels

DIN 6453, TS 492-1



For cutting, shaping and removing cold metals

CODE NO	mm	mm	
L27-125	125	12	12
L27-150	150	16	12
L27-175	175	20	12

11 Hammers and Chisels

Chiseles / Punches / Sets

L28 Series

Cross Cut Chisels

DIN 6453, TS 492-2



For cutting or grooving keyways or slots

CODE NO	mm	mm	
L28-125	125	5	12
L28-150	150	7	12

L30 Series

Taper Pin Punches

DIN 6458, TS 2338-2



For loosening frozen or tight pins and keys

CODE NO	mm	mm	
L30-2	2	120	12
L30-3	3	120	12
L30-4	4	120	12
L30-5	5	120	12
L30-6	6	120	12

L35-61

6 Piece Chisel and Punch Set



CODE NO	
L35-61	10
L27 125, 150 mm	
L28 125 mm	
L29 4 mm	
L30 3 mm	
L31 4 mm	

L29 Series

Centre Punches

DIN 7252, TS 2338-3



For piercing or marking on metal for starting drills

CODE NO	mm	mm	
L29-3	3	100	12
L29-4	4	120	12
L29-5	5	150	12

L31 Series

Parallel Pin Punches

DIN 6450, TS 2338-1



For driving out and removing already loosened pins

CODE NO	mm	mm	
L31-2	2	150	12
L31-3	3	150	12
L31-4	4	150	12
L31-5	5	150	12
L31-6	6	150	12
L31-8	8	150	12
L31-10	10	150	12

L35-62

6 Piece Parallel Pin Punch Set



CODE NO	
L35-62	10
L31 2, 3, 4, 5, 6, 8 mm	

L29AT

Automatic Center Punch

DIN 7252, TS 2338-2



Single handed use, adjustable impact power, non-slip knurled body, replaceable tip (L29ATR)

CODE NO	mm	mm	
L29AT	3	150	20
L29ATR	Spare Tip (for L29AT)		25

L35A-51

5 Piece Chisel and Punch Set (ANSI Spec.)



CODE NO	
L35A-51	1
L27A 5/8 x 6-3/4 inch	
L29A 1/8 x 4-7/8 inch	
L30A 1/8 x 5-1/8 inch	
L31A 2 PC: 1/8 x 5-3/16, 3/16 x 5-7/8 inch	

L35A-11

11 Piece Chisel and Punch Set (ANSI Spec.)



CODE NO	
L35A-11	1
L27A 3 PC: 3/8 x 5-1/2, 1/2 x 6, 5/8 x 6-3/4 inch	
L29A 3/16 x 6 inch L30A 3 PC: 3/32 x 5-1/4, 5/32 x 6, 3/16 x 6-1/4 inch	
L31A 3 PC: 3/32 x 4-7/32, 5/32 x 5, 3/16 x 5-7/8 inch	
Chisel gauge 2-5/8 inch	

Hollow Punches

L40P Series

Hollow Punches (Used with L40G)



Used with L40G handle, special alloy steel

CODE NO	mm	mm	mm	
L40P-03	3	1/8	25	6
L40P-04	4	5/32	25	6
L40P-05	5	3/16	25	6
L40P-06	6	1/4	25	6
L40P-08	8	5/16	25	6
L40P-10	10	3/8	25	6
L40P-12	12	15/32	25	6
L40P-14	14	35/64	25	6
L40P-16	16	5/8	25	6
L40P-18	18	45/64	25	6
L40P-20	20	25/32	25	6
L40P-22	22	7/8	25	6
L40P-25	25	1	25	6
L40P-30	30	1 3/16	25	6

L40G

Handle (for L40P Series)



Handle for mounting of L40P individual hollow punches

CODE NO	mm	
L40G	145	6

L40-P14

14 Piece Hollow Punch Set



CODE NO	
L40-P14	1
L40P 14 PC: 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 25, 30 mm + L40G	

Wood Chisels

L50-2 Series

Wood Chisels (Softgrip Handle)

DIN 5139, ISO 2729, TS 531



Precision ground cutting edges, polished finish (electrofilmed)

CODE NO	mm	mm	
L50-06-2	6	140	10
L50-08-2	8	140	10
L50-10-2	10	140	10
L50-12-2	12	140	10
L50-14-2	14	140	10
L50-16-2	16	140	10
L50-18-2	18	140	10
L50-20-2	20	140	10
L50-22-2	22	140	10
L50-25-2	25	140	10
L50-30-2	30	140	10

L50-B4-2

4 Piece Softgrip Handle Wood Chisel Set



CODE NO	
L50-B4-2	1
4 PC: L50-2 6, 12, 20, 25 mm	

L50-W6-2

6 Piece Softgrip Handle Wood Chisel Set (Wooden Boxed)



CODE NO	
L50-W6-2	1
6 PC: L50-2 6, 10, 12, 16, 20, 25 mm	

Pry Bars / Crow Bars

L20-04SW

Metal Skin Wedge Tool (Curved)

new



CODE NO	mm	
L20-04SW	180	6

L20-0401

Pry Bar (with pointed and flat bent heads)



CODE NO	mm	
L20-0401	400	6

L20-0403

Pry Bar (with pointed and leverage ends)



CODE NO	mm	
L20-0403	400	6

L20-120

Crow Bar with Open and Pointed Ends



One end with straight tip, other end pointed tip, special tool steel


CODE NO	cm	mm	
L20-120	120	30	1

CETA FORM



SPECIALIST AUTOMOTIVE TOOLS

■ Test Kits	264
■ Cooling and Fuel System	265
■ Ignition System	267
■ Oil Service	268
■ Engine Timing	271
■ Valve, Piston and Injectors	274
■ Exhaust System	275
■ Brake System	275
■ Chassis	277
■ Body and Trim Tools	282
■ Pull Clamps	285
■ Electrical and Battery Systems	286



12 Specialist Automotive Tools

Test Kits

N11-02A

Compression Tester Kit (for Petrol Engines)



CASE WxHxD (mm)
235 x 145 x 50

For testing the compression of petrol engines, kit contains 150 mm coupling adaptor and 350 mm flexible adaptor (14/18 mm threaded)



CODE NO	CAPACITY psi / kPa	
N11-02A	0-300 / 0-2000	1
N11-02A/4		1

N11-02A-2

Compression Tester Kit (for Petrol and LPG Engines)



CASE WxHxD (mm)
280 x 220 x 60

For testing the compression of gasoline and LPG vehicles, 2 x 130 mm adaptors (1 curved, 1 straight), 1 x 300 mm extension and 4 adaptors (10, 12, 14, 18 mm)



CODE NO	CAPACITY psi / kPa	
N11-02A-2	0-300 / 0-2000	1

N11-02B-2

Compression Tester Kit (for Diesel Engines)



CASE WxHxD (mm)
390 x 300 x 80

Kit for testing the compression of diesel engines, comprehensive range of dummy glow plugs and injectors



CODE NO	CAPACITY bar/psi	
N11-02B-2	70/1000	1

N11-03

Vacuum and Pressure Test / Bleed Kit



CASE WxHxD (mm)
390 x 300 x 80

Helps identify a variety of faults including fuel, ignition, transmission, emission and air conditioning/heating, also suitable for bleeding brake and clutch systems

CODE NO	CAPACITY bar	
N11-03	(-1) - 4	1

N11-04

Oil Pressure Test Kit



CASE WxHxD (mm)
510 x 230 x 70

Used for checking fuel pump pressure and low oil warning systems, includes adapters with coupling and 1.3 m long hose



CODE NO	CAPACITY bar/psi	
N11-04	0-10 bar / 0-150 psi	1

N11-05

Diesel Injector Flow Test Kit (Common Rail)



CASE WxHxD (mm)
390 x 300 x 75

Measures return fuel flow on diesel vehicles up to 6 cylinders (Common Rail), identifies faulty injectors easily, tubes for quick tests and bottles for longer, more accurate tests

Now includes adapters also for Bosch, Delphi and Denso systems



CODE NO		
N11-05		1

Cooling and Fuel System

N11-06

Fuel Injection Pressure Test Kit (Petrol Engines)



CASE WxHxD (mm)
450 x 340 x 90

Used to measure the fuel system pressure in gasoline vehicles, includes all necessary adapters, hoses and fittings, pressure valve with long drain hose, ensures safe discharge of fuel



CODE NO	CAPACITY bar/psi	
N11-06	0-10 bar / 0-140 psi	1

N11-20

Mechanic's Stethoscope



Used to identify the source of engine noise (i.e.: damaged valves, blown gaskets etc.), plastic ear pieces, supplied with 210 mm extension probe (fixed probe: 80 mm)

CODE NO	
N11-20	1

N12-01

Cooling System Pressure Test Kit



CASE WxHxD (mm)
610 x 500 x 120

Complete kit for the detection of leakages in cooling systems of cars, wide model coverage

Updated content: Now covers more models

CODE NO	
N12-01	1

N12-01B

Cooling System Pressure Test Kit (Universal Adaptors)



CASE WxHxD (mm)
400x370x80

Kit for the detection of leakages in cooling systems of cars, conical adaptors in the kit allow for universal coverage

CODE NO	
N12-01B	1

N12-04AB

Refractometer (Suitable for AdBlue®)




CASE WxHxD (mm)
200 x 75 x 55

4 in 1 measurement tool:

- *Antifreeze
- *Battery Acid
- *Washer fluid antifreeze
- *Adblue additive

Can be used on vehicles which use ethylene glycol as coolant or sulphuric acid as battery fluid. Waterline adjustment screw, visual clarity adjustment, pipette for draining fluid.



CODE NO	mm	
N12-04AB	150	1

N12-05P

Antifreeze Tester (with Reservoir)



Large and easy to read dial, Hydrostatic liquid lock, Temperature balancing twin rotor measuring unit, Intake canal preventing air bubbles



CODE NO	TEMPERATURE RANGE °C	
N12-05P	0 / -40	1

N12-05

Antifreeze Tester



Suitable for measuring ethylene glycol (Antifreeze) density inside radiator, tubular shatterproof composite body



CODE NO	mm	
N12-05	200	10

12 Specialist Automotive Tools

Cooling and Fuel System

N12-10

Hose Clamp Pliers (for Spring Band Hose Clamps)



For tag-type hose clamps, rotating tips



CODE NO	mm	
N12-10	220	6

N12-10L

Long Reach Hose Clamp Pliers
(for Spring Band Hose Clamps)



For tag-type hose clamps, 680 mm bowden shaft for restricted areas



CODE NO	mm	
N12-10L	230	12

N12-12

Hose Clamp Pliers (for Ear Hose Clamps)



For ear-type hose clamps (found on vacuum hoses, fuel and cooling systems), also suitable for CV joint clamps



CODE NO	mm	
N12-12	230	10

N12-12HD

CV Joint Boot Band Pliers (Heavy Duty)



For installing CV joint clamps on axle boots (Hytrel) with preset torque values, used in conjunction with a torque wrench

10
3/8"

CODE NO	mm	
N12-12HD	265	1

N12-13

Hose Clamp Pliers (for CLIC Clamps)



For CLIC and CLIC-R hose clamps



CODE NO	mm	
N12-13	180	6

N12-10HEN

HENN Clamp Removal Tool



180° adjustable jaw

Used to remove HENN type clamps used in sections such as coolant hoses and turbo hoses

CODE NO	mm	
N12-10HEN	100	1

N12-P16 Series

Flexible Hose Clamps



Stops flow inside flexible hoses, high quality plastic, includes locking ring

CODE NO	mm	max. mm	
N12-P1615	155	15	12
N12-P1630	185	30	12
N12-P1660	250	60	12

N12-P16KIT

3 Piece Flexible Hose Clamp Set

new



CODE NO	
N12-P16KIT	1

3 PC: Ø15, 30, 60 mm

N12-1625

Fluid Line Clamp



Used to stop fuel flow temporarily, knob adjustment

CODE NO	mm	
N12-1625	25	1

N12-25AT

3 Arm Adjustable Fuel Tank Sensor Wrench



Plastic fuel tank allows the sensor modules to be disassembled without damaging the part, 3-arm self-adjusting design

CODE NO	CAPACITY mm	mm	
N12-25AT	89-170	16	1

Ignition System

C17-R Series

3/8" Drive 6 Point Spark Plug Sockets (Retaining Rubber)

ISO 11168



6-Point, retaining rubber



CODE NO	mm	mm	
C17-R16	16	63	12 •
C17-R18	18	63	12 •
C17-R21	21	65	12 •



For display carded delivery = Item code + X

6

C17-R14C

3/8" Drive 12 Point Spark Plug Socket (Retaining Clip)

ISO 11168



For 14 mm spark plugs, with metal clip holder

Suitable for both 6 and 12 point plugs



CODE NO	mm	mm	
C17-R14C	14	63	6 •



For display carded delivery = Item code + X

6

C17-R14ML

3/8" Drive 12 Point Spark Plug Sockets (Magnetic- Extra Long)

ISO 11168



For 14 mm spark plugs, retaining magnet

Suitable for both 6 and 12 point plugs



CODE NO	mm	mm	
C17-R14ML	14	250	6



For display carded delivery = Item code + X

6

C17-R14CF

3/8" Drive 12-Point Jointed Spark Plug Socket

ISO 11168



For 14 mm spark plugs, with retaining magnet
Suitable for both 6 and 12 point plugs



CODE NO	mm	mm	
C17-R14CF	14	98	6



For display carded delivery = Item code + X

6

C27-R Series

1/2" Drive 6 Point Spark Plug Sockets (Retaining Rubber)

ISO 11168



6-Point, retaining rubber



CODE NO	mm	mm	
C27-R16	16	67	12 •
C27-R21	21	67	12 •



For display carded delivery = Item code + X

6

C27-RM Series

1/2" Drive 6 Point Spark Plug Sockets Magnetic)

ISO 11168



6-Point, retaining magnet



CODE NO	mm	mm	
C27-R16M	16	67	6 •
C27-R21M	21	67	6 •



For display carded delivery = Item code + X

6

B32-S Series

T-Handle Swivel Spark Plug Socket Wrenches



Swiveling 6-point socket, retaining magnet, with 3/8" drive female end



CODE NO	mm	mm	
B32-16S	16	510	6
B32-21S	21	510	6

N13-PC14

Spark Plug Pliers (Curved Long Nose)



For removal of spark plug boot in deep-seated engine applications

CODE NO	MIN. mm	mm	
N13-PC14	14	290	6

N13-10P03

3 Piece 3/8" Drive Glow Plug Socket Set



Set for installing / removing glow plugs, universal joint sockets, 72 mm socket depth



CODE NO	
N13-10P03	10

3 PC: 8, 10, 12 mm

12 Specialist Automotive Tools

Oil Service

N14-01 Series

3/8" Drive Oil Filter Cap Wrenches



Cap type, prevents damage to the filter housing, low profile design for tight spaces, heavy gauge steel
Max. torque 115 Nm (85 lbf. ft)



N14-016514	LAND ROVER, Japanese Cars
N14-016606	FIAT
N14-017612	FORD, PEUGEOT, RENAULT
N14-017614	BMW, MERCEDES, PORSCHE, VW, AUDI, SEAT
N14-018616	BMW, VOLVO
N14-019515	FORD: Transit van

CODE NO	Ø mm	Flutes	
N14-016514	65	14	12
N14-016606	66	6	12
N14-017612	76	12	12
N14-017614	76	14	12
N14-018616	86	16	12
N14-019515	95	15	12

N14-01S Series

3/8" Drive Oil Filter Sockets (Low Profile)



Low profile design for use on cartridge steel filters



N14-01S27	MERCEDES A-Class, FORD TDCi, NISSAN DCi, Renault
N14-01S32	OPEL Astra-G/Corsa-B/Zafira
N14-01S36	BMW 24V, FORD DuraTorq dizel / Transit, MERCEDES 116 MB Vito Cdi, OPEL 16V

CODE NO	Ø mm	
N14-01S27	27	12
N14-01S32	32	12
N14-01S36	36	6

N14-02 Series

1/2" Drive Oil Filter Cap Wrench (Aluminum)



Cap type, aluminum material for minimum risk of damage to filter housing, low profile design for tight spaces



N14-027414	AUDI, BMW, MERCEDES, VW
N14-029215	ALFA-ROMEO, AUDI, CHRYSLER, FORD, HONDA, MAN, MITSUBISHI, NISSAN, OPEL/VAUXHALL, PORCHE, RENAULT, VOLVO, VW (Especially for KNECHT and MAHLE filters)

CODE NO	Ø mm	Flutes	
N14-027414	74	14	12
N14-029215	92	15	12

N14-01K09

9 Piece Oil Filter Cap Wrench Set (Euro Vehicles)

new
design



Suitable for most Euro vehicles on the market, 3/8" drive content, supplied with 3/8"M-1/2"F adaptor



CODE NO	
N14-01K09	1



N14-01
Ø mm 66 (6 Flutes), 76 (12 Flutes), 76 (14 Flutes), 86 (16 Flutes)



N14-01S
Ø mm 32 (6 Flutes), 36 (6 Flutes)



N14-02
Ø mm 74 (14 Flutes), 92 (15 Flutes)



C21-91S F1/2" - M3/8"



Oil Service

N14-03 Series

Oil Filter Wrenches (with Double Chain)



Very high clamping power, swivel head, duplex chain for security

CODE NO	∅ mm	mm	
N14-031	60-110	230	1
N14-032	60-160	230	1
N14-033	60-195	230	1

N14-03SQ Series

Oil Filter Wrenches (with Thin Double Chain)



For operation in restricted areas, very high clamping power, duplex chain for security

12.5
1/2"

CODE NO	∅ mm	
N14-031SQ	60-110	1
N14-032SQ	70-170	1

N14-04S Series

Metal Band Oil Filter Wrenches (Rotating Head)



Ease of working in tight spaces thanks to the swivel joint, textured areas on the metal band surface that prevent the filter from slipping

CODE NO	∅ mm	mm	
N14-04S1	70-82.5	200	6
N14-04S2	87-95	200	6
N14-04S3	95-110	200	1

N14-05 Series

Oil Filter Strap Wrenches



Reinforced rubberised strap

CODE NO	∅ max. mm	mm	
N14-051	160	225	6
N14-052	200	225	6



Spare Strap (for N14-05 Series)

CODE NO		
N14-051R	N14-051	6
N14-052R	N14-052	6



N14-061S

Oil Filter Band Wrench (Ergo Grip)



High strength non slip metal strap, durable ergonomic handle



CODE NO	∅ mm	mm	
N14-061S	60-100	155	6



Spare Strap (for N14-06 Series)

CODE NO	N14-061S, N14-06	10 •
---------	------------------	------

N14-081

Adjustable Oil Filter Pliers



Slip joint design quickly adjusts to most filter sizes

CODE NO	∅ mm	mm	
N14-081	60-100	300	6

N14-071

3/8" Drive 3 Arm Oil Filter Claw Wrench



Self-adjusting mechanism: higher applied torque for tighter claw grip, 3/8" drive, supplied with 3/8"M-1/2"F adaptor

10
3/8"



CODE NO	∅ mm	
N14-071	65-120	1

N14-072

1/2" Drive 3 Arm Oil Filter Claw Wrench (Commercial Vehicles)



For commercial vehicles, also used on air dryer cartridges, self-adjusting mechanism: higher applied torque for tighter claw grip, 1/2" drive

12.5
1/2"



CODE NO	∅ mm	
N14-072	95-165	1

12 Specialist Automotive Tools

Oil Service

N14-07DSG1

1/2" Dr. Oil Filter Wrench for DSG Gear Oil Change (Short)



All features are the same as N14-07DSG2, but the product is manufactured in short type for common rail engines

12.5
1/2"

CODE NO	mm	mm	
N14-07DSG1	24	100	1

N14-07DSG2

1/2" Dr. Oil Filter Wrench for DSG Gear Oil Change (Long)



For VW group vehicles, used for covers during oil filter change in DSG gearboxes, batteries etc. requires no dismantling and saves about half an hour of time

12.5
1/2"

CODE NO	mm	mm	
N14-07DSG2	24	140	1

N14-10

Oil Drain Plug Wrench



For removal and installation of female oil drain plugs

CODE NO	mm	mm	
N14-10	8x10	285	6

N14-12S Series

3/8" Drive Square Oil Drain Plug Sockets



For removal and installation of female oil drain plugs

10
3/8"

CODE NO	mm	mm	
N14-12S08	8	36	1
N14-12S10	10	36	1
N14-12S12	12	36	1

N14-12X16

3/8" Drive XZN Tamper Proof Socket Bit- Short



3/8" Drive XZN Tamper Proof Oil Drain Plug Socket

10
3/8"

CODE NO	mm	mm	
N14-12X16	M16	36	1

N14-12F10

3/8" Drive Female Square Drain Plug Key



For use in engine, gearbox and differentials

10
3/8"

CODE NO	mm	mm	
N14-12F10	10	36	1

N14-12P14

14 Piece 3/8" Drive Oil Drain Plug Socket Set



10
3/8"

CODE NO	
N14-12P14	1

N14-12S 8, 10, 12 mm	N14-12X16 M16
N14-12H 8, 10, 12, 14, 17 mm	N14-12T45 T45
N14-12F10 10 mm	N14-12TR9
N14-12VAG.B	C11-37 3/8"x250 mm

N14-12VAG.B

1/4" Oil Drain Plug Bit - for VAG Plastic Plugs




Used in the assembly and removal of plastic oil drain plugs on VAG group cars

CODE NO	mm	
N14-12VAG.B	35 mm	1

N14-12R09

9 Piece 3/8" Drive Oil Drain Plug Socket Set



10
3/8"

CODE NO	
N14-12R09	1

N14-12S 8, 10, 12 mm	C11-40 3/8"x200 mm
N14-12H 8, 10, 12, 14, 17 mm	

Engine Timing

N15-T1PE

Crankshaft Pulley Removal Tool (for Ribbed Pulleys)



For removal of crankshaft and auxiliary pulleys, grooved legs for ribbed pulleys, low profile design for tight spaces

10
3/8"

CODE NO			
N15-T1PE	45-175	19	1

N15-T2UNI

Universal Pulley Wrench



For retaining the camshaft sprockets when replacing the timing belt or during engine maintenance work

CODE NO			
N15-T2UNI	60-220	400	10

N15-T3UNI

6 Piece Belt Tension Locking Pin Set



For locking the camshaft sprockets when changing the timing belt

CODE NO	
N15-T3UNI	1
6 PC: 0.79mm / .0310", 1.24mm / .0490", 1.37mm / .0540", 1.49mm / .0585", 1.68mm / .0660", 1.92mm / .0760"	

N15-K1VAG

Timing Tool Kit
(VAG 1.2D, 1.4D, 1.6D, 1.9D, 2.0D Tdi PD/CR)



Applications:

Audi: A1, A3, A4, A5, A6, Q5, TT / **Seat:** Alhambra, Altea, Cordoba, Ibiza, Leon, Toledo / **Skoda:** Fabia, Fabia II, Octavia, Octavia II, Roomster, Superb, Superb II, Yeti / **VW:** Amarok, Beetle, Bora, Caddy, EOS, Fox, Golf, Jetta, Lupo, Passat/CC, Polo, Scirocco, Sharan, Tiguan, Touran, Transporter / **Dodge:** Caliber / **Ford:** Galaxy / **Mitsubishi:** Grandis, Lancer, Outlander

Engine Codes:

VAG Pompe (Pompe Dusse): AJM, AMF, ANU, ARL, ASZ, ATD, AUY, AVB, AVF, AVQ, AWX, AXB, AXC, AXR, AZV, BAY, BDJ, BDK, BEW, BGW, BHC, BHW, BJB, BKC, BKD, BKE, BKP, BLB, BLS, BLT, BMA, BMM, BMN, BMP, BMR, BMS, BMT, BNA, BNM, BNV, BPW, BPX, BPZ, BRB, BRC, BRD, BRE, BRF, BRM, BRR, BRS, BRT, BRU, BSS, BST, BSU, BSV, BSW, BTB, BUK, BUY, BUZ, BVA, BVE, BVF, BVG, BVH, BVK, BWB, BWV, BXE, BXF, BXJ

VAG (Common Rail): CAAA, CAAB, CAAC, CAEC, CAGA, CAGB, CAGC, CAHA, CAHB, CAYA, CAYB, CAYC, CAYD, CAYE, CBAA, CBAB, CBAC, CBBA, CBBB, CBDA, CBDB, CBDC, CBEA, CCHA, CCHB, CDBA, CDCA, CEGA, CFCA, CFFA, CFFB, CFFC, CFHA, CFHB, CFHC, CFHE, CFHF, CFJA, CFWA, CGLA, CGLB, CJAA, CJCA, CJCB, CLCA, CLCB, CLJA, CLNA, CMEA

Dodge: ECD

Ford: ANU, ASZ, AUY

Mitsubishi: BWC, BSY

CODE NO	
N15-K1VAG	1

N15-K2VAG.U

Timing Tool Kit
(VW/Audi 1.2/1.4 TFSI - 1.4/1.6 FSI)



Applications:

Audi: A1, A3 / **Seat:** Altea, Cordoba, Ibiza, Leon, Toledo / **Skoda:** Fabia II, Octavia II, Roomster, Super II, Yeti / **VW:** Caddy, Eos, Golf, Jetta, Passat, Polo, Scirocco, Tiguan, Touran

Engine Codes:

AXU, BAG, BKG, BLN, BLF, BLG, BLP, BMY, BTS, BWK, CAVA, CAVB, CAVC, CAVD, CAVE, CAVF, CAXA, CAXC, CBZA, CBZB, CBZC, CDGA, CSMA

CODE NO	
N15-K2VAG.U	1

N15-K2VAG.12

Timing Tool Kit (VAG 1.2 TSI)



Applications:

Audi: A1, A3 / **Seat:** Altea, Ibiza, Leon, Toledo / **Skoda:** Fabia II, Octavia II, Praktik, Rapid, Roomster, Yeti / **VW:** Beetle, Caddy, Golf Plus, Golf VI, Jetta, Polo, Touran

Engine Codes: CBZA, CBZB, CBZC

CODE NO	
N15-K2VAG.12	1

N15-K3VAG

Timing Tool Kit
(VW/Seat/Skoda 1.2 6/12V)



Applications:

Seat: Cordoba, Ibiza / **Skoda:** Fabia, Fabia II, Roomster / **VW:** Fox, Polo

Engine Codes:

AWV, AZQ, BBM, BMD, BME, BXV, BZG, CEVA, CGPA, CGPB, CHFA, CHFB, CJLA

CODE NO	
N15-K3VAG	1

N15-K4VAG

Timing Tool Kit (VAG 1.0/1.2/1.4 TSI)



Applications:

VW Golf VII 2012+ / Jetta 2012+ / Santana/Gran/Lavida

Engine Codes:

EA211 1.0MPI 1.2TST 1.4MPI 1.4TSI

CODE NO	
N15-K4VAG	1

12 Specialist Automotive Tools

Engine Timing

N15-M1VAG

VAG Complete Master Timing Tool Kit



CASE WxHxD (mm)
600 x 270 x 60

Complete kit for timing belt/chain change almost for all VAG group diesel and petrol engines

Applications:

1.2 6V/12V, 1.4, 1.6, 1.8, 1.8T, 2.0 16 V petrol engines
1.4, 1.9, 2.0 TDI diesel engines

CODE NO

N15-M1VAG

1

N15-T1BMW

Injection Pump Puller (BMW 1.8, 2.0, 3.0D)



For the safe removal of the fuel pump when removing the pump sprocket, and to retain the position of the pump sprocket in-sit, whilst the pump is being removed from the engine

Applications:

BMW 318d, 320d (E46) 1988-2005 arası / 318td, 320td, 525d, 530d, 530, 535 (E60-61) 2000-2006 arası araçlarda bulunan M47, M47T2, M47TU, M57, M57TU kodlu motorlar içindir

CODE NO

N15-T1BMW

1

N15-K1BMW

Timing Tool Kit (BMW 2.0, 3.0D N47/N57)



Applications:

116d, 118d, 120d, 123d, 316d, 318d, 320d, 325d, 330d/xd, 520d, 525d, 530d, 530d GT, 535d, 535d GT, 730d/Ld, 740d, 740d xDrive, X1 sDrive 1.8d/2.0d, X1 xDrive 1.8d/2.0d/2.3d, X3 2.0d, X3 xDrive 1.8d/3.0d, X5 3.0d, X5 xDrive 4.0d, X6 xDrive 3.0d/4.0d

Engine Codes:

D20A, D20B, D20U0, D2000, D20T0, D30U0, D3000, D3001, D30T0

CODE NO

N15-K1BMW

1

N15-K2BMW

Timing Tool Kit (BMW/Mini 1.4, 1.6N13)



Kit also suitable for Citroen and Peugeot models, please refer to the detailed application and engine codes list

Applications:

BMW, Mini

Engine Codes:

N13, N16, N18,

CODE NO

N15-K2BMW

1

N15-K3BMW

Timing Tool Kit (BMW B38/B48/B58)



Used for installing and removing camshaft / variable camshaft timing unit



Applications:

BMW: 330e 2016-17 | 740e xDrive 2017-17 | i8 2015-17
Mini: Cooper 2015-17 | Cooper Countryman 2017

Engine Codes:

BMW/Mini: B38, B48, B58

CODE NO

N15-K3BMW

1

N15-K1FIA

Timing Tool Kit (FIAT 1.3 MultiJet/OPEL 1.3 CDTI)



Kit also suitable for Suzuki and Ford models, please refer to the detailed application and engine codes list



Applications:

Alfa Romeo: MiTo / Fiat: 500, Albea (TR), Doblo/Cargo, Fiorino, Grande Punto, Idea, Linea, Panda, Punt, Punto Evo, Qubo / Ford: Ka / Lancia: Musa, Ypsilon / Suzuki: Ignis, Splash, Swift, Wagon R+ / Vauxhall/Opel: Agila, Agila*B, Astra-H, Astra-J, Astra-K, Combo-C, Corsa-C, Corsa-D, Meriva-A, Meriva-B, Tigra-B

Engine Codes:

Fiat Group: 169A1.000, 188A8.000, 188A9.000, 199A2.000, 199A3.000, 199A9.000, 199B1.000, 199B2.000, 223A9.000

Suzuki: D13A, Z13DT, Z13DTJ

Vauxhall/Opel: A13DTC, A13DTE, A13DTR, D13A, LDV/A13DTC, LSF/A13DTE, Y13DT, Y13DTH, Z13DT, Z13DTi, Z13DTH, Z13DTJ, Z13DTR

CODE NO

N15-K1FIA

1

N15-K1FIA/3

1

Engine Timing

N15-K3FIA

Timing Tool Kit (FIAT 1.6D, 1.9D, 2.0D, 2.4D JTD/MultiJet)



Applications:

Alfa Romeo: 145, 146, 147, 156, 159, 166, Brera, Crosswagon, Giulietta, GT, MiTo, Spider / **Fiat:** Brava/Bravo, Croma, Doblo/Cargo, Grande Punto, Idea, Linea, Marea/Weekend, Multipla, Palio Weekend, Punto, Punto Evo, Sedici, Stilo, Strada Pick-Up / **Lancia:** Delta, Kappa, Lybra, Musa, Thesis

Engine Codes:

182B4.000, 182B9.000, 185A6.000, 186A6.000, 186A8.000, 186A9.000, 188A2.000, 188A7.000, 188B2.000, 192A1.000, 192A3.000, 192A5.000, 192A8.000, 192A9.000, 192B1.000, 192B4.000, 192B5.000, 198A2.000, 198A3.000, 198A6.000, 199A5.000, 223A7.000, 223B1.000, 323.02, 325.01, 342.02, 350A2.000, 350A3.000, 362.02, 371.01, 838A8.000, 839A5.000, 839A6.000, 841C.000, 841G.000, 841H.000, 841M.000, 844A1.000, 844A2.000, 937A2.000, 937A3.000, 937A4.000, 937A5.000, 937A6.000, 939A1.000, 939A2.000, 939A3.000, 939A7.000, 939A8.000, 939A9.000, 940A3.000, 940A4.000, 940A5.000, 955A3.000, 955A4.000, D19AA

CODE NO

N15-K3FIA



1

N15-K2REN

Timing Tool Kit (RENAULT 1.4, 1.6, 1.8, 2.0 16V)



Applications:

Renault: Avantime, Clio II, Clio III/Sport, Espace/Grand Espace, Kangoo/Trekka, Kangoo II/Be Bop, Laguna, Laguna II, Laguna III, Logan/MCV, Megane, Megane II, Megane III/Sport, Megane/Scenic, Modus/Grand Modus, Scenic/RX4, Scenic/Grand Scenic II, Trafic II, Twingo II/Sport / **Nissan:** Kubistar, Primastar / **Vauxhall/Opel:** Vivaro

Engine Codes:

K4J: 730, 732, 740
K4M: 708, 730, 732, 752, 753, 760, 761, 764, 812, 813
F4P: 720, 722, 760, 770, 771, 772, 773, 774, 775
F4R: 700, 701, 712, 713, 714, 715, 720, 722, 730, 732, 740, 741, 744, 746, 762, 763, 764, 765, 766, 767, 770, 771, 774, 776, 780, 784, 786, 787, 790, 791, 792, 794, 795, 796, 797, 800, 802, 810, 811, 820, 830, 832, 867, 870, 874, 886, 887, 896, 897

CODE NO

N15-K2REN



1

N15-T1REN

Camshaft Sprocket Holding Tool (RENAULT 1.4, 1.6 16V)



For camshaft sprocket holding during timing belt change, an ideal addition to kit N15-K2REN

Applications:

1.4, 1.6 16V petrol engines

Engine Codes:

K4J: 730, 732, 740

K4M: 708, 730, 732, 752, 753, 760, 761, 764, 812, 813

CODE NO

N15-T1REN



1

N15-K3REN

Timing Tool Kit (RENAULT 2.2, 2.5 dCi)



Kit also suitable for Nissan and Vauxhall/Opel models, please refer to the detailed application and engine codes list

Applications:

Renault: Espace, Master, Traffic / **Nissan:** Interstar, Primastar / **Vauxhall/Opel:** Movano, Vivaro

Engine Codes:

G9U, G9T

CODE NO

N15-K3REN



1

N15-K3REN/3



1

N15-M1REN

Master Timing Tool Kit (RENAULT)



CASE WxHxD (mm)
370 x 300 x 80

Complete kit for timing belt/chain change almost for all RENAULT group diesel and petrol engines



Applications:

1.2, 1.4, 1.6, 1.8, 2.0 16V, 2.5 20V petrol engines
1.9 D/TD/dTi, 2.2 D/TD, 2.5D, 2.8 dTi diesel engines
1.5 dCi, 1.9 dCi, 2.2 dCi, 2.5 dCi diesel engines

CODE NO

N15-M1REN



1

N15-M1FRD

Complete Master Timing Tool Kit (FORD)



CASE WxHxD (mm)
600 x 270 x 60

Complete kit for timing belt/chain change almost for all FORD group diesel and petrol engines



Applications:

1.25, 1.4, 1.6, 1.6 Ti-VCT, 1.8, 2.0 petrol engines
1.4/1.6 TDCi, 1.8 D/TD/TDCi/TDDi, 2.0 TDCi diesel engines

CODE NO

N15-M1FRD



1

12 Specialist Automotive Tools

Valve, Piston and Injectors

N16-0101

Valve Spring Compressor



For the compression of valve springs during valve change, for most small and medium size OHV engines, parallel lift action with automatic lock

CODE NO	CAPACITY mm	mm	
N16-0101	75-225	300	1

N16-06

13 Piece Professional Cylinder Head Service Kit



CASE WxHxD (mm)
490 x 250 x 60

Complete kit for removal of valve springs and guides/bushings without the need to remove the head, suitable for 8V, 16V and 24V engines

CODE NO	
N16-06	1

N16-07

Valve Stem Seal Pliers



For removal and installation of valve stem seals on 16V and 24V OHC engines, long stem, serrated tips



CODE NO	mm	
N16-07	280	6

N16-10 Series

Piston Ring Compressors



To hold piston rings in position while inserting the pistons into cylinders, spring steel wrap, ratchet action tensioning, supplied with key

CODE NO	mm	mm	
N16-1001	53-125	75	1
N16-1002	53-175	75	1
N16-1003	60-125	100	1
N16-1004	60-175	100	1
N16-1005	60-175	150	1

N16-11 Series

Piston Ring Expanders



For assembling and dismantling piston rings

CODE NO	mm	mm	
N16-1110	50-100	215	1
N16-1116	110-160	260	1

N17-052208

1/2" Drive Diesel Injector Socket - 22 mm



12.5
1/2"

For removal and installation of diesel injectors

Application:
Nissan, VW

CODE NO	mm	mm	
N17-052208	22	78	10

N17-052211

1/2" Drive Diesel Injector Socket - 22 mm



12.5
1/2"

For removal and installation of diesel injectors

Application:
Audi, BMW, Mercedes, Rover, Seat, Vauxhall/Opel, Volvo, VW

CODE NO	mm	mm	
N17-052211	22	110	10

N17-052708

1/2" Drive Diesel Injector Socket - 27 mm



12.5
1/2"

For removal and installation of diesel injectors

Application:
BMW, Fiat, Ford, Peugeot

CODE NO	mm	mm	
N17-052708	27	80	10



Injectors

N17-05L14

1/2" Drive 12-Point Injection Line Socket - 14 mm



Used for bolted connections in injector lines

Applications:

Fiat, Citroen, Peugeot, Renault, Iveco (Common Rail engines)
BMW, Mercedes-Benz, VW (bolted injector line connections)

CODE NO			
N17-05L14	14	119	1

12.5
1 1/2"

N17-05L17

1/2" Drive 12-Point Injection Line Socket - 17 mm



Used for bolted connections on injection lines

Applications:

Mercedes-Benz 100, 130, 314, 360, 360h, 352A, 346/355, 401, 402, 403, 407h, 615, 616, 617

CODE NO			
N17-05L17	17	119	1

12.5
1 1/2"

N17-05L19

1/2" Drive 12-Point Injection Line Socket - 19 mm



Used for bolted connections in injector lines

Applications:

Mercedes-Benz 352 A, 346/355 A, 401, 402/422 LA, 403, 407h

CODE NO			
N17-05L19	19	119	1

12.5
1 1/2"

Exhaust System

N18-1522S

3/8" Drive Oxygen (Lambda) Sensor Socket



Suitable for heated and unheated oxygen sensors, cut-out wiring section

CODE NO			
N18-1522S	22	90	10

10
3/8"

N18-1522SL

1/2" Drive Offset Oxygen Sensor Socket - 22 mm



Used for removal and installation of heated and unheated oxygen sensors, angled design allows access to the sensor from the side instead of the top and prevents cable damage.

CODE NO		
N18-1522SL	22	1

12.5
1 1/2"

N18-CC

Chain Type Exhaust Cutter



Suitable for steel, copper and PVC pipes up to 2.6 mm, Especially recommended for cutting exhaust pipes, 13 blade cutter chain, Epoxy coated, High strength sheet steel handle

CODE NO			
N18-CC	15-75	250	1

CODE NO		
N18-CCR	for N18-CC	1

Brake System

N21-0102

Brake Fluid Tester



For testing hydraulic brake fluid quality, suitable for DOT4 brake fluids, colour coded bulb indicators, suitable for cars, trucks and motorbikes, 1xAAA battery (included)



Application: DOT 4

CODE NO		
N21-0102	150	25

N21-0302

Brake Fluid Bleeder Set (Pneumatic)



For the extraction of brake fluid on wheel brake cylinders / brake calipers, pneumatic, suitable for ABS brakes, supplied complete with two refill containers

CODE NO	CAPACITY litre	
N21-0302	0.75-1	1

12 Specialist Automotive Tools

Brake System

N21-04P12

12 Piece Brake Caliper Wind-Back Tool Kit



Used to mount pistons into brake calipers during the assembly of new brake pads, suitable for push-back and wind-back brakes

CODE NO	
N21-04P12	1

N21-05

Disc Brake Piston Spreader Tool



Used to retract the piston during the assembly of new brake pads

CODE NO	CAPACITY mm	
N21-05	0-70	1

N21-20BC

Caliper Gauge for Brake Discs



For accurate measurement of brake disc thickness, 0.1 mm graduated metric scale, floating jaw, supplied in plastic case

CODE NO	CAPACITY max.mm	
N21-20BC	60	1

N21-30DST

Draw Spring Assembly Tool



Used in the assembly and disassembly of the pull wire of the parking brake linings (rear disc)

CODE NO	mm	
N21-30DST	155	6

N21-10

Brake Caliper Brush



For cleaning dust from brake callipers, suitable for disc brakes, one row steel wire, high quality plastic handle

CODE NO	mm	
N21-10	220	1

N21-04P21

21 Piece Brake Caliper Wind-Back Tool Kit



Used to mount pistons into brake calipers during the assembly of new brake pads, suitable for push-back and wind-back brakes

CODE NO	
N21-04P21	1

N21-20BCW

Caliper Gauge for Brake Discs / Thickness Gauge

Ideal for measuring brake disc thickness without the need for tire removal, for customer supervised measurement




CODE NO	CAPACITY max.mm	
N21-20BCW	45	1

Chassis

N22-01K05

Coil Spring Compressor Kit

- Suitable for removing coil springs safely
- Maximum 1500 kg load
- Includes 2 pairs of jaws
- Suitable for most vehicles on the market



CODE NO

N22-01K05



1

C64W-H Series

1/2" Drive Impact Wheel Nut Sockets



DuraMAX

New model offers 5x the product lifetime of the "original" range, 6-point, color coded



CODE NO	mm	mm	COLOUR	
C64W-H17	17	86.5	Blue	6
C64W-H19	19	86.5	Yellow	6
C64W-H21	21	86.5	Red	6

C64W-P03

3 Piece 1/2" Drive Impact Wheel Nut Socket Set



CASE WxHxD (mm)
147 x 104 x 40



CODE NO

C64W-P03

3 PC: 17, 19, 21 mm



1

C64-H17MB

1/2" Drive Convex Wheel Nut Socket (Mercedes S-Class)



For use on wheel nuts on Mercedes S-Class series

CODE NO	mm	mm	
C64-H17MB	17	78	6

N22-0202

Coil Spring Compressor Set



Jaw design suitable for tight spaces under wheel arch, forged Chrome Molybdenum steel jaws and lead screws

CODE NO	CAPACITY mm	mm	
N22-0202	65-320	13	1

N23-011

4-Way Wheel Nut Wrench

DIN 3119, ISO 6788



Special tool steel, hardened and tempered, zinc finish

CODE NO

N23-011

mm

17, 19, 21, 22

mm

420



1

N23-032038

Wheel Nut Wrenches for Trucks - Single End

TS 3793, DIN 899



For commercial vehicles

CODE NO	mm	mm	
N23-032038	20 x 38	400	1

N23-0750

Tyre Lever



CODE NO

N23-0750

mm

500 - 20"



6

12 Specialist Automotive Tools

Chassis

N23-03K1AU

20 Piece Wheel Lock Lug Nut Socket Set (AUDI)

new
design



For clover leaf security lug nuts, use with 17 mm wheel nut sockets

CODE NO	
N23-03K1AU	1
20 PC No: 801, 802, 803, 504, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820	

N23-03K1BMW

20 Piece Wheel Lock Lug Nut Socket Set (BMW)

new
design



For clover leaf security lug nuts, use with 17 mm wheel nut sockets

CODE NO	
N23-03K1BMW	1
20 PC No: 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60	

N23-03K1VW

20 Piece Wheel Lock Lug Nut Socket Set (VW)

new
design



For clover leaf security lug nuts, use with 17 mm wheel nut sockets

CODE NO	
N23-03K1VW	1
20 PC No: 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540	

N23-03K2BMW

20 Piece Wheel Lock Lug Nut Socket Set (BMW)

new



For clover leaf security lug nuts, use with 17 mm wheel nut sockets

CODE NO	
N23-03K2BMW	1
20 PC No: B11/15 ribs, B12/14 ribs, B13/16 ribs, B14/12 ribs, B15/11ribs, B16/10 ribs, B17/7 ribs, B18/13 ribs, B19/8 ribs, B20/9 ribs, B30/13 point, B31/15 point, B32/16 point, B33/17 point, B34/18 point, B35/19 point,	

N23-03K2VW

22 Piece Wheel Lock Lug Nut Socket Set (VW)

new



For clover leaf security lug nuts, use with 17 mm wheel nut sockets

CODE NO	
N23-03K2VW	1
22 PC No: 51/6pt, 52/7pt, 53/8pt, 54/9pt, 55/10pt, 56/11pt, 57/12pt, 58/13pt, 59/14pt, 60/15pt, 61/16pt, 62/17pt, ABC0/10pt, ABC1/11pt, ABC2/13pt, ABC3/14pt, ABC4/14pt, ABC5/16pt, ABC6/17pt, ABC7/19pt, ABC8/20pt, ABC9/21pt	



N23-03 Series socket sets are not suitable for impact use
Sale to individuals is not permitted, available only for corporate sales

N23-08TD

Digital Tyre Tread Depth Gauge



Metric and imperial readings, large display reading 0.01 mm, 1xCR2032 battery (included)

CODE NO	max mm	
N23-08TD	25	1

N23-0604

4 Piece Plastic Scraper Set



Used for removing balance leads from alloy wheels without damage, also used for removing labels and adhesives, resistant to chemicals

CODE NO	mm	mm	
N23-0604	19, 22, 24, 36	265	1

N23-0525

Wheel Balancing Weight Pliers



For installing, removing and cutting balance weights

CODE NO	mm	
N23-0525	240	12

Chassis

N23-08MC

Michelin Tyre Inflator



Official Michelin licensed product, composite body, single clip-on connector, 1.5 m hose, 1/4" air inlet, suitable for nitrogen, accuracy to UNI EN 12645:2014

CODE NO	psi - bar	
N23-08MC	145 - 10	1

N23-0811G

Tyre Inflator - Pro



63 mm dial type gauge with psi / bar indication, composite body, single clip-on connector, 1/4" air inlet

CODE NO	psi - bar	
N23-0811G	170 - 12	1

N23-0811D

Tyre Inflator (Digital Pressure Display)

new

High resolution large digital display screen with backlight helps to use in dark. Accuracy of usage under -20°. Scale reading in Psi, Bar, Kpa, Kg/cm². Hose with a pressure resistance of 300 psi with dimensions 1/4" x 60 cm. Battery: 2 x 1.5V AAA batteries.

CODE NO	psi - bar	
N23-0811D	255 - 18	1

N23-0812G

Tyre Inflator



63 mm dial type gauge with psi / bar indication, die-cast body, single clip-on connector, 1/4" air inlet

CODE NO	psi - bar	
N23-0812G	170 - 12	1

12 Specialist Automotive Tools

Chassis

N23-0825

Tyre Inflator Chuck



Zamak head, steel body (chrome finish), 1/4" air inlet, rubber handle



CODE NO	Ø mm	mm	mm
N23-0825	1/4	250	6

N23-0831

Tyre Pressure Gauge (for Cars)



Pen type, psi scale, features valve deflator and pocket clip, steel body (chrome finish)



CODE NO	psi	mm	mm
N23-0831	10 - 120	135	25

N23-0832

Tyre Pressure Gauge (for Commercial Vehicles)



Suitable for cars and commercial vehicles, psi scale, zamak head, steel body (chrome finish)



CODE NO	psi	mm	mm
N23-0832	10 - 150	300	10

N23-10

Universal Ball Joint Puller



For removing ball joint pivots of steering tie rods, stabilizers, etc., suitable for cars and light commercial vehicles

CODE NO	Ø mm	h ^{max.} mm	mm
N23-10	22	50	1

N23-11

Universal Ball Joint Puller (2-Stage Lever Position)



For removing ball joint pivots of steering tie rods, stabilizers, etc., especially for German cars

CODE NO	Ø mm	h ^{max.} mm	mm
N23-11	22	12-50	1

N23-12 Series

Ball Joint Pullers



For removing ball joint pivots of steering tie rods, stabilizers, etc.

CODE NO	WxH mm	Ø mm	mm
N23-1218	36x 38	18	1
N23-1225	45x 47	25	1
N23-1230	62x 66	30	1
N23-1240	62x 77	40	1
N23-1246	81x 81	46	1

N23-08VCT

Valve Core Tool



Used for removing and installing tyre valve pins.



CODE NO	mm	mm
N23-08VCT	70	12



Chassis

N23-15 Series

Steering Arm Removal Wrenches



For removal of steering arms, for use with 30 mm wrenches
N23-15P: for cars, N23-15C: for commercial vehicles

CODE NO	Ø mm	mm	
N23-15P	34.5 - 39.5	430	1
N23-15C	37.5 - 44	435	1

N23-14 Series

Tie Rod / Ball Joint Separator



For fast removal of track rod and push rod ends, pitman arms and other parts of the steering

CODE NO	Ø mm	mm	
N23-1418	18	400	6
N23-1424	24	300	6

N23-1850

1/2" Drive Spreader Socket for Wheel Bearing Housings



Used to expand the shock absorber and rod assembly
(to separate the shock absorber from the rubber hub bearing housing)

12.5
1/2"

CODE NO	mm	mm	
N23-1850	5.0x7	60	6

N23-1855

1/2" Drive Spreader Socket for Wheel Bearing Housings



Used to expand the shock absorber and rod assembly
(to separate the shock absorber from the rubber hub bearing housing)

12.5
1/2"

CODE NO	mm	mm	
N23-1855	5.5x8	50	6

N23-19DH

Seal Puller



Used for removing oil seals in the drivetrain without damaging the gasket and cast gasket seats.

CODE NO	mm	
N23-19DH	300	6

N23-42

Universal Clutch Aligner



For aligning / centering clutch plate to the pressure plate, for cars and commercial vehicles up to 5 tons, plastic body, supplied with 3 metal expansion mandrels

CODE NO	
N23-42	10

N23-38

Special Retaining Ring Pliers (Angled Jaws-Centering Hole)



For circlips on cardan shafts and gear boxes, angled tips with centering hole

CODE NO	mm	
N23-38	210	20

N23-39

Special Retaining Ring Pliers (Straight Jaws)



For circlips on outside lockrings (shafts) i.e.: gearboxes, chequered straight tips

CODE NO	mm	
N23-39	210	20

12 Specialist Automotive Tools

Trim Tools and Body

N31-1105

5 Piece Trim and Upholstery Removal Set



Set for trim and trim stud removal, durable polyamide material, minimum damage to panels



CODE NO		
N31-1105		1

N31-12

Trim Clip Removal Tool

new design



Used to remove the plastic fixing clips on door trims

CODE NO	mm	
N31-12	150	6

N31-13

Trim Clip Removal Pliers



Used to remove the plastic fixing clips on door trims



CODE NO	mm	
N31-13	240	12

N31-14

Wiper Arm Extractor



For the fast and safe removal of taper mounted windscreen wiper arms, ball-end thrust bolt

CODE NO	mm	
N31-14	16	6

N33-01BMC2/MS

Bumping Hammer (Flat Round and Milled Square Head)

new



Stretching and planishing hammer, flat round face, chequered square face, genuine hickory wooden handle

CODE NO	mm	mm	mm	
N33-01BMC2/MS	43	43	335	6

N33-01SPF

Finishing Hammer (Flat Round and Straight Pein)

new



Finishing hammer with a straight, thin pein, flat round head, genuine hickory wooden handle

CODE NO	mm	mm	
N33-01SPF	43	335	6

N33-01BPF

Finishing Hammer (Flat Round and Pointed Pein)

new



Finishing hammer with a round, point pick, flat round head, genuine hickory wooden handle

CODE NO	mm	mm	
N33-01BPF	43	335	6

N33-02UA

Universal Anvil Dolly

new



Ground faces

CODE NO	WxDxH mm	
N33-02UA	61.5 x 70 x 63.5	6

N33-02PW

Wedge Dolly

new



Ground faces

CODE NO	WxDxH mm	
N33-02PW	64 x 112 x 25.8	6

N33-02CW

Curved Dolly

new



Ground faces

CODE NO	WxDxH mm	
N33-02CW	58.5 x 132 x 44.2	6

N31-APW2 Air Pump Wedge

new

- For levelling of elements from gaps of 2 mm to 50 mm
- One handed release valve for precise operation
- Made of fiber-reinforced material
- Particularly suitable for opening of car doors



CODE NO	Pressure	WxH mm	
N31-APW2	approx. 100 kg/pc.	150x160	1

Body

N33-02HE

Heel Dolly

new

Ground faces

CODE NO	WxDxH mm	
N33-02HE	80 x 60.5 x 29.5	6

N33-02TO

Toe Dolly

new

Ground faces

CODE NO	WxDxH mm	
N33-02TO	118.5 x 54.5 x 23.5	6

N33-02DE

Double End Dolly (Convex and Flat Head)

new

Ground faces

CODE NO	WxDxH mm	
N33-02DE	Ø 55.5 x Ø 55.5 x 57.5	6

N33-02PWC

Curved Wedge Dolly

new

Ground faces

CODE NO	WxDxH mm	
N33-02PWC	126 x 66.5 x 27.5	6

N33-03SL

Long Single End Spoon (Flat End)

new

Enamelled with ground faces

CODE NO	LxGxY mm	
N33-03SL	391 x 56.8 x 25.8	6

N33-03SS

Short Single End Spoon (Flat End)

new

Enamelled with ground faces

CODE NO	LxGxY mm	
N33-03SS	286 x 51 x 68.5	6

N33-03DS

Double End Spoon (Angled and Flat Ends)

new

Enamelled with ground faces

CODE NO	LxGxY mm	
N33-03DS	401 x 59.5 x 172.7	6

N33-04

Bodywork File Holder



For 14" bodywork files, control knob to adjust curve

CODE NO	mm	DELIVERY	
N33-04	370	N33-04F + N33-04R	1
N33-04F	370	Holder only	1



N33-04R	350	Spare File	6 •
---------	-----	------------	-----

N33-04RC Series

Bodywork File (Curved Cut)



Flat, milled curved cut, long life

DuraMAX

CODE NO	mm	TPI*	
N33-04R1C	350	9	12
N33-04R2C	350	12	12

TPI: Teeth per inch

N33-04RD Series

Bodywork File (Diagonal Cut)



Flat, milled diagonal cut, long life

DuraMAX

CODE NO	mm	TPI*	
N33-04R1D	350	9	12
N33-04R2D	350	12	12
N33-04R3D	350	18	12

TPI: Teeth per inch

12 Specialist Automotive Tools

Body

N33-05C

Punch / Flange Combination Tool

Forms crimped edges on sheet metals, punches holes for spot-welding (MIG), time-saving tool



CODE NO	mm	mm	
N33-05C	115	370	1



N36-1002

Suction Lifter (Two Heads)

For glass, tiles, plastic, sheet metal etc., push-lock levers, holds up to 80 kg in horizontal position



CODE NO	mm	mm	
N36-1002	115	370	1

N36-WRT

Bonded Windscreen Removal Tool



Used for removal of windscreens on vehicles, hardened cutting edge easily cuts through adhesive glass paste

CODE NO	mm	
N36-WRT	165	1

N36-WH2

Pair of Handles for Windscreen Bond Cutting Wire



Plastic handle holder tool for windscreen bond cutting wires, sold in pairs

CODE NO	mm	
N36-WH2	98	1

N36-CS0722

Windscreen Bond Cutting Wire



Used for cutting through adhesive glass paste around windscreens

StainlessSteel

CODE NO	mm	m	
N36-CS0722	0.7	22	20



Chapter /1 Page 56



Pull Clamps

N37-02SM1

Small Mouth Pull Clamp



Single way operation pull clamp for tight spaces
Clamping Area: width 44 mm / depth 24 mm

CODE NO	CAPACITY ton	
N37-02SM1	5	1

N37-02SM2

Small Mouth Pull Clamp (Two Way)



Two way operation pull clamp for tight spaces
Clamping Area: width 44 mm / depth 24 mm

CODE NO	CAPACITY ton	
N37-02SM2	5 (I) -2 (II)	1

N37-02SJ1

Symmetric Jaw Pull Clamp



Single way operation pull clamp, symmetric jaws
Clamping Area: width 37 mm / depth 15 mm

CODE NO	CAPACITY ton	
N37-02SJ1	3	1

N37-02AJ1

Asymmetric Jaw Pull Clamp



Single way operation pull clamp, asymmetric jaws
Clamping Area: width 37 mm / depth 15 mm

CODE NO	CAPACITY ton	
N37-02AJ1	3	1

N37-02HD1

Heavy Duty Pull Clamp



Single way operation heavy duty pull clamp
Clamping Area: width 46 mm / depth 21 mm

CODE NO	CAPACITY ton	
N37-02HD1	5	1

N37-02FR1

Frame Rack Pull Clamp



Single way operation, flat profile pull clamp
Clamping Area: width 118 mm / depth 18 mm

CODE NO	CAPACITY ton	
N37-02FR1	5	1



12 Specialist Automotive Tools

Electrical and Battery Systems

N41-10 Battery Fluid Tester



Suitable for measuring the electrolyte density inside battery fluid, tubular composite body, easy to read indicator 

CODE NO	mm	
N41-10	200	10

G09-11 Car Electric Circuit Tester




Brass body with test light, 850 mm cable with alligator clip 

CODE NO	DC (V)	
G09-11	6-24	10

G09-16 Car Electric Circuit Tester - Pro



Spring loaded, pointed probe for testing through insulation, twin LEDs indicate live circuit and polarity, 850 mm cable with alligator clip



CODE NO	DC (V)	
G09-16	3-48	10

N42-01M10 1/2" Drive Spline (XZN) Alternator Socket



For the removal and installation of the V-(ribbed) belt pulley on the alternator

12.5
1/2"

CODE NO		mm	
N42-01M10	M10	17	25

N42-01T50 1/2" Drive TORX Alternator Socket



For the removal and installation of the V-(ribbed) belt pulley on the alternator

12.5
1/2"

CODE NO		mm	
N42-01T50	T50	17	25

N42-01K13 13 Piece Alternator Pulley Removal Kit

new
design




CASE WxHxD (mm)
245 X 129 X 40

Complete kit for the removal and installation of the V-(ribbed) belt pulley on the alternator

CODE NO	
N42-01K13	1

N43-1020 20 Piece Radio Release Tool Set



Selection of keys for removal of car radios, supplied in pouch

Applications:

Audio Brands: Alpine, Blaupunkt, Becker, JVC, Pioneer, VDO
Car Models: BMW, Fiat, Ford, Mercedes, Opel, PSA, Renault, VAG

CODE NO	
N43-1020	1

N43-01K1UNI 12 Piece Terminal Release Tool Kit (Universal)

new
design



CASE WxHxD (mm)
315 x 155 x 50

CODE NO	
N43-01K1UNI	1

N43-01T 12 PC: (01 + 02 + 04 + 01S + 02S + 04S + 10 + 14 + 15 + 20 + 30 + 31)
Ref. CE-01, CE-05, CE-02, 01S, 02S, 04S, CE-56, CE-59, CE-62, CE-91, CE-74, CE-53)

N43-01K1VAG 11 Piece VW/Audi Terminal Release Tool Kit (VAG)

new
design



CASE WxHxD (mm)
315 x 155 x 50

CODE NO	
N43-01K1VAG	1

N43-01T 11 PC: (01 + 04 + 01S + 04S + 10 + 11 + 12 + 13 + 20 + 30 + 31)
Ref. CE-01, CE-02, 01S, 04S, CE-56, CE-56-1, CE-57, CE-58, CE-91, CE-74, CE-53)

Electrical and Battery Systems

N43-01T Series

Ejection Tools (for Round Contacts)



For round snap-in receptacles, including dismantling sleeve, folding handle design

Applications:

N43-01T01 + N43-01T01S: BMW, Mercedes-Benz, Fiat, MAN, Opel, Porsche, Seat, Skoda, VW/Audi

N43-01T02 + N43-01T02S: Ford, Opel, PSA, Renault

N43-01T04 + N43-01T04S: BMW, Mercedes-Benz, Fiat, MAN, Opel, Porsche, Seat, Skoda, VW/Audi

CODE NO	Ref.	Ø mm	
N43-01T01	CE-01	1.5	1
N43-01T02	CE-05	2.3	1
N43-01T04	CE-02	3.5	1

N43-01TS Series

Spare Dismantling Sleeves (for N43-01T Series)



Spare sleeves for use with N43-01T01 to N43-01T04

CODE NO		L mm	
N43-01T01S	N43-01T01	30	1
N43-01T02S	N43-01T02	35	1
N43-01T04S	N43-01T04	24	1

N43-01T10

Ejection Tool (for Micro-Timer II, III Contacts)



For flat plug-in sockets, Micro-Timer II, III contacts, folding handle design

Applications:

Mercedes-Benz, Opel, Porsche, PSA, Renault, Saab, Seat, Skoda, VW/Audi

CODE NO	Ref.	□ mm	
N43-01T10	CE-56	1.6	1

N43-01T11

Ejection Tool (for Flat Plug-in Sockets) - 0.64 mm



For flat plug-in sockets with asymmetrically positioned latches in terminals with two release channels, folding handle design

Applications:

Seat, Skoda, VW/Audi

CODE NO	Ref.	□ mm	
N43-01T11	CE-56-1	0.64	1

N43-01T/12-13

Ejection Tools (for Flat Plug-in Sockets)



For flat plug-in sockets with asymmetrically positioned latches in terminals with two release channels, folding handle design

Applications:

Seat, Skoda, VW/Audi

CODE NO	Ref.	□ mm	
N43-01T12	CE-57	2.8	1
N43-01T13	CE-58	4.8	1

N43-01T14

Ejection Tool (for Flat Plug-in Sockets)



For flat plug-in sockets, Maxi Power Timer contacts, folding handle design

Applications:

Mercedes-Benz, VW/Audi

CODE NO	Ref.	□ mm	
N43-01T14	CE-59	9.5	1

N43-01T15

Ejection Tool (for Pit-Pod Contacts)



For flat plug-in sockets, Pit-Pod contacts, folding handle design

Applications:

For all vehicle makes

CODE NO	Ref.	□ mm	
N43-01T15	CE-62	various	1

N43-01T20

Ejection Tool (for JPT/SPT Contacts)



For flat plug-in sockets in terminals with two release channels, JPT/SPT contacts, folding handle design

Applications:

BMW, Mercedes-Benz, Fiat, Ford, MAN, Opel, PSA, Renault, Saab, VW/Audi

CODE NO	Ref.	□ mm	
N43-01T20	CE-91	2.8, 5.8	1

N43-01T30

Ejection Tool (for Micro-Timer I Contacts)



For flat plug-in sockets, Micro-Timer I contacts and ABS plug-in housing, folding handle design

Applications:

Fiat, Ford, Mazda, Opel, PSA, Renault, Saab, VW/Audi

CODE NO	Ref.	□ mm	
N43-01T30	CE-74	1.6	1

N43-01T/31-32

Ejection Tools (for Standard Flat Contacts)



For flat plug-in sockets locked in terminals with single release channel, folding handle design

Applications:

N43-01T31: BMW, Mercedes-Benz, Ford, MAN, Opel, Porsche, PSA, Renault, Seat, Skoda, VW/Audi
N43-01T32: BMW, PSA, Renault

CODE NO	Ref.	□ mm	
N43-01T31	CE-53	2.8, 5.8	1
N43-01T32	CE-54	2.8	1



CETA FORM



MEASURING TOOLS

■ Pocket Tape Measures	290
■ Long Tape Measures	292
■ Tank Dipping Tape Measures	292
■ Chalk Line Set	292
■ Vernier Calipers	293
■ Micrometers	293
■ Gauges	293
■ Rulers	293
■ Spirit Levels	294
■ Level Vials	295




13 Measuring Tools

P01 Series **Pro Brake** Tape Measures

Sets new standards in design and quality

- Blade accuracy to EC class II
- Double-side printed blades with Nylon coating for maximum durability
- Magnetic hook
- Self-locking stop mechanism for complete control when retracting blade
- ABS case in piano black finish



- 1 Magnet
- 2 Nominal length of the tape
- 3 Accuracy class
- 4 CE logo
- 5 Ec pattern approval no
- 6 Brand

CODE NO	m	mm	
P01-0522	5	22	8•
P01-0527	5	27	8•
P01-0827	8	27	8•





P05B Series

Compact Tape Measures (Black Series)

High quality at an affordable price

- Blade accuracy to EC class II
- Designed to have the smallest housing in class for easy handling
- Unique double stop mechanism
- Strong magnetic hook



- 1 Nominal length of the tape
- 2 Accuracy class
- 3 CE logo
- 4 Ec pattern approval no
- 5 Brand

CODE NO	m	mm	
P05B-0519	5	19	8•
P05B-1025	10	25	8•

P05 Series

Tape Measures

Compact



EEC class II accuracy, metric, double stop

CODE NO	m	mm	
P05-0316	3	16	12•
P05-0516	5	16	12•
P05-0519	5	19	12•
P05-0525	5	25	12•
P05-1025	10	25	8•



P05A Series

Tape Measures (Inch/Metric)

Compact



EEC class II accuracy, inch/metric, double-stop

CODE NO	m	mm	
P05A-0316	3m-10ft	16	12•
P05A-0519	5m-16ft	19	12•

P05S-0519

Stainless Steel Tape Measure

Compact



All metallic components in stainless steel, perfect for wet environments, EEC class II accuracy, metric, double stop

StainlessSteel 

CODE NO	m	mm	
P05S-0519	5	19	12

13 Measuring Tools

Pocket Tape Measures / Long Tape Measures / Chalk Line Set

P03 Series

C-Pro Tape Measures



EEC II accuracy class, metric, double side printed blade, softgrip ABS case



CODE NO	m	mm	Box
P03-0316	3	16	12 •
P03-0519	5	19	8 •
P03-0525	5	25	8 •

P10 Series

C-Grip Long Tape Measures (Fiberglass Blade)



EEC class II accuracy, metric, double side printed fiberglass blade, loop with retractable claw, softgrip ABS case, geared rewind mechanism

CODE NO	m	mm	Box
P10-10	10	15	1
P10-20	20	15	1
P10-30	30	15	1

P17-B03

Chalk Line Set



Self-chalking line, metal end support, softgrip ABS case, folding winder, supplied complete with a bottle of chalk and line level

CODE NO	m	Box
P17-B03	30	6

P07 Series

C-Pro Long Tape Measures (Steel Blade)



EEC class II accuracy, metric, steel blade, loop with retractable claw, ergonomic plastic frame, geared rewind mechanism



CODE NO	m	mm	Box
P07-20	20	13	1
P07-30	30	13	1
P07-50	50	13	1

P05-AD2

Adhesive Tape Measure



EEC class II accuracy adhesive tape, can be cut to size, ideal for workbenches, saw tables, counters etc.



CODE NO	m	mm	Box
P05-AD2	2	13	12

29100 Series

Tank Dipping Tape Measures (Stainless Steel Blade)



For depth measurement of liquids in tanks or silos, EEC class II accuracy, stainless steel blade, aluminium frame construction

Tapes ship with 29100D dipping weight



CODE NO	m	mm	Box
29110	10	13	1
29120	20	13	1

29100D

Dipping Weight (for 29100 Series)



Engraved scale, MS58 brass material

CODE NO	mm	g	Box
29100D	100	500	1



Vernier Calipers

P45D

Digital Vernier Caliper



Metric and imperial reading, large display reading 0.01 mm and 0.0005", zero setting control, depth gauge, stainless steel body, 1xSR44 battery (included), supplied in plastic case

StainlessSteel

CODE NO			
P45D	0-150	0-6	10

P45A

Vernier Caliper



Metric reading 0.02 mm, depth gauge, stainless steel body, supplied in plastic case

StainlessSteel

CODE NO			
P45A	0-150	0-6	10

Micrometers / Rulers / Gauges

P47 Series

External Micrometers



0.01 mm graduations, clamping ring and ratchet stop, carbide tipped anvils, heat plates, supplied in plastic case

CODE NO		
P47-025	0- 25 mm	1
P47-050	25- 50 mm	1
P47-075	50- 75 mm	1
P47-100	75-100 mm	1

P15 Series

Stainless Steel Rules



Precision class II, metric, stainless steel, photoengraved, anti-reflection treatment, supplied in pouch

StainlessSteel

CODE NO			
P15-015	15	13	50
P15-030	30	25	10
P15-050	50	30	10
P15-100	100	30	10

P54-20S

Feeler Gauge (Metric-20 Blade)



100 mm long tapered blades, hardened and polished, steel case with thumbscrew



CODE NO	mm		
P54-20S	0.05-1.00	100	6

P54A-25S

Feeler Gauge (SAE-25 Blade)



100 mm long tapered blades, hardened and polished, steel case with thumbscrew



CODE NO	inch		
P54A-25S	.002 - .025	90	6

P55-52MW

Screw Pitch Gauge (Metric / Whitworth - 52 Blade)



For ISO 60° metric and Whitworth 55° threads, stainless steel

Metric: 0.25, 0.30, 0.35, 0.40, 0.45, 0.5, 0.6, 0.7, 0.75, 0.8, 0.9, 1.0, 1.25, 1.5, 1.75, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 mm

Whitworth: 4, 4-1/2, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 18, 19, 20, 22, 24, 25, 26, 28, 30, 32, 36, 40, 48, 60, 62 TPI



CODE NO	mm	TPI	
P55-52MW	0.25-6	62-4	5



13 Measuring Tools

Spirit Levels

Aluminium Spirit Levels

Top quality range of spirit levels developed for construction professionals.
Each level calibrated in the factory. Magnet and non-magnet versions available.

30 Years Vial
Warranty

ACCUVISION

P21 Series Standard


Pro quality, 0.5 mm/m
(0.029°) accuracy, ultrasonic
welded block vials,
shockproof end caps, rigid
aluminium box section



CODE NO	cm	
P21-030	30	10
P21-040	40	10
P21-050	50	10
P21-060	60	10
P21-070	70	10
P21-080	80	10
P21-100	100	10
P21-120	120	10
P21-150	150	10

P21-M Series Magnetic

Pro quality, 0.5 mm/m
(0.029°) accuracy, ultrasonic
welded block vials, shockproof
end caps, rigid aluminium box
section, built-in rare earth
magnets



CODE NO	cm	
P21-060M	60	10
P21-080M	80	10
P21-100M	100	10

P21-012M Mini

Pro quality, 0.5 mm/m (0.029°)
accuracy, ultrasonic welded
block vials, shockproof
end caps, rigid aluminium box
section, built-in magnets, for
horizontal measurement



CODE NO	cm	
P21-012M	12	10



Spirit Levels / Level Vials

P24M-022 Torpedo / Cast Body

Pro quality, 3 vials, 0.50 mm/m (.0029°) accuracy, ultrasonic welded block vials, built-in magnets



CODE NO	cm	
P24M-022	22	12

P26 Series Level Vials

Fluorescent liquid, ultrasonic welded, acrylic body

P26-BE1

Bull's Eye Vial



CODE NO	mm	mm	mm	
P26-BE1	18	9	—	12 •

P26-BV2

Level Vial



CODE NO	mm	mm	mm	
P26-BV2*	35	16	—	12 •

P26-BH2

Horizontal Block Vial



CODE NO	mm	mm	mm	
P26-BH2	—	15x16	40	12 •

P26-BV1

Vertical Block Vial



CODE NO	mm	mm	mm	
P26-BV1*	36	17	—	12 •

P26-BH1

Horizontal Block Vial



CODE NO	mm	mm	mm	
P26-BH1	—	15	36	12 •

P26-SH1

Horizontal Vial



CODE NO	mm	mm	mm	
P26-SH1	9.5	—	31	50 •

P26-SH2

Horizontal Vial



CODE NO	mm	mm	mm	
P26-SH2*	9.8	—	30	12 •

* Limited with stocks

CETA FORM



GENERAL MAINTENANCE AND WORKSHOP TOOLS

14

■ Cordless Work Lamps	298
■ Professional Focus Flashlights	304
■ LED Flashlights	305
■ Mechanical Pullers / Bench Vices	306
■ Hand Riveter Sets / Replacement Nozzles	308
■ Hand Riveters	310
■ Magnetic Pickups and Inspection Mirrors	311
■ Lubrication Tools / Magnetic Trays	312
■ C-Coil Damaged Thread Repair Kits	312
■ Screw and Bolt Extractors	313
■ HSS Drill Bits / Bolt Extractor Sockets	313
■ Hooks & Picks	314
■ Wire Brushes	314
■ Other Workshop Tools	314



14 General Maintenance and Workshop Tools

Redesigned Range of Cordless LED Work Lamps

Powerful and uniform illumination



Ceta Form has invested into a joint venture in Asia specialized in the production of LED work lamps in 2021. In this catalogue, we are pleased to show the first range manufactured in this plant – truly better in design and performance. Thanks to the capabilities this new plant will provide, we aim to be an important player in the ever growing LED work lamp market.



R10-MAX01 ex code R10-MAX1

Rechargeable LED Work Light

Main Light: 7W COB LED 700 lumen

Top Light: 4W SMD LED 150 lumen

CRI: 80 CRI+ **CCT:** 6500K

Battery: 3.7 V 2600 mAh Li-ion

Runtime: Main Light 8h / Top Light 7h

Charging Time: 3.5 h, battery level indicator

Protection Class: IP65 / IK07

HxWxD: 268 x 60 x 40 mm

R10-MAX02 ex code R10-MAX2

Rechargeable LED Work Light

Main Light: 4W COB LED 400 lumen

Top Light: 4W SMD LED 120 lumen

CRI: 80 CRI+ **CCT:** 6500K

Battery: 3.7 V 2600 mAh Li-ion

Runtime: Main Light 4.5h / Top Light 8.5h

Charging Time: 3.5 h, battery level indicator

Protection Class: IP54 / IK07

HxWxD: 268 x 60 x 40 mm

new
design400
lumen

new

150
lumen**R10-MIDI****Midi Rechargeable LED Work Light**

Main Light: 4W COB LED 400 lumen

Top Light: 4W SMD LED 120 lumen

Koruma sınıfı: IP54 / IK07

Battery: 3.7 V 2600 mAh Li-ion

Runtime: Main Light 5h - 3.5s / Top Light 10h

Charging Time: 3.5h, battery level indicator

Protection Class: IP54 / IK07

HxWxD: 198 x 56 x 34 mm

R10-MINI1**Rechargeable LED Pen Work Light**

Main Light: 7 x 0.5W SMD LED 150 lumen

Top Light: 1 x 1W SMD LED 80 lumen

CRI: 80 CRI+ CCT: 6500K

Battery: 3.7 V 800 mAh Li-ion

Runtime: Main Light 3h / Top Light 5h

Charging Time: 2h

Protection Class: IP20 / IK07

HxWxD: 165 x 24.5 x 21 mm

14 General Maintenance and Workshop Tools

UV Leak Detection Light LED Lamb

Helps detect leakages in cooling systems of cars. Used with UV detection liquid. Main light is UV spec, top light is standard LED spec.

ColorFix Color Proofing LED Lamp

Due to the special LED features, this lamp replicates daylight. Perfect for any paint, polish, cleaning or prep-zone operation.



new



395
wavelength



**100%
CETA FORM
Design**

R10-MIDI/UV

Midi Rechargeable LED Leak Detection Light - UV

Main Light: 3W COB LED, 395 wavelength

Top Light: 1W SMD LED 100 lumen

Type C USB: 5V-1A

Battery: 3.7V 2600 mAh Li-ion

Runtime: Main Light UV - 4.5h / Top Light 10h

Charging Time: 3.5h

Protection Class: IP54 / IK07

HxWxD: 198 x 56 x 34 mm



500
lumen



R10-CLR

Rechargeable Color Proofing LED Work Light

Main Light: High CRI ve 3CCT

5W COB LED 500 lumen

CRI: 96 CRI+ CCT: 2700K - 4500K - 6500K

Battery: 3.7V 2600 mAh Li-ion

Runtime: 2h

Charging Time: 4h

Protection Class: IP65 / IK07

HxWxD: 190 x 56 x 36 mm

new**1000
lumen**

2 Levels

180°
Adjustable Handle180°
AdjustableMagnetic
Bottom

USB Type C

R10F-SLIM01**Rechargeable LED Work Light - Slim**

Main Light: 10W COB LED 1000 lumen,

Top Light: SMD LED 150 lumen

CRI: 80 CRI+ CCT: 6500K

Battery: 3.7V 5200 mAh Li-ion

Runtime: Main Light 2.5-5h-10h / Top Light 15h

Charging Time: 4h, battery level indicator

Protection Class: IP65 / IK07

HxWxD: 250 x 50x 65 mm

**280
lumen**

4 Levels

180°
Adjustable HandleMagnetic
Bottom

USB Type C

R10F-SLIM2**Rechargeable LED Work Light - Ultra Slim**

Main Light: 2W COB LED 280 lumen, 90 lumen ECO mode

Top Light: SMD LED 80 lumen

Back Light: COB LED 160 lumen

CRI: 70 CRI+ CCT: 6500K

Battery: 3.7V 700 mAh Li-ion

Runtime: Main Light 1.5h - 4.5h , Back Light 2.5h, Top Light 3h

Charging Time: 2h , battery level indicator

Protection Class: IP54 / IK07

HxWxD: 164/307 x 20 x 19 mm

14 General Maintenance and Workshop Tools

new



R12-PR01

Rechargeable LED Headlamp (Motion Sensor)

Main Light: 3W COB LED Normal Mode: 400 lumen, Eco Mode: 200 lumen

CRI: 80 CRI+ **CCT:** 6500K

Battery: 3.7 V 1500 mAh Li-Po

Runtime: 2h-6h

Charging Time: 2.5h

Protection Class: IP65 / IK07

HxWxD: 50 x 77 x 45 mm

100%
CETA FORM
Design

400
lumen



TPE liner for forehead comfort

new



R12-BAT1

LED Headlamp (3AAA)

Main Light: 3W COB LED

Normal Mode: 150 lumen, Eco Mode: 40 lumen,

S.O.S Function

CRI: 80 CRI+ **CCT:** 6500K

Battery: 3x1.5V AAA batteries (not included)

Protection Class: IP20 / IK07

HxWxD: 49x 78x 43 mm

100%
CETA FORM
Design

150
lumen



TPE liner for forehead comfort

new



R10-COM1

Compact Rechargeable LED Work Light

Main Light: 5 x 0.5W COB

Normal Mode: LED 300 lumen, Eco Mode: 100 lumen

CRI: 80 CRI+ **CCT:** 6500K

Battery: 3.7 V 1500 mAh Li-Po

Runtime: 3s - 8.5s

Charging Time: 3s, pil seviye göstergesi

Protection Class: IP54 / IK07

HxWxD: 127 x 66 x 30 mm

%100
CETA FORM
Tasarımı

300
lumen



new

100%
CETA FORM
Design1000
lumen

3 Levels



120°

1000 Lumen



30°

250 Lumen



USB Type C



Magnet

Bottom



180°

Adjustable

R14-CF10**Rechargeable Compact LED Floodlight - 1000 Lumen**

Floodlight: 10W COB LED, High Mode: 1000 lumen,
Normal Mode: 500 lumen, Eco Mode: 250 lumen

Flashlight: SMD LED / 250 lumen

CRI: 80 CRI+ CCT: 6500K

Battery: 3.7 V 2600 mAh Li-ion

Runtime: Floodlight 2h, 5h, 10h / Flashlight 6h

Charging Time: 3h, battery level indicator

Protection Class: IP65 / IK07

HxWxD: 94.5 x 82.7 x 43 mm

new

100%
CETA FORM
Design2000
lumen

3 Levels



120°

2000 Lumen



30°

500 Lumen



USB Type C



Magnet

Bottom



180°

Adjustable Handle

R14-CF20**Rechargeable Compact LED Floodlight - 2000 Lumen**

Floodlight: 15W COB LED, High Mode: 2000 lumen,
Normal Mode: 1000 lumen, Eco Mode: 500 lumen

Flashlight: SMD LED / 500 lumen

CRI: 80 CRI+ CCT: 6500K

Battery: 3.7 V 5200 mAh Li-ion

Runtime: Floodlight 3h, 8h, 15h / Flashlight 8h

Charging Time: 4h, battery level indicator

Protection Class: IP65 / IK07

HxWxD: 118 x 103 x 48mm

14 General Maintenance and Workshop Tools

LU-MAX PRO

Professional Focus Flashlights

The top flashlight programme of Ceta Form

This range is developed to the needs of the most demanding user profiles. From batteries to LED chips, aluminium material to chipboards all components used are of top-notch quality. Any professional user will appreciate the performance and build quality after a short period of use.



R.P6

Focus Flashlight 2AA

LED CREE XPG2 S3
MODE On / Off
Output 250 lumens
Run Time 9h
2xAA battery (included)
Beam Distance 89 m
Intensity 2000cd
HxWxD: 150.3 x Ø28.2 x Ø20.4 mm



R.P7

Focus Flashlight 4AA

LED CREE XPG2 S3
MODE High/Low
Output 50/450 lumen
Run Time 2-15h
4xAA battery (included)
Beam Distance 179 m
Intensity 8000cd
HxWxD: 131.4 x Ø37 x Ø30.2 mm



R.P5R

Rechargeable Focus Flashlight

LED CREE XPG2 S4
MODE Low/Middle/High
Output 20/150/450 lumen
Runtime 3h-4h-12h
800 mAh Li-Ion battery (14500)
Beam Distance 141 m
Intensity 5000cd
HxWxD: 113 x Ø35 x Ø26 mm

R.P-BP

High Quality Tetron Belt Pouch

R.P6, R.P7, R.P5R, R.P7R, R.L7R

**new**
design**1000**
lumen**R.P7R****Rechargeable Focus Flashlight**

LED CREE XPG2 S4

MODE Low/Middle/High

Output 20/250/1000 lumen

Runtime 2.5h-5h-35h

2600 mAh Li-Ion battery (18650)

Beam Distance 179 m

Intensity 8000cd

HxWxD: 154 x Ø35 x Ø26 mm

new**900**
lumen**R.L7R****Rechargeable Focus Flashlight**

LED CREE XPG2 S4

MODE Low/Middle/High

Output 90/400/900 lumen

Runtime 3h-4h-20h

2600 mAh Li-Ion battery (18650)

Beam Distance 134 m

Intensity 2000cd

HxWxD: 159 x Ø35 x Ø26 mm



14 General Maintenance and Workshop Tools



LED Flashlights

A range of sturdy, compact and powerful flashlights

Comes with focus function on most models for concentrated and focused light beam.

Manufactured from military grade high quality aluminum material.

All models with either strap or pocket clip.



R11-PRO

LED Flashlight

3W LED
10-105 lumen
Aluminium body
Zoom feature
3xAAA batteries (included)
Pack Quantity: 12
HxWxD: 136 x Ø26 x Ø30 mm

R11-PEN

Stylus LED Flashlight

1W LED
100 lumen
Aluminium body
Zoom feature
2xAAA batteries (not included)
Pack Quantity: 12
HxWxD: 150 x Ø16 x Ø17 mm

R11-MINI

Pocket LED Flashlight

1W LED
70 lumen
Aluminium body
Zoom feature ~ 5 m
3xAAA batteries (not included)
Pack Quantity: 12
HxWxD: 100 x Ø27 x Ø30 mm

R15-MPL

LED Flashlight (with Magnetic Pickup)

3x Bright LED
Powerful pickup magnet
Telescoping flexible shaft
Built-in bottom magnet
4xLR44 batteries (included)
Pack Quantity: 12
HxWxD: 177 x Ø24 x Ø22 mm

Mechanical Pullers / Bench Vices

M01 Series

Two Arm Universal Pullers



Can be used as internal and external puller by inverting the hooks, durable spindle

CODE NO	W mm	H mm	
M01-0810	80	100	1
M01-1310	130	100	1
M01-1615	160	150	1
M01-2015	200	150	1
M01-2520	250	200	1
M01-3520	350	200	1

M01-S05

5 Piece Two Arm Universal Puller Display



CODE NO	
M01-S05	1

5 PC: M01-0810, M01-1310, M01-1615, M01-2015, M01-2520

M05 Series

3-Arm Pullers (Self Centering Jaws)



Automatic centering, durable spindle

CODE NO	W mm	H mm	
M05-1010	100	100	1
M05-1616	160	160	1

M10S Series

Flat Separators



Separator is closed by tightening nuts on stud bolts, in conjunction with M10P series

CODE NO	Ø mm	
M10S-0460	4- 60	1
M10S-0680	6- 80	1
M10S-1011	10-110	1

M20-KIT1

Bearing Extractor Kit



Helps catch bearings between the races by properly shaped tips in kit. **For 6004, 6010, 6200, 6205, 6300, 6304, 61812, 61816 bearings**

CODE NO	Ø mm	
M20-KIT1	20-95	1

R09B Series Bench Vices



Centrally located and well-protected spindle allows for high and optimally balanced force

A Ceta Form bench vice is a tool of highest quality. Made purely of steel with guaranteed robustness – almost indestructible!

Induction hardened jaws



CODE NO	JAW WIDTH mm	CAPACITY mm	
R09B-125	125	130	1
R09B-150	150	155	1
R09B-200	200	205	1


14 General Maintenance and Workshop Tools

Hand Riveter Sets / Replacement Nozzles

R03K-NRC

Hand Riveter Kit (for Nuts/Rivets) - New Generation

new
design



CODE NO	
R03K-NRC	6



R01-STD/M10



Wrench



3 PC: Nozzle Bolts



Adapters Nut



3 PC: Nozzle Nuts




4 PC: Pop Rivet Head

R04K

Long Reach Riveter Kit (for Nuts/Rivets)

For blind rivets and rivet nuts, foldable body riveter, very strong compared to regular riveters



CODE NO	
R04K	1

Content :

Long reach riveter (1 pc.), Wrenches (3 pc.), Rivet head (5 pc.), Rivet head adaptor nut (1 pc.), Rivet head bolt (5 pc.), Rivet nut bearing nut loaf (5 pc.), Rivet nut adaptor (1 pc.)



YouTube Clip



YouTube Clip

R03K-M Series

Replacement Nozzle Bolts (for R03K-NRC)



CODE NO	M	
R03K-M04	M4	6 •
R03K-M05	M5	6 •
R03K-M06	M6	6 •

R03K-S Series

Replacement Nozzle Nuts (for R03K-NRC)



CODE NO	M	
R03K-S04	M4	6 •
R03K-S05	M5	6 •
R03K-S06	M6	6 •

R04K-M Series

Replacement Nozzle Bolts (for R04K)



CODE NO	M	
R04K-M04	M4	6 •
R04K-M05	M5	6 •
R04K-M06	M6	6 •
R04K-M08	M8	6 •
R04K-M10	M10	6 •

R04K-S Series

Replacement Nozzle Nuts (for R04K)



CODE NO	M	
R04K-S04	M4	6 •
R04K-S05	M5	6 •
R04K-S06	M6	6 •
R04K-S08	M8	6 •
R04K-S10	M10	6 •

R04K-AS

Rivet Nut Adaptor (for R04K)



CODE NO	
R04K-AS	6 •

Hand Riveter Sets

R03K-RTC

new

Ratcheting Riveter Kit (Nuts/Studs)

Requires less force compared to non-ratcheting riveters
Ideal for riveting in confined areas
Quick-change system for mandrels and sleeves
Color coded nozzles for easy identification



CODE NO

R05R



1

Capacities:

Blind rivet nuts M4 to M12 aluminium/steel/stainless steel

Blind rivet studs M5/M6/M8 aluminium/steel/stainless steel

R03K-PT

2-in-1 Power Tool Attachment for Rivets and Nuts

Easily converts cordless, pneumatic or corded drills into a power rivet / rivet nut setter, features durable bearings, supplied complete with accessories in a plastic case



CODE NO

R03K-PT



1

Rivet Adaptor



3.2 - 4.0 - 4.8 - 6.4

Rivet Nut Adaptor



M4 - M5 - M6 - M8 - M10



14 General Maintenance and Workshop Tools

Hand Riveters

R01-STD Hand Riveter (New Generation)

For aluminium, steel and stainless steel rivets, interchangeable nose pieces



R02-280 Hand Riveter (Swivel Head)

For aluminium, steel and stainless steel rivets, 360° swiveling head, interchangeable nose pieces, aluminium body



R01-AS1 Hand Riveter (for Cherry® rivets)

Particularly for Cherry rivets widely used in the aerospace industry, long nose design, aluminium body



Magnetic Pickups and Inspection Mirrors

R15 Series

Magnetic Pick-Up Tools (Flexible Shaft)



For collecting metal parts from restricted areas, powerful rare earth magnet, flexible shaft, C-PLUS softgrip handle



CODE NO	g	mm	
R15-0500	500	510	6
R15-1000	1000	510	6
R15-1800	1800	510	6
R15-3000	3000	510	6

R15-TM10

Telescoping Magnetic Pick-Up Tool



For collecting metal parts from restricted areas, powerful rare earth magnet, telescoping shaft, metal clip



CODE NO	g	mm	
R15-TM10	1000	150-675	25

R15-HTM

Heavy Duty Telescoping Magnetic Pick-Up Tool



For collecting metal parts from restricted areas, powerful rare earth magnet, telescoping shaft, vinyl grip



CODE NO	g	mm	
R15-HTM	1600	425-680	12

R15-NTM

Telescoping Magnetic Pick-Up Tool (with Nozzle Adjuster)




For collecting metal parts from restricted areas, powerful rare earth magnet, includes a scribe useful for adjusting the nozzles of the washing system, telescoping shaft, metal clip



CODE NO	mm	
R15-NTM	150-675	1

R16-700

Magnetic Pick-Up and Claw Tool (Flexible Shaft)



Expandable/retractable claw and pickup magnet in one tool, claw control by handle, flexible shaft



CODE NO	g	mm	
R16-700	500	700	25

R20R

Telescoping Inspection Mirror (Round-L)



Steel base mounted mirror, flexible head, telescoping shaft (900 mm in extended position), stainless steel body



CODE NO	mm	mm	
R20R	50	250-900	25

R20RS

Telescoping Inspection Mirror (Round-M)



Steel base mounted mirror, flexible head, telescoping shaft (750 mm in extended position), metal clip



CODE NO	mm	mm	
R20RS	32	180-520	25

R20S

Telescoping Inspection Mirror (Square)



Steel base mounted mirror, flexible head, telescoping shaft (725 mm in extended position), stainless steel body



CODE NO	W x H mm	mm	
R20S	45x63	230-725	25

R20RP

Insulated Round Inspection Mirror



Steel base mounted mirror, fixed offset head, stainless steel body

CODE NO	mm	mm	
R20RP	30	175	12

R21P

Pull-Out Twin Magnifier (3X)



CODE NO	W x H x D mm	
R21P	66 x 39 x 18	1

14 General Maintenance and Workshop Tools

Lubrication Tools / Magnetic Trays / C-Coil Damaged Thread Repair Kits

R08-500

Grease Gun (Hand Type-Metal Spout)

DIN 1283, TS 7844



400 bar feed pressure, metal spout, sheet steel body, powder coated finish

CODE NO	CC	mm	
R08-500	500	300	1

R08-500SN

Spare Nozzle (for R08-500)



Four jaw steel connector, M10 x 1.0 mm female thread

CODE NO	mm	
R08-500SN	38	6•

R08-FS Series

Spare Flexible Spouts



R08-FSN - with nozzle



R08-FSY - without nozzle

High pressure reinforced rubber tube, M10 x 1.0 mm male threads

CODE NO	Description	mm	
R08-FSN	with nozzle	330	6•
R08-FSY	without nozzle	300	6•

R05 Series

Metallic Oil Cans (Metal Spout)



Metal spout, sheet steel body, powder coated finish

CODE NO	CC	
R05-200	200	12•
R05-300	300	12•
R05-500	500	12•
R05-1000	1000	6•

R28-P0524

24 Piece M5 C-Coil Damaged Thread Repair Kit



BOX WxHxD (mm)
245X125X40

Kit for the repair of damaged or worn-out threads (M5)

CODE NO	
R28-P0524	1

	M5x0.8		No. 8
	5.2 mm		No. 8
	M5x0.8 (20 pc.)		

R28-P1214

14 Piece M12 C-Coil Damaged Thread Repair Kit



BOX WxHxD (mm)
245X125X40

Kit for the repair of damaged or worn-out threads (M12)

CODE NO	
R28-P1214	1

	M12x1.75		No.15
	12.4 mm		No.15
	M12x1.75 (10 pc.)		

R18S

Magnetic Tray (Rectangular)



For collection of metal parts, stainless steel, magnetic base

StainlessSteel

CODE NO	WxHxD mm	
R18S	240x140x40	1

R28S-P1420

20 Piece M14 C-Coil Thread Repair Kit (Spark Plug Threads)



CASE WxHxD (mm)
245 x 125 x 40

Kit for the repair of damaged or worn-out spark plug threads, patented placement tang, high quality Chrome Nickel stainless steel female threads, HSS drill tap

CODE NO	
R28S-P1420	1

- M14x1.25
- No. 8 - 3 piece assembly
- 2 mm L Key
- R28-SC14/1 M14x1.25 h: 7.7 mm (5 pc)
- R28-SC14/2 M14x1.25 h: 11.0 mm (5 pc)
- R28-SC14/3 M14x1.25 h: 15.0 mm (5 pc)

R28-SC Series

C-Coil Thread Inserts - 10 Pieces



High quality Chrome Nickel stainless steel, resistant against corrosion and wearing

The code represents a 10 piece package

CODE NO	M	mm	h _{mm}	
R28-SC05	M5	0.80		1 pack
R28-SC06	M6	1.00		1 pack
R28-SC08	M8	1.25		1 pack
R28-SC10	M10	1.50		1 pack
R28-SC12	M12	1.75		1 pack
R28-SC14/1	M14	1.25	7.7	1 pack

R18R

Magnetic Tray (Round)



For collection of metal parts, stainless steel, magnetic base

StainlessSteel

CODE NO	mm	
R18R	150	1

Screw and Bolt Extractors / HSS Drill Bits

R25-P05

5 Piece Screw Extractor Set



For turning out worn/broken screws with left handed thread, Chrome Molybdenum steel

CODE NO	
R25-P05	6
5 PC: 7/64" (3-6 mm), 9/64" (6-8 mm), 5/32" (8-11 mm), 1/4" (11-14 mm), 19/64" (14-18 mm)	

R26A-B05

5 Piece Screw Extractor Set - SAE



Used with guide holder or wrench for removing broken bolts and screws

CODE NO	
R26A-B05	1
5 PC: 1/8, 3/16, 15/64, 5/16, 3/8 inch	

R26-M25

25 Piece Screw Extractor Kit



Kit for turning out broken bolts and screws, HSS drill bits, special tool steel guides, pins and sleeves



YouTube Clip

Application:
M5, M6, M7, M8 (2 pc.), M9, M10, M11, M12, M14, M16 civatılar için

CODE NO	
R26-M25	1

R30 Series

1/2" Drive Roller Stud Extractor Sockets



For installing and removing stud bolts, roller type, unscrews both left and right hand threads

12.5
1/2"

CODE NO	M	mm	
R30-06	M6	60	25
R30-08	M8	60	25
R30-10	M10	69	25
R30-12	M12	69	25

R30-R04

4 Piece 1/2" Drive Roller Stud Extractor Set



CODE NO	
R30-R04	6
4 PC: M6, M8, M10, M12	

R21-P19

19 Piece HSS Drill Bit Set



High quality HSS drill bits, 118° standard point

CODE NO	
R21-P19	1
19 PC: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 mm	

Bolt Extractor Sockets

R32 Series

1/2" Bolt Extractor Sockets



Special sockets for removal of even extremely worn-out bolts, helix socket profile



YouTube Clip

10
3/8"

12.5
1/2"

8-19 mm 21-27 mm

CODE NO	mm	mm	
R32-08	8	27.5	12
R32-10	10	27.5	12
R32-11	11	27.5	12
R32-12	12	27.5	12
R32-13	13	27.5	12
R32-14	14	27.5	12
R32-15	15	27.5	12
R32-16	16	27.5	12
R32-17	17	27.5	12
R32-18	18	27.5	12
R32-19	19	27.5	12
R32-21	21	27.5	12
R32-22	22	27.5	12
R32-24	24	27.5	12
R32-27	27	27.5	12

R32-P11

11 Piece 1/2" Drive Bolt Extractor Socket Set



10
3/8"

CODE NO	
R32-P11	6
9 PC: R32 (8, 10, 11, 12, 13, 14, 16, 17, 19 mm)	
BT/7020 3/8"x50 mm	

14 General Maintenance and Workshop Tools

Hooks & Picks / Wire Brushes / Other Workshop Tools

R36-1 Straight Pick

new
design



Suitable for removal of bushings, cotter pins, O-rings and seals

StainlessSteel

CODE NO	mm	
R36-1	80	6 •

R36-2 Angle Pick

new
design



Suitable for removal of bushings, cotter pins, O-rings and seals

StainlessSteel

CODE NO	mm	
R36-2	80	6 •

R37-25 Seal Scraper

new
design



Ideal for cleaning gasket wastes

CODE NO	mm	mm	
R37-25	25	150	6

CM-B0 Bottle Opener

new
design



CODE NO	mm	
CM-B0	145	12

R36-3 90° Pick

new
design



Suitable for removal of bushings, cotter pins, O-rings and seals

StainlessSteel

CODE NO	mm	
R36-3	80	6 •

R36-4 Hook Pick

new
design



Suitable for removal of bushings, cotter pins, O-rings and seals

StainlessSteel

CODE NO	mm	
R36-4	80	6 •

R35DE Engineer's Double End Scribe



For marking metals and other smooth surfaces, hardened steel tips, straight and 90° ends

CODE NO	mm	
R35DE	235	1

R35CT Carbide Tipped Scribe



For marking metals and other materials with smooth surfaces, carbide tip, pocket clip

CODE NO	mm	
R35CT	145	20

R36-B04 4 Piece Hook and Pick Set

new
design



StainlessSteel

CODE NO	
R36-B04	1



R36-1



R36-3



R36-2



R36-4

R40-4 Steel Wire Brush (4 Row)



Brushes made of steel wire, 4 rows, high quality plastic handle

CODE NO	mm	
R40-4	275	12 •

R41-1 Steel Wire Brush



Brushes made of steel wire, high quality plastic handle

CODE NO	mm	
R41-1	245	12 •

New Merchandising Programme Catalogue

- Available July 2023



We would like to inform you that the merchandising chapter of our catalogue previously named Chapter 15 is now excluded from our catalogue and will be provided as a separate catalogue.

This new merchandising catalogue will be launched by Q.1 / 2023 and will showcase a lot of additional merchandising units in striking designs to help our customers transform their sales points into a true point of attraction.

DISCONTINUED ITEMS

DISCONTINUED ITEM	SUBSTITUTE	PAGE NO
A02-PM/S	Cancelled	-
A02-PM/S	A01-PM/S	28
A25-3	A25-5	31
A25-SXL	A25-5L	31
A50M-75PH2	A50M-80PH4	39
B01-E21	B01-E16	50
B01-E04	Cancelled	-
C24-E17H	C24-E13H	53
C62-E18	C62-E10	53
C64-E10	C64-E10/2	53
4000M-E1901	F99-E3901	54
E99-E0503	E99-E0502	55
N17-E08	N17-E09	56
A50TK-205	A50TK-232/2	65
A50TK-205A01	A50TK-232/2A01	65
A50TK-205A02	A50TK-232/2A02	65
A50TK-241	A50TK-275	69
A50TK-241A01	A50TK-275A01M	69
A50TK-241A02	A50TK-275A01	69
A50TK-304	A50TK-343	71
A50TK-304A01	A50TK-343A01	71
A50CR-314	A50CR-350	77
A50CR-314A01	A50CR-350A01	77
B09-1719	B10-1719	94
B24-85	B23-85	98
L/2.5B	L/2.5	100
L/3B	L/3	100
C04-B06	C04-H060	114
C04-B07	C04-H070	114
C00-35PH2	C00-46PH2	122
C00-40PH2	C00-61PH2	122
C10-18MH4	C10-18PH4	128
C10-38PH2	Cancelled	-
C21-38	C21-38MR	134
C21-39	C21-39MR	134
C28S-XT16	Cancelled	-
C20-23MH4	C20-23PH4	137
C20-35MH4	C20-35PH4	138
C20-85PH2	C20-96PH2	139
C52-H08	Cancelled	-
D02F-0125	D02F2-0125	151
D02F-1105	D02F2-1105	151
D02F-1110	D02F2-1110	151
D02F-2110	D02F2-2110	151
D02F-2120	D02F2-2120	151
D02F-2130	D02F2-2130	151
F11-055-100	F10C-055-100	161
F11-065-125	F10C-065-125	161
F11-080-150	F10C-080-150	161
F11-100-175	F10C-100-175	161
F15-001-080	F14C-001-080	161
F15-002-100	F14C-002-100	161
F15-003-150	F14C-003-150	161
F17-002-125	F17-002-100	157
F24-001-100	F24-001-080	158
F24-002-125	F24-002-100	158
CB/251DM	CB/251TM	168
CB/252DM	CB/252TM	168
CB/253DM	CB/253TM	168
CB/351DM	CB/351TM	168

DISCONTINUED ITEM	SUBSTITUTE	PAGE NO
CB/352DM	CB/352TM	168
CB/353DM	CB/353TM	168
CB/491DM	CB/491TM	168
CB/492DM	CB/492TM	168
CB/493DM	CB/493TM	168
CB/591DM	CB/591TM	168
CB/592DM	CB/592TM	168
CB/593DM	CB/593TM	168
CB/262B	CB/262	171
CB/806B	CB/806	172
CB/807B	CB/807	172
CB/824B	CB/824	175
CB/825B	CB/825	175
CB/1060G	Cancelled	-
CB/1160G	Cancelled	-
CB/2210G	CB/2110G	181
CB/2212G	CB/2112G	181
BT/01SH	BT/01QH	182
F26/AG-2F	Cancelled	-
E01H-41-0180	E01-41-0180	191
E01H-41-0200	E01-41-0200	191
E06H-41-0160	E06-41-0160	191
E99H-41-02A	E99-41-02A	192
E64-54-0170	E64-54-0200	203
E50-16-0240	E50-240-2	199
E50-16-0300	E50-300-2	199
E51-16-0235	E51-240-2	199
E62-250	E62-32	202
E62-280	E62-52	202
E63T-530	Cancelled	-
E64-54-0170	E64-54-0200	203
E69F-E51	E69F-E52	204
E69-0B2	Cancelled	-
G09-06	Cancelled	-
G12H-18-0160	G12-18-0160	214
G80-MDC1	G80-MDC2	222
H56-0710	Cancelled	-
H56-1220	Cancelled	-
H65-3	Cancelled	-
I06-10	I06-10-2	238
I06-12	I06-12-2	238
I06-14	I06-14-2	238
I06-18	I06-18-2	238
I06-24	I06-24-2	238
I06-36	I06-36-2	238
I21-63	Cancelled	-
J00-SS	Cancelled	-
J07-250	J06-250-2	243
L01-H100	Cancelled	-
L01-H200	Cancelled	-
N12-251	N12-25AT	266
N12-252	N12-25AT	266
N13-10R04	N13-10P03	267
N14-041	N14-031	269
N14-042	N14-032	269
N15-K2FIA	Cancelled	-
N15-K2FIA/3	Cancelled	-
N15-M1FIA	Cancelled	-
N15-M1PSA	Cancelled	-
N15-K1FRD	Cancelled	-

DISCONTINUED ITEM	SUBSTITUTE	PAGE NO
N15-K1UNI	Cancelled	-
N21-0101	N21-0102	275
C64W-H22	Cancelled	-
N23-031735	Cancelled	-
N23-1500	N23-15P	281
N23-1501	N23-15C	281
29010	P05-1025	291
R10F-SLIM1	R10F-SLIM01	301
R12-PRO	R12-PRO1	302
R10-COM	R10-COM1	303
R14-CF07	R14-CF10	303
R14-CF14	R14-CF20	303
M05-2020	Cancelled	-
M10P-60	Cancelled	-
M10P-80	Cancelled	-
M10P-11	Cancelled	-
R01-260	R01-STD	310
R03K	R03K-NRC	308

 SUBSTITUTE ITEMS
  RECOMMENDED ITEMS

NEW CODES FOR EXISTING PRODUCTS		
EX CODE	NEW CODE	PAGE NO
C40-15MH2	C40-15MB2	142
F13-040-025	F10-040-025	156
F13-055-025	F10-055-025	156
F13-065-025	F10-065-025	156
F16-001-025	F14-001-025	157
F16-001-025	F14-001-025	157
R10-MAX1	R10-MAX01	298
R10-MAX2	R10-MAX02	298

SPARE PARTS FOR DISCONTINUED PRODUCTS	
SPARE PART	EXPLANATION
C01-14R	for C01-14
C11-14R	for C11-14
C21-14R	for C21-14
C31-12R	for C31-12
D02F-01R	for D02F-0125
D02F-11R	for D02F-11 Series
D02F-21R	for D02F-21 Series
E62-250R2	for E62-250
E62-280R2	for E62-280
E63T-320R	for E63T-320
E63T-530R	for E63T-530
I06-10/A	for I06-10
I06-12/A	for I06-12
I06-14/A	for I06-14
I06-18/A	for I06-18
I06-24/A	for I06-24
I06-36/A	for I06-36
I06-10/B	for I06-10
I06-12/B	for I06-12
I06-14/B	for I06-14
I06-18/B	for I06-18
I06-24/B	for I06-24
I06-36/B	for I06-36
I21-63R	for I21-63

INDEX

ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER
705	104	90564	103	4200/TP1M	163	8102Q	166	A27-16PL	33	A50VW-292A01	79
706	104	90732	103	4200/TP2M	163	8246Q	166	A27-19PL	33	A50VW-292A01M	79
707	104	90764	103	4300/30M	164	8312Q	166	A27-22PL	33	AE00	56
708	104	90964	103	4300/51M	164	8412Q	166	A27J-28	33	A-SH	29
709	104	1300M/SST1	164	4300/62M	164	8515Q	166	A32	32	A-SL	29
710	104	1300M-ES01	54	4300/84M	164	8525Q	166	A32/T	32	A-STR-4045	29
715	104	1304M	164	4300/TP1M	164	A01-06	18	A32H	32	A-SW100	29
720	104	1305M	164	4300/TP2M	164	A01-06W	22	A50AS-159A07	37	A-SW100F	29
725	104	1306M	164	4400/T10M	164	A01-06WW	22	A50AS-197	73	A-SW100S	29
727	104	1307M	164	4400/T15M	164	A01-07	18	A50AS-197A01	73	A-SW100SB	29
730	104	1308M	164	4400/T20M	164	A01-07J	19	A50AS-197A01M	73	A-SW125	29
740	104	1309M	164	4400/T25M	164	A01-08	18	A50BMW-321	83	A-SW125F	29
745	104	1310M	164	4400/T27M	164	A01-08J	19	A50BMW-321A01	83	A-SW125S	29
750	104	1311M	164	4400/T30M	164	A01-11	23	A50BMW-321A01M	83	A-SW125SB	29
802	101	1312M	164	4400/T40M	164	A01-11W	23	A50BR-153	87	A-SWJ-01M	29
803	101	1313M	164	4400M/6ST1	165	A01M-06	16	A50BR-153A01	87	A-SWS-01M	29
804	101	1314M	164	4400M-E701	54	A01M-07	16	A50BR-153A01M	87	B01-05/2	91
805	101	1355M	164	6105CP	213	A01M-07J	17	A50BR-84	85	B01-06	91
806	101	29100D	292	6106CP	213	A01M-08	16	A50BR-84A01	85	B01-07	91
807	101	3100/BT1	184	6106EX	213	A01M-08J	17	A50BR-84A01M	85	B01-08	91
808	101	3100/BT6A	184	705L	104	A01M-CH	28	A50CR-293	75	B01-09	91
810	101	3100/TF2	167	706L	104	A01M-DH	28	A50CR-293A01	75	B01-10	91
812	101	4000M/4ST4	164	707L	104	A01M-LD	28	A50CR-293A01M	75	B01-11	91
814	101	4000M/5ST1	164	708L	104	A01M-PR	28	A50CR-350	77	B01-12	91
815	101	4000M/5ST3	164	709B	105	A01-PL	27	A50CR-350A01	77	B01-13	91
817	101	4000M/6ST1	164	709IPR	105	A01-PM	27	A50CR-350A01M	77	B01-14	91
819	101	4000M/6ST2	165	709L	104	A01-PM/J	28	A50EV-132	84	B01-15	91
825	101	4000M/7ST1	165	709TL	104	A01-PM/S	28	A50EV-132A01	84	B01-16	91
835	101	4000M/7ST2	165	710B	105	A01-PM/W	28	A50EV-132A01M	84	B01-17	91
902	102	4000M/9ST1	165	710IPR	105	A01-PM/XL	28	A50M-43	38	B01-18	91
903	102	4000M-E701	54	710L	104	A01-PS	27	A50M-43A25	38	B01-19	91
904	102	4100/107M	163	710TL	104	A02-04	20	A50M-43A27	38	B01-20	91
905	102	4100/21M	163	715B	105	A02-05	20	A50M-43A32	38	B01-21	91
906	102	4100/31M	163	715IPR	105	A02-06	20	A50M-43A32H	38	B01-22	91
907	102	4100/32M	163	715L	104	A03-ID	21	A50M-80PH4	39	B01-23	91
908	102	4100/35M	163	715TL	104	A03-SD	21	A50M-98A07	36	B01-24	91
910	102	4100/41M	163	720B	105	A06-04	30	A50MB-319	81	B01-25	91
912	102	4100/42M	163	720IPR	105	A06-04JS	30	A50MB-319A01	81	B01-26	91
915	102	4100/43M	163	720L	104	A06-08JX	30	A50MB-319A01M	81	B01-27	91
925	102	4100/44M	163	720TL	104	A06-CT	30	A50TK-121	59	B01-28	91
935	102	4100/52M	163	725B	105	A07-02	31	A50TK-121A01	59	B01-30	91
6105	213	4100/53M	163	725IPR	105	A07-03	31	A50TK-121A02	59	B01-32	91
6106	213	4100/54M	163	725L	104	A07-0301	31	A50TK-123	60	B01-34	91
29110	292	4100/56M	163	725TL	104	A17D-G	25	A50TK-123A01	60	B01-36	91
29120	292	4100/62M	163	727B	105	A17D-GP	25	A50TK-123A02	60	B01-38	91
80050	103	4100/63M	163	727IPR	105	A17D-S	25	A50TK-164	61	B01-41	91
80104	103	4100/64M	163	727L	104	A17D-SP	25	A50TK-164A01	61	B01-46	91
80108	103	4100/66M	163	727TL	104	A17D-W	25	A50TK-164A02	61	B01-50	91
80116	103	4100/74M	163	730B	105	A17D-WP	25	A50TK-230	67	B01A-00102	91
80308	103	4100/75M	163	730IPR	105	A17H-D50	27	A50TK-230A01	67	B01A-00104	91
80316	103	4100/86M	163	730L	104	A17H-S25	27	A50TK-230A01M	67	B01A-00304	91
80332	103	4100/87M	163	730TL	104	A17H-S50	27	A50TK-230A02	67	B01A-00308	91
80516	103	4100/TP40M	163	740/M05	105	A17L-NG	24	A50TK-232/1	63	B01A-00508	91
80532	103	4100/TP55M	163	740/M06	105	A17L-NS	24	A50TK-232/1A01	63	B01A-00516	91
80564	103	4100/TP65M	163	740/M08	105	A17L-NW	24	A50TK-232/1A01M	63	B01A-00708	91
80732	103	4200/106M	163	740/M10	105	A20-100	27	A50TK-232/1A02	63	B01A-00716	91
80764	103	4200/30M	163	740/M12	105	A20-110SH	26	A50TK-232/2	65	B01A-00916	91
80964	103	4200/31M	163	740/M14	105	A20-170	27	A50TK-232/2A01	65	B01A-00932	91
90050	103	4200/51M	163	740B	105	A20-200SH	26	A50TK-232/2A01M	65	B01A-01116	91
90104	103	4200/52M	163	740IPR	105	A25-5	31	A50TK-232/2A02	65	B01A-01132	91
90108	103	4200/53M	163	740L	104	A25-SL	31	A50TK-275	69	B01A-01316	91
90116	103	4200/56M	163	740TL	104	A26-BP01	34	A50TK-275A01	69	B01A-01516	91
90308	103	4200/62M	163	745L	104	A26-ET01	34	A50TK-275A01M	69	B01A-10000	91
90316	103	4200/63M	163	8000/PH3	167	A26-IT01	34	A50TK-343	71	B01A-10102	91
90332	103	4200/64M	163	8000Q/M15	166	A26-PB01	35	A50TK-343A01	71	B01A-10104	91
90516	103	4200/66M	163	8002QH	166	A26-TB12	35	A50TK-343A01M	71	B01A-10108	91
90532	103	4200/84M	163	8101Q	166	A26-TB19	35	A50VW-292	79	B01A-10116	91

INDEX

ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER
B01A-10308	91	B05R-16	92	B09A-0911	95	B14-2426	96	B24-46	98	B32-12	99
B01A-10316	91	B05R-18	92	B09A-1011	95	B14-2427	96	B24-50	98	B32-13	99
B01A-E14	50	B05-S04	93	B09A-1213	95	B14-2528	96	B24-55	98	B32-14	99
B01A-R09	91	B06-08	92	B09A-1315	95	B14-3032	96	B24-60	98	B32-15	99
B01A-R14	91	B06-09	92	B09A-1415	95	B14-3641	96	B24-65	98	B32-16	99
B01A-R16	91	B06-10	92	B09A-1417	95	B14-B06	96	B24-70	98	B32-16S	267
B01AS-00108	91	B06-11	92	B09A-R10	95	B14-B08	96	B24-75	98	B32-17	99
B01AS-00316	91	B06-12	92	B09-B06	94	B14-B10/2	96	B24-80	98	B32-18	99
B01AS-00532	91	B06-13	92	B09-B08	94	B14-B12	96	B24-90	98	B32-19	99
B01AS-00732	91	B06-14	92	B09-B10	94	B14-E08	51	B24-95	98	B32-21S	267
B01AS-00732B	91	B06-15	92	B09-B10/2	94	B14-R08	96	B27-2022	98	B99A-E26	42
B01-B08	91	B06-16	92	B09-B12	94	B14-R12	96	B27-2123	98	B99A-E31	42
B01-B12	91	B06-17	92	B09-E08	50	B17-0608	96	B27-2224	98	B99-E20	50
B01-B12/2	91	B06-18	92	B09-E12	50	B17-1012	96	B27-2426	98	B99-E24	42
B01-B17	91	B06-19	92	B09-P12	94	B17-1418	96	B27-2427	98	B99-E241	42
B01-B21	91	B06-E12	50	B09-R08	94	B17-2024	96	B27-2528	98	B99-E32	42
B01-B25	91	B06-R05	92	B09-R12	94	B17-B04	96	B27-2B	98	B99-E41	40
B01-E12	50	B06-R12	92	B09SA-0102	95	B17-E18	51	B27-3032	98	BC-E08	42
B01-E16	50	B07A-0102	93	B09SA-0104	95	B19-0810	96	B27T-0607	98	BC-E081	42
B01-E21/2	42	B07A-0203	93	B09SA-0308	95	B19-0911	96	B27T-06B	98	BC-E40	43
B01-P12	91	B07A-0304	93	B09SA-0516	95	B19-1011	96	B27T-0809	98	BT/01DU0	182
B01-R12	91	B07A-0506	93	B09SA-0716	95	B19-1113	96	B27T-08B	98	BT/01QH	182
B01-R13	91	B07A-B04	93	B09SA-0732	95	B19-1214	96	B27T-1011	98	BT/01SL2	182
B01-R21	91	B07AO-0102	93	B09SA-0916	95	B19-1719	96	B27T-10B	98	BT/01TM	168
B05-08	92	B07AO-0203	93	B09SA-0932	95	B19-1922	96	B27T-1213	98	BT/01XF	185
B05-09	92	B07AO-0304	93	B09SA-1132	95	B19-2427	96	B27T-12B	98	BT/02	182
B05-10	92	B07AO-0506	93	B09SA-1564	95	B19-B06	96	B27T-1415	98	BT/03	182
B05-11	92	B07AO-B04	93	B09SA-R09	95	B20-1012	96	B27T-14B	98	BT/05	182
B05-12	92	B07-B01	92	B10-0607	94	B20-1113	96	B27T-1617	98	BT/0542	176
B05-12S	93	B09-0555	94	B10-0809	94	B20-1315	96	B27T-16B	98	BT/0642	176
B05-13	92	B09-0607	94	B10-0810	94	B20-1317	96	B27T-1819	98	BT/0665	176
B05-14	92	B09-0809	94	B10-1011	94	B20-1417	96	B27T-2022	98	BT/0742	176
B05-14B	93	B09-0810	94	B10-1013	94	B20-1922	96	B27T-2123	98	BT/0765	176
B05-14S	93	B09-1011	94	B10-1213	94	B21-150B	97	B27T-2426	98	BT/08	182
B05-15	92	B09-1012	94	B10-1317	94	B21-150C	97	B27T-2528	98	BT/0842	176
B05-16	92	B09-1013	94	B10-1415	94	B21-200B	97	B27T-3032	98	BT/0865	176
B05-17	92	B09-1213	94	B10-1617	94	B21-200C	97	B27T-B08	98	BT/0865TM	168
B05-18	92	B09-1214	94	B10-1719	94	B21-250B	97	B27T-B12	98	BT/1045	176
B05-19	92	B09-1317	94	B10-1819	94	B21-250C	97	B28-06	98	BT/1065	176
B05-21	92	B09-1415	94	B10-1922	94	B21-300B	97	B28-07	98	BT/1065TM	168
B05-22	92	B09-1417	94	B10-2022	94	B21-300C	97	B28-08	98	BT/1165	176
B05-24	92	B09-1617	94	B10-2123	94	B21-375B	97	B28-09	98	BT/1265	176
B05-27	92	B09-1819	94	B10-2224	94	B21-375C	97	B28-10	98	BT/1365	176
B05-30	92	B09-1922	94	B10-2426	94	B21W-200B	97	B28-11	98	BT/1365TM	168
B05-32	92	B09-2022	94	B10-2427	94	B23-100	98	B28-12	98	BT/1465	176
B05-36	92	B09-2123	94	B10-2528	94	B23-27	98	B28-13	98	BT/1765	176
B05-38S	93	B09-2224	94	B10-2732	94	B23-30	98	B28-14	98	BT/7000S3	182
B05AR-0102	93	B09-2426	94	B10-3032	94	B23-32	98	B28-15	98	BT/7010	182
B05AR-0104	93	B09-2427	94	B10-B06	95	B23-36	98	B28-16	98	BT/7015	182
B05AR-0304	93	B09-2528	94	B10-B08	95	B23-41	98	B28-17	98	BT/7017M	182
B05AR-0308	93	B09-2732	94	B10-B10	95	B23-46	98	B28-18	98	BT/7018	182
B05AR-0508	93	B09-3032	94	B10-B10/2	95	B23-50	98	B28-19	98	BT/7020	182
B05AR-0516	93	B09-3236	94	B10-B12	95	B23-55	98	B28-22	98	BT/7027	182
B05AR-0716	93	B09-3336	94	B10-E08	50	B23-60	98	B28-B08	98	BT/7028	182
B05AR-0732	93	B09-3641	94	B10-E12	51	B23-65	98	B28-E08	51	BT/7030	182
B05AR-0916	93	B09-4146	94	B10-P12	95	B23-70	98	B30-0810	99	BT/8001	120
B05AR-0932	93	B09-4650	94	B10-R08	94	B23-75	98	B30-1011	99	BT/8003	127
B05AR-1116	93	B09A-0102	95	B10-R12	94	B23-80	98	B30-1213	99	BT/8004	127
B05AR-1132	93	B09A-0203	95	B14-0607	96	B23-85	98	B30-1415	99	BT/8005	127
B05-E12	50	B09A-0304	95	B14-0809	96	B23-90	98	B30-1617	99	BT/8007	136
B05-P12	92	B09A-0405	95	B14-1011	96	B23-95	98	B30-1819	99	BT/8007QR	146
B05-R05	92	B09A-0506	95	B14-1213	96	B24-100	98	B32-06	99	BT/8008	136
B05R-09	92	B09A-0607	95	B14-1415	96	B24-27	98	B32-07	99	BT/8008QR	146
B05R-11	92	B09A-0708	95	B14-1617	96	B24-30	98	B32-08	99	BT/ST061	176
B05-R12	92	B09A-0709	95	B14-1819	96	B24-32	98	B32-09	99	BTA/010245	176
B05R-14	92	B09A-0809	95	B14-2022	96	B24-36	98	B32-10	99	BTA/010442	176
B05R-15	92	B09A-0810	95	B14-2123	96	B24-41	98	B32-11	99	BTA/051642	176

INDEX

ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER
BTD/08	176	C02A-B0916	114	C04-H140	114	C08S-TR40	116	C12-H14	123
BTD/10	176	C02A-B0932	114	C04-RH08	114	C10-15PG1	128	C12-H15	123
BTD/13	176	C02A-B1132	114	C06-04	115	C10-18PH4	128	C12-H16	123
C00-15RH4	121	C02A-H0108	114	C06-05	115	C10-20PH2	128	C12-H17	123
C00-18PH2	122	C02A-H0316	114	C06-06	115	C10-60PH2	128	C12-H18	123
C00-25RH4	121	C02A-H0532	114	C06-07	115	C10A-17PBT	128	C12-H19	123
C00-27PH5	121	C02A-RB10	114	C06-08	115	C10A-41PM2	128	C12-H20	123
C00-46PH2	122	C02A-S0104	114	C06-10	115	C10A-E17BT	52	C12-H21	123
C00-61PH2	122	C02A-S0308	114	C06-R06	115	C10A-E30BT	53	C12-H22	123
C00A-15PBT	122	C02A-S0316	114	C08AS-H0104	117	C10-E18H2	52	C12-RH10	123
C00A-60PM2	122	C02A-S0516	114	C08AS-H0108	117	C11-11	125	C12U-RB10	124
C00A-E15BT	52	C02A-S0716	114	C08AS-H0116	117	C11-11R	126	C14A-B0102	124
C00A-E25BT	52	C02A-S0732	114	C08AS-H0316	117	C11-12	125	C14A-B0104	124
C00A-E39BT	52	C02A-S0932	114	C08AS-H0332	117	C11-12R	126	C14A-B0304	124
C00C-E45BHT	52	C02A-S1132	114	C08AS-H0516	117	C11-14N	125	C14A-B0308	124
C00-E26H2	52	C02-H040	114	C08AS-H0532	117	C11-14NR	126	C14A-B0508	124
C00-E52H2	52	C02-H045	114	C08AS-H0564	117	C11-20	126	C14A-B0516	124
C01-11	118	C02-H050	114	C08AS-H0732	117	C11-20S	126	C14A-B0708	124
C01-11R	119	C02-H055	114	C08AS-H0764	117	C11-36MR	125	C14A-B0716	124
C01-12	118	C02-H060	114	C08AS-H0964	117	C11-40	126	C14A-B0916	124
C01-12R	119	C02-H070	114	C08AS-RHX11	117	C11-50MR	126	C14A-B1000	124
C01-14N	118	C02-H080	114	C08S-H25	117	C11-60	126	C14A-B1116	124
C01-14NR	119	C02-H090	114	C08S-H30	117	C11-60S	127	C14A-B1316	124
C01-15	118	C02-H100	114	C08S-H40	117	C11-72	126	C14A-B1516	124
C01-20	119	C02-H110	114	C08S-H50	117	C11-72W	126	C14A-RB13	124
C01-20F	119	C02-H120	114	C08S-H60	117	C11-75	126	C14-H08	123
C01-20S	119	C02-H130	114	C08S-H70	117	C11-75W	126	C14-H09	123
C012-16	120	C02-H140	114	C08S-H80	117	C11-76F	126	C14-H10	123
C012-16	127	C02-H150	114	C08S-IPR10	117	C11-77	126	C14-H11	123
C012-16	136	C02-RH13	114	C08S-IPR15	117	C11-78	126	C14-H12	123
C012-19	120	C02UA-0102	115	C08S-IPR20	117	C11-79	126	C14-H13	123
C012-19	127	C02UA-0104	115	C08S-IPR25	117	C11-80	127	C14-H14	123
C012-19	136	C02UA-0308	115	C08S-IPR27	117	C11-91	127	C14-H15	123
C012-26	120	C02UA-0516	115	C08S-IPR30	117	C11-92	127	C14-H16	123
C012-26	127	C02UA-0716	115	C08S-IPR40	117	C11-92S	127	C14-H17	123
C012-26	136	C02UA-0732	115	C08S-PH1	116	C11-C	127	C14-H18	123
C012-34	120	C02UA-0916	115	C08S-PH2	116	C11-T90	125	C14-H19	123
C012-34	127	C02UA-0932	115	C08S-PH3	116	C11-T90R	126	C14-RB10	123
C012-34	136	C02UA-1132	115	C08S-PZ1	116	C12A-B0102	123	C14-RH10	123
C01-35MR	119	C02UA-RB09	115	C08S-PZ2	116	C12A-B0104	123	C15-RH10	124
C01-40	119	C04-10PH0	122	C08S-PZ3	116	C12A-B0304	123	C16-04	124
C01-50MR	119	C04A-B0102	115	C08S-RHX7	117	C12A-B0308	123	C16-05	124
C01-60	119	C04A-B0104	115	C08S-RTP7	117	C12A-B0508	123	C16-06	124
C01-60S	119	C04A-B0308	115	C08S-RTR7	116	C12A-B0516	123	C16-07	124
C01-71	120	C04A-B0316	115	C08S-RTX7	116	C12A-B0708	123	C16-08	124
C01-72	120	C04A-B0516	115	C08S-S40	116	C12A-B0716	123	C16-10	124
C01-73	120	C04A-B0716	115	C08S-S55	116	C12A-B0916	123	C16-11	124
C01-73W	120	C04A-B0732	115	C08S-S65	116	C12A-B1000	123	C16-12	124
C01-75	120	C04A-B0916	115	C08S-T06	116	C12A-B1116	123	C16-14	124
C01-75F	120	C04A-B0932	115	C08S-T07	116	C12A-B1316	123	C16-16	124
C01-77	120	C04A-B1132	115	C08S-T08	116	C12A-B1516	123	C16-18	124
C01-78	120	C04A-RB10	115	C08S-T09	116	C12A-RB13	123	C16-20	124
C01-80	120	C04-B08	114	C08S-T10	116	C12A-S0102	123	C16D-08	124
C01-92	120	C04-B10	114	C08S-T15	116	C12A-S0308	123	C16D-10	124
C01-C	120	C04-B13	114	C08S-T20	116	C12A-S0508	123	C16D-12	124
C01-HLOK	118	C04-H040	114	C08S-T25	116	C12A-S0716	123	C16D-14	124
C01-T90	118	C04-H045	114	C08S-T27	116	C12A-S0916	123	C16-R10	124
C01-T90L	118	C04-H050	114	C08S-T30	116	C12A-S1532	123	C17-R14C	267
C01-T90LR	119	C04-H055	114	C08S-T40	116	C12A-S1932	123	C17-R14CF	267
C01-T90R	119	C04-H060	114	C08S-TR08	116	C12-H06	123	C17-R14ML	267
C02A-B0102	114	C04-H070	114	C08S-TR09	116	C12-H07	123	C17-R16	267
C02A-B0104	114	C04-H080	114	C08S-TR10	116	C12-H08	123	C17-R18	267
C02A-B0308	114	C04-H090	114	C08S-TR15	116	C12-H09	123	C17-R21	267
C02A-B0316	114	C04-H100	114	C08S-TR20	116	C12-H10	123	C18S-H03	125
C02A-B0516	114	C04-H110	114	C08S-TR25	116	C12-H11	123	C18S-H04	125
C02A-B0716	114	C04-H120	114	C08S-TR27	116	C12-H12	123	C18S-H05	125
C02A-B0732	114	C04-H130	114	C08S-TR30	116	C12-H13	123	C18S-H06	125
								C18S-H07	125
								C18S-H08	125
								C18S-H09	125
								C18S-H10	125
								C18S-RH08	125
								C18S-RT09	124
								C18S-T10	124
								C18S-T15	124
								C18S-T20	124
								C18S-T25	124
								C18S-T27	124
								C18S-T30	124
								C18S-T40	124
								C18S-T45	124
								C18S-T50	124
								C18S-T55	124
								C20-180PH2	139
								C20-18PH2	137
								C20-18PTX	133
								C20-23PH4	137
								C20-25PB2	137
								C20-25PH2	137
								C20-35PH4	138
								C20-49PH2	138
								C20-56PH2	137
								C20-96PH2	139
								C20A-20PBT	138
								C20A-34PM2	138
								C20A-E20BT	53
								C20-E23H2	53
								C21-11	134
								C21-11R	134
								C21-12	134
								C21-12R	134
								C21-14N	134
								C21-14NR	134
								C21-20	135
								C21-38MR	134
								C21-39MR	134
								C21-40	135
								C21-40L	135
								C21-50	135
								C21-60	135
								C21-60S	135
								C21-71W	135
								C21-72	135
								C21-74	135
								C21-74W	135
								C21-77	135
								C21-77W	135
								C21-79W	135
								C21-80	135
								C21-90KIT15	136
								C21-90KIT6	136
								C21-91	136
								C21-915	136
								C21-92	136
								C21-C	136
								C21-T90	134
								C21-T90R	134
								C22A-B03	129
								C22A-B04	129
								C22A-B05	129
								C22A-B06	129
								C22A-B06/2	129
								C22A-B07	129
								C22A-B08	129

INDEX

ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER
C22A-B09	129	C24-B15	130	C28S-H07	132	C28S-X08	132	C41-76	142
C22A-B09/2	129	C24-B16	130	C28S-H07L	132	C28S-X08L	132	C41-78	142
C22A-B10	129	C24-B17	130	C28S-H08	132	C28S-X10	132	C41-91	142
C22A-B11	129	C24-B18	130	C28S-H08L	132	C28S-X10L	132	C42-B32	142
C22A-B12	129	C24-B19	130	C28S-H09	132	C28S-X10XL	132	C42-B36	142
C22A-B13	129	C24-B20	130	C28S-H09L	132	C28S-X12	132	C42-B41	142
C22A-B14	129	C24-B21	130	C28S-H10	132	C28S-X12L	132	C42-B46	142
C22A-B15	129	C24-B22	130	C28S-H10L	132	C28S-X12XL	132	C42-B50	142
C22A-B16	129	C24-B24	130	C28S-H10XL	132	C28S-X14	132	C42-B55	142
C22A-B17	129	C24-B27	130	C28S-H11L	132	C28S-X14L	132	C42-B60	142
C22A-RB11	129	C24-B30	130	C28S-H12	132	C28S-X16	132	C42-B65	142
C22-B08	129	C24-B32	130	C28S-H12L	132	C30-14MB2	141	C42-B70	142
C22-B09	129	C24-E13H	53	C28S-H12XL	132	C30-14MH2	141	C42-B75	142
C22-B10	129	C24-H08	130	C28S-H13L	132	C31-12-2	140	C42-B80	142
C22-B11	129	C24-H10	130	C28S-H14	132	C31-12-2R	140	C51R-72	143
C22-B12	129	C24-H11	130	C28S-H14L	132	C31-14	140	C51R-80	143
C22-B13	129	C24-H12	130	C28S-H17	132	C31-14R	140	C51R-91	143
C22-B14	129	C24-H13	130	C28S-H19	132	C31-40	141	C51R-92	143
C22-B15	129	C24-H14	130	C28S-HB05XL	132	C31-73	141	C52-H06	143
C22-B16	129	C24-H15	130	C28S-HB06XL	132	C31-76	141	C52-H07	143
C22-B17	129	C24-H16	130	C28S-HB07XL	132	C31-78	141	C52-H13	143
C22-B18	129	C24-H17	130	C28S-HB08XL	132	C31-91	141	C52R-H08	143
C22-B19	129	C24-H18	130	C28S-HB10XL	132	C31-92	141	C52R-H10	143
C22-B20	129	C24-H19	130	C28S-R05L	133	C32A-B11	140	C52R-H11	143
C22-B21	129	C24-H20	130	C28S-R06L	133	C32A-B12	140	C52R-H12	143
C22-B22	129	C24-H21	130	C28S-R08L	133	C32A-B13	140	C52R-H13	143
C22-B23	129	C24-H22	130	C28S-R10L	133	C32A-B14	140	C52R-H14	143
C22-B24	129	C24-H24	130	C28S-R12L	133	C32A-B15	140	C52R-H15	143
C22-B25	129	C24-H27	130	C28S-R14L	133	C32A-B17	140	C52R-H16	143
C22-B26	129	C24-H30	130	C28S-RH9	132	C32A-B27	140	C52R-H17	143
C22-B27	129	C24-H32	130	C28S-RR6L	133	C32-B22	140	C52R-H18	143
C22-B28	129	C24-RB09	130	C28S-RT9	131	C32-B24	140	C52R-H19	143
C22-B29	129	C24-RH09	130	C28S-RX5L	133	C32-B27	140	C52R-RH10	143
C22-B30	129	C26-10	130	C28S-RX6	132	C32-B30	140	C61-72	146
C22-B32	129	C26-11	130	C28-S540	133	C32-B32	140	C61-74	146
C22-H08	129	C26-12	130	C28-S5E40	53	C32-B36	140	C61-80	146
C22-H09	129	C26-14	130	C28S-T20	131	C32-B38	140	C61-90KIT7	146
C22-H10	129	C26-16	130	C28S-T20L	131	C32-B41	140	C61-91	146
C22-H11	129	C26-18	130	C28S-T25	131	C32-B46	140	C61-92	146
C22-H12	129	C26-20	130	C28S-T25L	131	C32-B50	140	C62-B24	144
C22-H13	129	C26-22	130	C28S-T27	131	C32-H19	140	C62-B30	144
C22-H14	129	C26-24	130	C28S-T27L	131	C32-H21	140	C62-B32	144
C22-H15	129	C26-R08	130	C28S-T30	131	C32-H22	140	C62-B34	144
C22-H16	129	C27-R16	267	C28S-T30L	131	C32-H24	140	C62-B36	144
C22-H17	129	C27-R16M	267	C28S-T35	131	C32-H27	140	C62-E10	53
C22-H18	129	C27-R21	267	C28S-T35L	131	C32-H30	140	C62-H10	144
C22-H19	129	C27-R21M	267	C28S-T40	131	C32-H32	140	C62-H11	144
C22-H20	129	C28AS-H0102	132	C28S-T40L	131	C32-H33	140	C62-H12	144
C22-H21	129	C28AS-H0104	132	C28S-T45	131	C32-H34	140	C62-H13	144
C22-H22	129	C28AS-H0308	132	C28S-T45L	131	C32-H36	140	C62-H14	144
C22-H23	129	C28AS-H0316	132	C28S-T50	131	C32-H38	140	C62-H15	144
C22-H24	129	C28AS-H0508	132	C28S-T50L	131	C32-H41	140	C62-H16	144
C22-H25	129	C28AS-H0516	132	C28S-T55	131	C32-H46	140	C62-H17	144
C22-H26	129	C28AS-H0532	132	C28S-T55L	131	C32-H50	140	C62-H18	144
C22-H27	129	C28AS-H0732	132	C28S-T60	131	C32-H55	140	C62-H19	144
C22-H28	129	C28AS-H0916	132	C28S-T60L	131	C32-H60	140	C62-H20	144
C22-H29	129	C28AS-RH9	132	C28S-T70	131	C38S-H14	140	C62-H21	144
C22-H30	129	C28S-17PTH	133	C28S-T70L	131	C38S-H17	140	C62-H22	144
C22-H32	129	C28S-E14H	53	C28S-TR30	131	C38S-H19	140	C62-H23	144
C22-RB11	129	C28S-E29	53	C28S-TR30XL	131	C38S-H22	140	C62-H24	144
C22-RH11	129	C28S-H04	132	C28S-TR40	131	C40-15MB2	142	C62-H27	144
C24-B08	130	C28S-H05	132	C28S-TR45	131	C41-12	142	C62-H30	144
C24-B10	130	C28S-H05L	132	C28S-TR50	131	C41-12/H	142	C62-H32	144
C24-B11	130	C28S-H06	132	C28S-TR55	131	C41-12/T	142	C62-H36	144
C24-B12	130	C28S-H06L	132	C28S-X05	132	C41-12R	142	C62-RH09	144
C24-B13	130	C28S-H06XL	132	C28S-X06	132	C41-40	142	C64-E10/2	53
C24-B14	130	C28S-H06XL2	132	C28S-X06L	132	C41-40R	142	C64-H10	144
								C64-H11	144
								C64-H12	144
								C64-H13	144
								C64-H14	144
								C64-H15	144
								C64-H16	144
								C64-H17	144
								C64-H17MB	277
								C64-H18	144
								C64-H19	144
								C64-H20	144
								C64-H21	144
								C64-H22	144
								C64-H23	144
								C64-H24	144
								C64-H27	144
								C64-H30	144
								C64-H32	144
								C64-RH09	144
								C64W-H17	277
								C64W-H19	277
								C64W-H21	277
								C64W-P03	277
								C66-E10	144
								C66-E12	144
								C66-E14	144
								C66-E16	144
								C66-E18	144
								C66-E20	144
								C66-E22	144
								C66-E24	144
								C66-R08	144
								C68-H05	145
								C68-H06	145
								C68-H07	145
								C68-H08	145
								C68-H10	145
								C68-H12	145
								C68-H14	145
								C68-H17	145
								C68-H19	145
								C68-RH07	145
								C68-RT07	145
								C68-RX07	145
								C68-T30	145
								C68-T40	145
								C68-T45	145
								C68-T50	145
								C68-T55	145
								C68-T60	145
								C68-T70	145
								C68-T80	145
								C68-X06	145
								C68-X08	145
								C68-X10	145
								C68-X12	145
								C68-X14	145
								C68-X16	145
								C68-X18	145
								C71-75	147
								C71-77	147
								C71-80	147
								C71-91	147
								C71-91R	147
								C71-92	147
								C72-H17	146
								C72-H19	146

INDEX

ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER
C72-H21	146	C99A-E115BMR	45	CB/1960	176	CB/491	174	CB/621	175	CB/811IPR	172
C72-H22	146	C99A-E96BMR	43	CB/1980	176	CB/491B	174	CB/622	175	CB/811T	172
C72-H24	146	C99-E114H2	44	CB/2004G	181	CB/491TC	169	CB/660P154	172	CB/811TC	169
C72-H27	146	C99-E115H2	44	CB/2005G	181	CB/491TM	168	CB/660P255	172	CB/811TM	168
C72-H30	146	C99-E68H2	43	CB/2006G	181	CB/491X	174	CB/66056H6	172	CB/811X	172
C72-H32	146	C99-E77H2	45	CB/2007G	181	CB/492	174	CB/660T2T3	172	CB/812	172
C72-H33	146	C99-E79H2	45	CB/2008G	181	CB/492B	174	CB/660Z1H4	172	CB/812IP	172
C72-H34	146	C99-E95H2	44	CB/2010G	181	CB/492BD	174	CB/660Z2H5	172	CB/812IPR	172
C72-H36	146	C99-E99H2	43	CB/2012G	181	CB/492D	174	CB/662TM	174	CB/812T	172
C72-H38	146	CB/1020G	181	CB/2022	174	CB/492TC	169	CB/690	175	CB/812TC	169
C72-H41	146	CB/1025G	181	CB/2104G	181	CB/492TM	168	CB/701	174	CB/812TM	168
C72-H46	146	CB/1027G	181	CB/2105G	181	CB/492X	174	CB/702	174	CB/812X	172
C72-H50	146	CB/1030G	181	CB/2106G	181	CB/493	174	CB/702TM	168	CB/813	172
C72-H55	146	CB/1040G	181	CB/2107G	181	CB/493B	174	CB/703	174	CB/814	172
C72-H60	146	CB/1045G	181	CB/2108G	181	CB/493TC	169	CB/711	175	CB/8156	175
C74-H17	146	CB/1050G	181	CB/2110G	181	CB/493TM	168	CB/712	175	CB/8157	175
C74-H19	146	CB/1055G	181	CB/2112G	181	CB/493X	174	CB/712TM	168	CB/8159	175
C74-H21	146	CB/1101	174	CB/250	171	CB/516HX05	180	CB/713	175	CB/820	175
C74-H22	146	CB/1102	174	CB/251	171	CB/516HX06	180	CB/801	172	CB/821	175
C74-H24	146	CB/1103	174	CB/251B	171	CB/516HX07	180	CB/802	172	CB/822	175
C74-H27	146	CB/1120G	181	CB/251TC	169	CB/516HX08	180	CB/803	172	CB/823	175
C74-H30	146	CB/1125G	181	CB/251TM	168	CB/516HX10	180	CB/804	172	CB/824	175
C74-H32	146	CB/1127G	181	CB/251X	171	CB/516HX12	180	CB/805	172	CB/824TM	168
C74-H33	146	CB/1130G	181	CB/252	171	CB/516HX14	180	CB/806	172	CB/824X	175
C74-H34	146	CB/1140G	181	CB/252B	171	CB/516PH2	180	CB/806IP	172	CB/825	175
C74-H36	146	CB/1145G	181	CB/252BD	171	CB/516PH3	180	CB/806IPR	172	CB/825TM	168
C74-H38	146	CB/1150G	181	CB/252D	171	CB/516PH4	180	CB/806T	172	CB/825X	175
C74-H41	146	CB/1155G	181	CB/252DB	171	CB/516P22	180	CB/806TC	169	CB/826	175
C74-H46	146	CB/1271	174	CB/252TC	169	CB/516P23	180	CB/806TM	168	CB/826B	175
C74-H50	146	CB/1272	174	CB/252TM	168	CB/516P24	180	CB/806X	172	CB/826BD	175
C81-75	147	CB/1273	174	CB/252X	171	CB/516SL08	180	CB/807	172	CB/826TM	168
C81-77	147	CB/1521	174	CB/253	171	CB/516SL10	180	CB/807IP	172	CB/826X	175
C81-91	147	CB/1522	174	CB/253B	171	CB/516SL12	180	CB/807IPR	172	CB/827	175
C82-H24	147	CB/1523	174	CB/253TC	169	CB/516TX20	180	CB/807T	172	CB/827B	175
C82-H27	147	CB/180104	173	CB/253TM	168	CB/516TX25	180	CB/807TC	169	CB/827BD	175
C82-H30	147	CB/180108	173	CB/253X	171	CB/516TX30	180	CB/807TM	168	CB/827TM	168
C82-H32	147	CB/180316	173	CB/254	171	CB/516TX40	180	CB/807X	172	CB/827X	175
C82-H33	147	CB/180332	173	CB/262	171	CB/516TX45	180	CB/808	172	CB/828	175
C82-H34	147	CB/180532	173	CB/3005G	181	CB/516TX50	180	CB/808B	172	CB/829	175
C82-H36	147	CB/180732	173	CB/3006G	181	CB/516TX55	180	CB/808BD	172	CB/829B	175
C82-H38	147	CB/180964	173	CB/3008G	181	CB/516XZ06	180	CB/808IP	172	CB/829BD	175
C82-H41	147	CB/1810	173	CB/3010G	181	CB/591	174	CB/808IPR	172	CB/829TM	168
C82-H46	147	CB/1815	173	CB/3012G	181	CB/591B	175	CB/808T	172	CB/829X	175
C82-H50	147	CB/1815TC	169	CB/3105G	181	CB/591TC	169	CB/808TC	169	CB/830	175
C82-H55	147	CB/1820	173	CB/3106G	181	CB/591TM	168	CB/808TM	168	CB/830TM	168
C82-H60	147	CB/1820TC	169	CB/3108G	181	CB/591X	174	CB/808X	172	CB/830X	175
C82-H65	147	CB/1825	173	CB/3110G	181	CB/592	174	CB/809	172	CB/841	173
C82-H70	147	CB/1825TC	169	CB/3112G	181	CB/592B	175	CB/8094	175	CB/842	173
C82-H75	147	CB/1830	173	CB/350	171	CB/592BD	175	CB/8095	175	CB/843	173
C82-H80	147	CB/1830TC	169	CB/351	171	CB/592D	174	CB/8096	175	CB/854	173
C84-H24	147	CB/1835	173	CB/351B	172	CB/592TC	169	CB/8097	175	CB/855	173
C84-H27	147	CB/1840	173	CB/351TC	169	CB/592TM	168	CB/8099	175	CB/856	173
C84-H30	147	CB/1840TC	169	CB/351TM	168	CB/592X	174	CB/809B	172	CB/858	173
C84-H32	147	CB/1850	173	CB/351X	171	CB/593	174	CB/809BD	172	CB/860	173
C84-H33	147	CB/1850TC	169	CB/352	171	CB/593B	175	CB/809IP	172	CB/860300	173
C84-H34	147	CB/1860	173	CB/352B	172	CB/593TC	169	CB/809IPR	172	CB/860301	173
C84-H36	147	CB/1860TC	169	CB/352BD	172	CB/593TM	168	CB/809T	172	CB/860302	173
C84-H38	147	CB/1880	173	CB/352D	171	CB/593X	174	CB/809TC	169	CB/860303	173
C84-H41	147	CB/190316	176	CB/352TC	169	CB/610	172	CB/809TM	168	CB/860304	173
C84-H46	147	CB/190332	176	CB/352TM	168	CB/611	172	CB/809X	172	CB/860305	173
C84-H50	147	CB/190532	176	CB/352X	171	CB/611TC	169	CB/810	172	CB/860306	173
C84-H55	147	CB/1915	176	CB/353	171	CB/612	172	CB/810IPR	172	CB/860308	173
C84-H60	147	CB/1920	176	CB/353B	172	CB/612TC	169	CB/810T	172	CB/860310	173
C84-H65	147	CB/1925	176	CB/353TC	169	CB/613	172	CB/811	172	CB/860314	173
C84-H70	147	CB/1930	176	CB/353TM	168	CB/613TC	169	CB/811B	172	CB/860510	173
C84-H75	147	CB/1940	176	CB/353X	171	CB/619	175	CB/811BD	172	CB/861	173
C84-H80	147	CB/1950	176	CB/354	171	CB/620	175	CB/811IP	172	CB/861314	173

INDEX

ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER
CB/861351	173	CB/SVB25	173	D02E-RE1414	151	E08-41-0200	191	E50L-170-2	199	E80-280R	201
CB/862	173	CB/T25M5	181	D02E-RE1415	151	E09-44-0140	191	E50L-230-2	199	E81-180	201
CB/863	173	CB/T30M5	181	D02E-RE1416	151	E09-44-0160	191	E50MIC	200	E82-190	201
CB/864	173	CB/TH05H4	179	D02E-RE1417	151	E15-11-0160	193	E50-R03	199	E99-41-02A	192
CB/865	173	CB/TH06H4	179	D02E-RE1418	151	E15-11-0200	193	E51-190-2	199	E99-41-03A	192
CB/866	173	CB/TH07H4	179	D02E-RE1419	151	E15-41-0160	193	E51-240-2	199	E99-41-03B	192
CB/867	173	CB/TH08H4	179	D02E-RE1421	151	E15-41-0200	193	E52-16-0240	201	E99-41-E0103	55
CB/868	173	CB/TH09H4	179	D02E-RE1422	151	E15-44-0160	193	E52-240-2	199	E99-41-W09PH	192
CB/869	173	CB/TH10H4	179	D02E-RE1424	151	E15-44-0200	193	E52S-240-2	199	E99-41-W09PZ	192
CB/871	173	CB/TH15H4	179	D02E-RE1427	151	E15XL-340	193	E53-16-0280	201	E99-44-E0404	55
CB/872	173	CB/TH20H4	179	D02E-RE1430	151	E16-11-0160	193	E53-280-2	199	E99-CP04A	205
CB/873	173	CB/TR20H4	179	D02E-RE1432	151	E16-11-0200	193	E54-200-2	199	E99-CP04A/2	205
CB/874	173	CB/TR23H4	179	D02E-RH0912	151	E16-41-0160	193	E55-16-0290	201	E99-E0502	55
CB/875	173	CB/TR30H4	179	D02E-RH0938	151	E16-41-0200	193	E55-280-2	200	E99-E10	47
CB/8806	176	CB/TX02H4	179	D02E-RH1412	151	E16-44-0160	193	E55-470-2	200	EF-E27	46
CB/8807	176	CB/TX03H4	179	D02F2-0125	151	E16-44-0200	193	E55-E07	47	EF-E34	47
CB/901	174	CB/TX04H4	179	D02F2-01R	151	E16XL-340	193	E55P-180-2	200	EF-E72	47
CB/902	174	CB/TY01H4	179	D02F2-1105	151	E17-11-0160	193	E55P-300-2	200	EJ-E07	49
CB/902TM	168	CB/TY10H4	179	D02F2-1110	151	E17-41-0160	193	E55T-390-2	200	EL-E28	47
CB/903	174	CB/TY20H4	179	D02F2-11R	151	E18-11-0160	193	E55T-500-2	200	EL-E34	40
CB/911	175	CB/TY30H4	179	D02F2-2110	151	E18-41-0160	193	E56-J1	200	ENJ-E21	49
CB/912	175	CB4/EST28	178	D02F2-2120	151	E19D-200	192	E56-J2	200	F10-025-075	156
CB/912TM	168	CB4/ST25	177	D02F2-2130	151	E25-11-0160	194	E56-L1	200	F10-030-075	156
CB/913	175	CB4/ST49	177	D02F2-21R/1	151	E25-41-0160	194	E56-L2	200	F10-030-100	156
CB/HX07H4	179	CF-E105	41	D02F2-21R/2	151	E25-AS06	195	E56-W1	200	F10-035-100	156
CB/HX09H4	179	CF-E108	46	D03-2114	152	E25-AT1	194	E60-41-0160	202	F10-040-025	156
CB/HX13H4	179	CM-B0	314	D03-2123	152	E25-BSA22	194	E60-41-0200	202	F10-040-075	156
CB/HX15H4	179	D02E-0910	151	D03-2133	152	E25-BSA22R	194	E60-44-0160	202	F10-040-100	156
CB/HX20H4	179	D02E-1420	151	D03-21R	152	E25-BSM20	194	E60-44-0200	202	F10-040-125	156
CB/HX25H4	179	D02E-1430	151	D03F2-0125	151	E25-BSM20R	194	E60-51-0170	202	F10-040-150	156
CB/HX30H4	179	D02E-0E0908	151	D03F2-1112	151	E25-CK28	195	E60-54-0170	202	F10-040-300	156
CB/HX35H4	179	D02E-0E0910	151	D03F2-2122	151	E25-CK28H	195	E61-K1160	203	F10-045-100	156
CB/HX40H4	179	D02E-0E0911	151	D03F2-2133	151	E25-CK28R	195	E62-32	202	F10-055-025	156
CB/PH01H4	179	D02E-0E0912	151	D03F-3110	152	E25-C0S	195	E62-32R	202	F10-055-100	156
CB/PH02H4	179	D02E-0E0913	151	D03F-3155	152	E25-MIC	195	E62-52	202	F10-055-125	156
CB/PH10H4	179	D02E-0E0914	151	D03F-3175	152	E25-MMAX	194	E62-52R	202	F10-055-150	156
CB/PH20H4	179	D02E-0E0915	151	D03F-31R	152	E25-MULTI1	194	E64-44-0190	203	F10-055-200	156
CB/PH2M5	181	D02E-0E0916	151	D06-21	152	E26-11-0160	194	E64-54-0200	203	F10-055-300	156
CB/PH30H4	179	D02E-0E0917	151	D06-31	152	E26-41-0160	194	E65-44-0140	205	F10-060-150	156
CB/PL02H4	179	D02E-0E0918	151	D20HR-300	153	E29-54-0250	197	E65-44-0180	205	F10-065-025	156
CB/PL05H4	179	D02E-0E0919	151	D20HR-450	153	E30-51-0250	196	E65-44-0225	205	F10-065-100	156
CB/PL06H4	179	D02E-0E1413	151	D20-P2131	153	E30-54-0250	196	E65-44-0310	205	F10-065-125	156
CB/PZ2M5	181	D02E-0E1414	151	D20-P3141	153	E30-54-0300	196	E66-44-0140	205	F10-065-150	156
CB/SL10H4	179	D02E-0E1415	151	D32-14B012	152	E30W-54-0250	197	E66-44-0180	205	F10-065-200	156
CB/SL15H4	179	D02E-0E1416	151	D32-14B060	152	E34-250	197	E66-44-0225	205	F10-065-300	156
CB/SL20H4	179	D02E-0E1417	151	E01-11-0160	191	E34-250R	197	E66-44-0310	205	F10-080-150	156
CB/SL25H4	179	D02E-0E1418	151	E01-11-0180	191	E35-54-0160	198	E67-44-0140	205	F10-080-175	156
CB/SL30H4	179	D02E-0E1419	151	E01-11-0200	191	E35-54-0180	198	E67-44-0180	205	F10-100-200	156
CB/SL35H4	179	D02E-0E1421	151	E01-41-0160	191	E35-54-0200	198	E67-44-0225	205	F10-100-250	156
CB/SL40H4	179	D02E-0E1422	151	E01-41-0180	191	E36-54-0225	198	E67-44-0310	205	F10-120-250	156
CB/SP04	173	D02E-0E1424	151	E01-41-0200	191	E36-54-0250	198	E68-44-0140	205	F10C-045-100	161
CB/SP06	173	D02E-0E1427	151	E01-44-0160	191	E36-54-0280	198	E68-44-0180	205	F10C-055-100	161
CB/SP06H4	179	D02E-0E1430	151	E01-44-0180	191	E36-54-0280D	198	E68-44-0225	205	F10C-065-125	161
CB/SP08	173	D02E-0E1432	151	E01-44-0200	191	E36-56-0225	198	E68-44-0310	205	F10C-080-150	161
CB/SP08H4	179	D02E-RE0908	151	E05-44-0160	192	E36-56-0250	198	E69-E51	204	F10C-100-175	161
CB/SP10	173	D02E-RE0910	151	E06-11-0140	191	E36-56-0280	198	E69-ESSQ	204	F10C-120-200	161
CB/ST111	186	D02E-RE0911	151	E06-11-0160	191	E36-56-0280D	198	E69F-E52	204	F10D-030-075	162
CB/ST112	186	D02E-RE0912	151	E06-11-0180	191	E37-54-0160	198	E69F-SL	204	F10D-040-100	162
CB/ST113	186	D02E-RE0913	151	E06-41-0140	191	E37-54-0180	198	E69-NT1	204	F10D-055-125	162
CB/ST113T	186	D02E-RE0914	151	E06-41-0160	191	E38-54-0200	198	E69Q-P04	203	F10D-060-025	162
CB/ST114	186	D02E-RE0915	151	E06-41-0180	191	E50-140-2	199	E69-T046	204	F10D-060-150	162
CB/ST25	186	D02E-RE0916	151	E06-44-0140	191	E50-16-0140	201	E69-T468	204	F10D-080-150	162
CB/ST31	186	D02E-RE0917	151	E06-44-0160	191	E50-16-0190	201	E69-YT1	204	F10M-045-100	156
CB/ST31TC	169	D02E-RE0918	151	E06-44-0180	191	E50-190-2	199	E70-225-2	201	F10M-060-150	156
CB/ST32	187	D02E-RE0919	151	E08-11-0180	191	E50-240-2	199	E75-081	219	F14-000-060	157
CB/ST56	187	D02E-RE0922	151	E08-11-0200	191	E50-300-2	199	E80-230	201	F14-000-080	157
CB/ST61	187	D02E-RE1413	151	E08-41-0180	191	E50-E16	47	E80-230R	201	F14-001-025	157

INDEX

ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER
F14-001-080	157	F20-080-125	158	F26/GBT	184	G02-001-080	210	G80-AAC2	222	GC11-40	217
F14-001-100	157	F20-090-125	158	F26/SGBT	184	G02-002-100	210	G80-MDC2	222	GC11-72	217
F14-001-125	157	F20-100-125	158	F26/TBT	184	G02-002-150	210	G85-AAC1	223	GC11-75	217
F14-001-200	157	F20-110-125	158	F26A/BT4	177	G02-003-150	210	G85-ADC1	223	GC12-H06	217
F14-001-300	157	F20-120-125	158	F28/BT	180	G025-001-080	212	G90-IR550	223	GC12-H07	217
F14-001-500	157	F20-130-125	158	F28-P12	180	G025-002-100	212	G90-IR750	223	GC12-H08	217
F14-002-025	157	F20-140-125	158	F37-06	108	G03-000-060	210	G99-0431	221	GC12-H09	217
F14-002-100	157	F20A-0102	158	F37-07	108	G03-001-080	210	G99-0431A26	221	GC12-H10	217
F14-002-125	157	F20A-0104	158	F37-08	108	G03-002-100	210	G99-0431A27	221	GC12-H11	217
F14-002-150	157	F20A-0308	158	F37-09	108	G03-002-150	210	G99-0431A32	221	GC12-H12	217
F14-002-200	157	F20A-0516	158	F37-10	108	G03-003-150	210	G99-0431A32H	221	GC12-H13	217
F14-002-300	157	F20-B05	159	F37-15	108	G035-001-080	212	G99-18-02A	214	GC12-H14	217
F14-002-500	157	F21-050-150	158	F37-20	108	G035-002-100	212	G99-18-03A	214	GC12-H15	217
F14-003-150	157	F21-060-150	158	F37-IP08	108	G04-010-100	210	G99-18-05PH	214	GC12-H16	217
F14-004-200	157	F21-070-150	158	F37-IP09	108	G04-015-100	210	G99-18-05PZ	214	GC12-H17	217
F14C-001-080	161	F21-080-150	158	F37-IP10	108	G04-020-100	210	G99-18-E0103	55	GC12-H18	217
F14C-002-100	161	F21-100-150	158	F37-IP15	108	G04-025-125	210	G99-18-W09PH	219	GC12-H19	217
F14C-003-150	161	F22-020-060	158	F37-P06	108	G04-027-150	210	G99-18-W09PZ	219	GC12-H20	217
F14D-001-080	162	F22-025-080	158	F99-201	159	G04-030-150	210	G99-18-W12PH	219	GC12-H22	217
F14D-002-025	162	F22-030-080	158	F99-201P	159	G05-001-080	210	G99-18-W12PZ	219	GC185-H04	217
F14D-002-100	162	F22-040-100	158	F99-202	159	G05-002-100	210	G99-401	211	GC185-H05	217
F14D-003-150	162	F22-050-100	158	F99-202P	159	G05-B02	211	G99-402	211	GC185-H06	217
F17-000-060	157	F22-060-125	158	F99-403	159	G055-002-100	212	G99-701	211	GC185-H08	217
F17-001-025	157	F22-080-150	158	F99-403P	159	G06-030-080	210	G99-701S	212	GC185-T20	217
F17-001-080	157	F22-100-150	158	F99-405	159	G06-040-080	210	G99-702	211	GC185-T25	217
F17-001-300	157	F22A-0108	158	F99-501	159	G06-050-080	210	G99-702S	212	GC185-T27	217
F17-002-025	157	F22A-0116	158	F99-501P	159	G06-060-100	210	G99-901	211	GC185-T30	217
F17-002-100	157	F22A-0316	158	F99-502	159	G07-050-125	210	G99-BP04	219	GC185-T40	217
F17-002-300	157	F22A-0332	158	F99-601	160	G07-055-125	210	G99-BP06	219	GC185-T45	217
F17-003-150	157	F22A-0532	158	F99-601V	160	G07-060-125	210	G99-E701	55	GC185-X08	217
F17-004-200	157	F22A-0564	158	F99-602	160	G07-070-125	210	G99-P26	220	GC185-X10	217
F17C-001-080	161	F22A-0764	158	F99-602V	160	G07-080-125	210	GB09-05/2	216	GC20-19PH2	218
F17C-002-100	161	F22A-0964	158	F99-605	159	G07-090-125	210	GB09-06	216	GC21-12	218
F17C-003-150	161	F23-020-100	158	F99-606	159	G07-100-125	210	GB09-07	216	GC21-40	218
F17D-001-080	162	F23-025-100	158	F99-701	160	G07-110-125	210	GB09-08	216	GC21-74	218
F17D-002-025	162	F23-030-100	158	F99-702	160	G07-120-125	210	GB09-09	216	GC21-77	218
F17D-002-100	162	F23-040-100	158	F99-901	160	G07-130-125	210	GB09-10	216	GC22-H10	218
F17D-003-150	162	F23-050-100	158	F99A-E80	46	G07-B05	211	GB09-11	216	GC22-H11	218
F18-005-060	157	F23-060-125	158	F99C-601	161	G09-11	286	GB09-12	216	GC22-H12	218
F18-006-060	157	F23-080-150	158	F99C-602	161	G09-16	286	GB09-13	216	GC22-H13	218
F18-007-060	157	F23-100-150	158	F99D-601	162	G09-NC1	213	GB09-14	216	GC22-H14	218
F18-008-060	157	F23A-0104	158	F99D-602	162	G10-18-0160	214	GB09-15	216	GC22-H15	218
F18-009-060	157	F23A-0308	158	F99-E0507	54	G10-18-0180	214	GB09-16	216	GC22-H16	218
F18-010-080	157	F23A-0316	158	F99-E0705	54	G10-18-0200	214	GB09-17	216	GC22-H17	218
F18-015-080	157	F23A-0516	158	F99-E0706	54	G10H-18-0180	214	GB09-18	216	GC22-H18	218
F18-015-300	157	F23A-0532	158	F99-E3901	54	G10H-18-0200	214	GB09-19	216	GC22-H19	218
F18-020-100	157	F23A-0732	158	F99-E3902	54	G12-18-0140	214	GB09-22	216	GC22-H20	218
F18-020-300	157	F24-001-080	158	F99-E701	54	G12-18-0160	214	GB09-24	216	GC22-H22	218
F18-025-100	157	F24-002-100	158	F99-E79	46	G12-18-0180	214	GB09-R06	216	GC22-H24	218
F18-025-300	157	F24-003-150	158	F99-E81	46	G14-18-0180	214	GB14-10	216	GC22-H27	218
F18-027-115	157	F25-002-080	158	F99-E95	40	G14-18-0200	214	GB14-11	216	GC22-H30	218
F18-030-115	157	F25-003-080	158	F99-P41	160	G15-18-0160	215	GB14-12	216	GC22-H32	218
F18-030-300	157	F25-004-100	158	FLR-E36	46	G15-18-0200	215	GB14-13	216	GC285-H04L	218
F18-040-130	157	F25-005-100	158	FX-MD	167	G16-18-0160	215	GB14-14	216	GC285-H05L	218
F18-045-130	157	F26/AG	185	G01-025-075	210	G16-18-0200	215	GB14-15	216	GC285-H06L	218
F19-010-080	157	F26/AG-2	185	G01-030-100	210	G17-18-0160	215	GB14-16	216	GC285-H08L	218
F19-015-080	157	F26/BDS	184	G01-035-100	210	G18-18-0160	215	GB14-17	216	GC285-H10L	218
F19-020-100	157	F26/BR	185	G01-040-100	210	G20-18-0160	215	GB14-18	216	GD02-1105	218
F19-025-100	157	F26/BR2	185	G01-045-125	210	G20-MMAX	214	GB14-19	216	GD02-1125	218
F19-027-115	157	F26/BR3	185	G01-055-125	210	G21-18-0160	215	GB14-22	216	GD02-2110	218
F19-030-115	157	F26/BT	184	G01-065-150	210	G25-58-0250	215	GB14-24	216	GF99-E08	48
F19-040-130	157	F26/BTL	184	G01-080-175	210	G26/BT	210	GB14-R06	216	GF99-E52	48
F20-040-125	158	F26/FBT	184	G015-035-100	212	G30-48-0160	215	GB21-250	216	GK10-030	216
F20-050-125	158	F26/LBT	184	G015-040-100	212	G30-48-0200	215	GB99-E20	48	GK10-040	216
F20-055-125	158	F26/RDF90	183	G015-055-125	212	G30-58-0170	215	GC10-19PH2	217	GK10-050	216
F20-060-125	158	F26/RDS	183	G015-065-150	212	G40-48-0145	203	GC10-E52H2	48	GK10-060	216
F20-070-125	158	F26/RDS90	183	G02-000-060	210	G80-AAC1	222	GC11-12	217	GK10-080	216

INDEX

ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER
GRT-M35	213	H35S-140	231	I06-36-2/B	238	J40-021	246	J44-067	245
GRT-M40	213	H36-120	231	I11-40	238	J40-022	246	J45C	248
H01-12-040	227	H37-120	231	I11-40R	238	J40-024	246	J45C/D	248
H01-15-040	227	H40-00-SA	232	I11-60	238	J40-025	246	J45C/T	248
H01-18-060	227	H40-1-SA	232	I11-60R	238	J40-027	246	J45CM	248
H01-20-060	227	H40-2A-SA	233	I12-40	238	J40-029	246	J45CP	248
H01-20-100	227	H40-3C-SA	232	I12-40R	238	J40-030	246	J45CPM	248
H01-25-080	227	H40-5-SA	232	I20-190	239	J40-032	246	J45-R	250
H01-25-100	227	H40-7-SA	232	I20-190R	239	J40-033	246	J45-RDM	250
H01-30-080	227	H40-AA-SA	232	I21-42-2	239	J40-035	246	J46C	249
H01-30-100	227	H40-R04	233	I21-42-2R	239	J40-037	246	J46CPM	249
H01-30-150	227	H43-120-SA	233	I30-2	239	J40-038	246	J46-R	250
H01-35-080	227	H43-125B-SA	233	I30-2R	239	J40-040	246	J46-R/30	250
H01-40-080	227	H43-140-SA	233	I32-2	239	J40-041	246	J46SL	249
H01-40-100	227	H43G-150B-SA	233	I32-2R	239	J40-043	246	J47C-S	249
H01-40-150	227	H43G-150-SA	233	I32-2R	239	J40-044	246	J47-R	250
H02-00-060	227	H44-160B-SA	233	I34	239	J40-046	246	J47-RH	250
H02-0-060	227	H44-160-SA	233	I34-2R	239	J40-048	246	J47-RS	250
H02-1-080	227	H44T-160-SA	233	I38-2	239	J40-051	246	J47SPQ	249
H03-0-060	227	H45D-150B-SA	233	I50	239	J40-052	246	J47TK	249
H03-1-080	227	H45D-150-SA	233	J01-250L	243	J40-054	246	J47TK-S	249
H04-04-040	227	H55	234	J01-250R	243	J40-057	246	J49M	249
H04-05-040	227	H55-SC010	234	J04-250L	242	J40-060	246	J49-R	250
H04-06-040	227	H57-1516	234	J04-250R	242	J40-064	246	J55-106	251
H04-07-040	227	H59AL	234	J04-250S	242	J40-065	246	J55-106H	251
H04-08-040	227	H60-3	234	J04-300S	242	J40-067	246	J55-108	251
H04-09-060	227	H62-YC	234	J04H-250L	242	J40-068	246	J55-108H	251
H04-10-060	227	H63	234	J04H-250R	242	J40-070	246	J55-110	251
H04-15-060	227	H64	234	J04-R03	242	J40-073	246	J55-110H	251
H04-20-060	227	H65-10	234	J06-200-2	243	J40-076	246	J55-112	251
H05-02-040	227	H99-04-06	227	J06-250-2	243	J40-079	246	J55-112H	251
H05-05-040	227	H99-06-06	227	J06-300-2	243	J40-083	246	J55-206	251
H06-15-040	227	H99-12-06	227	J10-450	243	J40-086	246	J55-206H	251
H06-20-060	227	H99-31-E0310	55	J10-450R	243	J40-089	246	J55-208	251
H06-25-080	227	H99-E06	55	J10-600	243	J40-092	246	J55-208H	251
H06-30-080	227	H99-JK-05	227	J10-600R	243	J40-095	246	J55-210	251
H06A-0050	227	H99-JK-06	227	J10-750	243	J40-098	246	J55-210H	251
H06A-0116	227	H99-N80	235	J10-750R	243	J40-102	246	J55-212	251
H06A-0332	227	H99-N80A32	235	J10-900	243	J40-105	246	J55-212H	251
H06A-0764	227	H99-N80A32H	235	J10-900R	243	J40-111	246	J55-306	251
H20C-118SB	228	HLD-0564	118	J16-180B	243	J40-114	246	J55-306H	251
H20S-120FL	228	I01-10	238	J16-180S	243	J40-121	246	J55-308	251
H20S-120SB	228	I01-10/A	238	J17-190	243	J40-127	246	J55-308H	251
H20T-120SB	228	I01-15	238	J17-190B	243	J40-140	246	J55-310	251
H20-W04	229	I01-15/A	238	J18-230	243	J40-152	246	J55-310H	251
H20-W06	229	I01-20	238	J18-250	243	J40-A1	246	J55-312	251
H21N-130SB	228	I01-20/A	238	J19-220	243	J40-A2	246	J55-312H	251
H21S-125SB	228	I02-10	238	J22-215C	244	J40-A3	246	J55F-206	251
H22-130	228	I02-15	238	J22-215CR	244	J40-A4	246	J55F-206H	251
H23F-130	228	I02-20	238	J22-215P	244	J40J-A100	247	J55F-208	251
H23S-130	228	I06-10-2	238	J22-215PR	244	J40J-MB075	247	J55F-208H	251
H24-130	229	I06-10-2/A	238	J22-215R	244	J40J-WB100	247	J55F-210	251
H25-155	229	I06-10-2/B	238	J22-215RR	244	J40J-WC100	247	J55F-210H	251
H26-130	229	I06-12-2	238	J22A-200	244	J40J-WF100	247	J55F-212	251
H27-130	229	I06-12-2/A	238	J22A-200R	244	J40J-WF100C	247	J55F-212H	251
H30C-105SB	230	I06-12-2/B	238	J23-190	244	J40-P13	246	J55W-206	251
H30S-110FL	230	I06-14-2	238	J30-300	245	J40-PD1	246	J55W-206H	251
H30S-110SB	230	I06-14-2/A	238	J32-300	245	J40-PD2	246	J56-106	252
H30T-110SB	230	I06-14-2/B	238	J35-18B	245	J40R-DH225	247	J56-106H	252
H30-W04	231	I06-18-2	238	J35-24B	245	J40R-DH225B	247	J56-108	252
H30-W06	231	I06-18-2/A	238	J36-150	245	J40R-MB150	247	J56-108H	252
H30-W10	231	I06-18-2/B	238	J36-R	245	J40R-MB225	247	J56-110	252
H31N-120SB	230	I06-24-2	238	J40-014	246	J40R-MB225B	247	J56-110H	252
H31S-120SB	230	I06-24-2/A	238	J40-016	246	J40R-ME150	247	J56-112	252
H33F-120	230	I06-24-2/B	238	J40-017	246	J40R-PV210F	247	J56-112H	252
H33S-120	230	I06-36-2	238	J40-019	246	J40R-PV210FB	247	J56-206	252
H34S-115	230	I06-36-2/A	238	J40-020	246	J40R-WL240	247	J56-206H	252

INDEX

ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER
J64-210H	253	K10-040-150	107	K99-F2M	109	L02-24	258	L40P-14	261	M10S-1011	307
J64-212	253	K10-050-150	107	K99-F2M/2	109	L02-32	258	L40P-16	261	M20-KIT1	307
J64-212H	253	K10-060-200	107	K99-F3	109	L02F-12	258	L40P-18	261	N11-02A	264
J65-106	253	K10-070-200	107	KNR-E37	41	L07F-16	258	L40P-20	261	N11-02A/4	264
J65-106H	253	K10-080-200	107	L/0028	100	L12-30	259	L40P-22	261	N11-02A-2	264
J65-107	253	K10-100-200	107	L/0028	103	L12-40	259	L40P-25	261	N11-02B-2	264
J65-107H	253	K10A-0104	107	L/0035	100	L12-50	259	L40P-30	261	N11-03	264
J65-108	253	K10A-0108	107	L/0035	103	L12C-35	259	L50-06-2	261	N11-04	264
J65-108H	253	K10A-0308	107	L/0050	103	L12C-35R	259	L50-08-2	261	N11-05	264
J65-204	253	K10A-0316	107	L/0102	103	L12DB-35	259	L50-10-2	261	N11-06	265
J65-205	253	K10A-0332	107	L/0104	103	L12DB-45	259	L50-12-2	261	N11-20	265
J65-206	253	K10A-0516	107	L/0108	103	L12DB-50	259	L50-14-2	261	N12-01	265
J65-245	253	K10A-0532	107	L/0116	103	L12-R30	259	L50-16-2	261	N12-01B	265
J65D-207	253	K10A-0564	107	L/0304	103	L12-R40	259	L50-18-2	261	N12-04AB	265
J66-640	253	K10A-0732	107	L/0308	103	L12-R50S	259	L50-20-2	261	N12-05	265
J66-848	253	K10A-0764	107	L/0316	103	L16-30	259	L50-22-2	261	N12-05P	265
J66-855	253	K10A-0964	107	L/0332	103	L16-40	259	L50-25-2	261	N12-10	266
J67-108	254	K10T-030	106	L/0364	103	L16-50	259	L50-30-2	261	N12-10HEN	266
J67-108H	254	K10T-040	106	L/0508	103	L17-40	259	L50-B4-2	261	N12-10L	266
J67-110	254	K10T-050	106	L/0516	103	L18-1000	259	L50-W6-2	261	N12-12	266
J67-110H	254	K10T-060	106	L/0532	103	L18-1500	259	L99-E02	55	N12-12HD	266
J68-108	254	K11-020-100	107	L/0564	103	L18-750	259	L99-E08	56	N12-13	266
J68-108H	254	K11-025-100	107	L/0716	103	L20-0401	261	LPR-E17	48	N12-1625	266
J68-110	254	K11-030-100	107	L/0732	103	L20-0403	261	LT/12	101	N12-25AT	266
J68-110H	254	K11-040-150	107	L/0764	103	L20-045W	261	LT/12D	101	N12-P1615	266
J68-112	254	K11-050-150	107	L/0916	103	L20-120	261	LT/13AF	103	N12-P1630	266
J68-112H	254	K11-060-200	107	L/0964	103	L25-150-2	259	LT/7	101	N12-P1660	266
J70-108	254	K11-080-200	107	L/1.3	100	L25-200-2	259	LT/700	104	N12-P16KIT	266
J70-108H	254	K11-100-200	107	L/1.5	100	L25-250-2	259	LT/700B	105	N13-10P03	267
J70-110	254	K12-009-100	107	L/10	100	L25-250G-2	259	LT/700IPR	105	N13-PC14	267
J70-110H	254	K12-010-100	107	L/11	100	L25-300-2	259	LT/700L	104	N14-016514	268
J70-112	254	K12-015-100	107	L/12	100	L25-300G-2	259	LT/700TL	104	N14-016606	268
J70-112H	254	K12-020-150	107	L/13	100	L27-125	259	LT/740	105	N14-017612	268
J71-03	254	K12-025-150	107	L/14	100	L27-150	259	LT/800	101	N14-017614	268
J71-04	254	K12-027-150	107	L/16	100	L27-175	259	LT/800AF	103	N14-018616	268
J71-05	254	K12-030-150	107	L/17	100	L28-125	260	LT/800CP	106	N14-019515	268
J71-06	254	K12-040-150	107	L/19	100	L28-150	260	LT/800D	101	N14-01K09	268
J72-0851A	254	K20-06	99	L/2	100	L29-3	260	LT/9	101	N14-01S27	268
J72-0851B	254	K20-07	99	L/2.5	100	L29-4	260	LT/900	102	N14-01S32	268
J72-0852B	254	K20-08	99	L/22	100	L29-5	260	LT/900AF	103	N14-01S36	268
J72-1051A	254	K20-08L	99	L/24	100	L29AT	260	LT/900C	102	N14-027414	268
J72-E0811	55	K20-09	99	L/27	100	L29ATR	260	LT/900CP	106	N14-029215	268
J75-B26	255	K20-10	99	L/3	100	L30-2	260	LT/900D	102	N14-031	269
J75-C26	255	K20-10L	99	L/3.5	100	L30-3	260	LT/9AF	103	N14-031SQ	269
J75-F26	255	K20-11	99	L/32	100	L30-4	260	LT/9CP	106	N14-032	269
J75-H26	255	K20-12	99	L/4	100	L30-5	260	LT/9D	101	N14-032SQ	269
J75-HR26	255	K20-13	99	L/4.5	100	L30-6	260	LT12/800	101	N14-033	269
J75-K26	255	K20-13L	99	L/5	100	L31-10	260	LT12/900	102	N14-0451	269
J75M-R05	255	K20-B06	99	L/6	100	L31-2	260	LT13/700	104	N14-0452	269
J75-O26	255	K99-10-06	107	L/7	100	L31-3	260	LT13/700L	104	N14-0453	269
J75-R06	255	K99-10A-E06	51	L/8	100	L31-4	260	LT13/800AF	103	N14-051	269
J75-R12	255	K99-10A-E15	51	L/9	100	L31-5	260	LT13/900AF	103	N14-051R	269
J75-R26	255	K99-10A-M10	108	L01-100	258	L31-6	260	LT27/800CP	106	N14-052	269
J75-S26	255	K99-10A-ME	108	L01-1000	258	L31-8	260	LT27/900CP	106	N14-052R	269
J75-TS26	255	K99-10-E06	51	L01-1500	258	L35-61	260	LT7/800	101	N14-061S	269
J76-R06	255	K99-10-E15	51	L01-200	258	L35-62	260	LT7/900	102	N14-06R	269
J80-200	250	K99-10-M08	108	L01-2000	258	L35A-11	260	M01-0810	307	N14-071	269
J81-200	250	K99-10-ME	108	L01-300	258	L35A-51	260	M01-1310	307	N14-072	269
J82-150	250	K99-10-ME	108	L01-500	258	L40G	261	M01-1615	307	N14-07DSG1	270
J82-200	250	K99-11-M08	108	L01-H1000	258	L40P-03	261	M01-2015	307	N14-07DSG2	270
J83-200	250	K99-12-06	107	L01-H1500	258	L40P-04	261	M01-2520	307	N14-081	269
JL-E53	48	K99-12-E06	51	L01-H2000	258	L40P-05	261	M01-3520	307	N14-10	270
JLR-E62	41	K99-12-E14	52	L01-H300	258	L40P-06	261	M01-S05	307	N14-12F10	270
JP99-E06	55	K99-12-M07	108	L01-H500	258	L40P-08	261	M05-1010	307	N14-12P14	270
K10-020-100	107	K99-12-ME	108	L02-08	258	L40P-10	261	M05-1616	307	N14-12R09	270
K10-025-100	107	K99-F1	109	L02-12	258	L40P-12	261	M10S-0460	307	N14-12S08	270
K10-030-100	107	K99-F2	109	L02-16	258	L40-P14	261	M10S-0680	307	N14-12S10	270


INDEX

ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER	ARTICLE CODE	PAGE NUMBER
N14-12S12	270	N23-0750	277	N37-02SJ1	285	P21-150	294	R10-MIDI/UV	300	R40-4	314
N14-12VAG.B	270	N23-0811D	279	N37-02SM1	285	P24M-022	295	R10-MINI1	299	R41-1	314
N14-12X16	270	N23-0811G	279	N37-02SM2	285	P26-BE1	295	R11-MINI	306	R99-E24	56
N14-E11	56	N23-0812G	279	N41-10	286	P26-BH1	295	R11-PEN	306	R99-E32	56
N15-K1BMW	272	N23-0825	280	N42-01K13	286	P26-BH2	295	R11-PRO	306	S4000M/6ST1	165
N15-K1FIA	272	N23-0831	280	N42-01M10	286	P26-BV1	295	R12-BAT1	302	S4000M/6ST2	165
N15-K1FIA/3	272	N23-0832	280	N42-01T50	286	P26-BV2	295	R12-PRO1	302	S4000M/7ST1	165
N15-K1VAG	271	N23-08MC	279	N43-01K1UNI	286	P26-SH1	295	R14-CF10	303	S4000M/7ST2	165
N15-K2BMW	272	N23-08TD	278	N43-01K1VAG	286	P26-SH2	295	R14-CF20	303	SE11-24	192
N15-K2REN	273	N23-08VCT	280	N43-01T01	287	P45A	293	R15-0500	311	SE41-24	192
N15-K2VAG.12	271	N23-10	280	N43-01T01S	287	P45D	293	R15-1000	311	SE44-24	192
N15-K2VAG.U	271	N23-11	280	N43-01T02	287	P47-025	293	R15-1800	311	SF99-601	160
N15-K3BMW	272	N23-1218	280	N43-01T02S	287	P47-050	293	R15-3000	311	SF99-601V	160
N15-K3FIA	273	N23-1225	280	N43-01T04	287	P47-075	293	R15-HTM	311	SF99-602	160
N15-K3REN	273	N23-1230	280	N43-01T04S	287	P47-100	293	R15-MPL	306	SF99-602V	160
N15-K3REN/3	273	N23-1240	280	N43-01T10	287	P54-20S	293	R15-NTM	311	SF99-701	160
N15-K3VAG	271	N23-1246	280	N43-01T11	287	P54A-25S	293	R15-TM10	311	SF99-702	160
N15-K4VAG	271	N23-1418	281	N43-01T12	287	P55-52MW	293	R16-700	311	SG18-24	214
N15-M1FRD	273	N23-1424	281	N43-01T13	287	R.L7R	305	R18R	312	SG99-701	211
N15-M1REN	273	N23-15C	281	N43-01T14	287	R.P5R	304	R18S	312	SG99-702	211
N15-M1VAG	272	N23-15P	281	N43-01T15	287	R.P6	304	R20R	311	Z/12	167
N15-T1BMW	272	N23-1850	281	N43-01T20	287	R.P7	304	R20RP	311	Z/40	167
N15-T1PE	271	N23-1855	281	N43-01T30	287	R.P7R	305	R20RS	311	Z/55	167
N15-T1REN	273	N23-19DH	281	N43-01T31	287	R.P-BP	305	R20S	311		
N15-T2UNI	271	N23-38	281	N43-01T32	287	R01-AS1	310	R21P	311		
N15-T3UNI	271	N23-39	281	N43-1020	286	R01-E05	56	R21-P19	313		
N16-0101	274	N23-42	281	N43-E09	56	R01-STD	310	R25-P05	313		
N16-06	274	N23-E05	56	P01-0522	290	R02-280	310	R26A-B05	313		
N16-07	274	N30-E05	49	P01-0527	290	R03K-M04	308	R26-M25	313		
N16-1001	274	N30-E09	49	P01-0827	290	R03K-M05	308	R28-P0524	312		
N16-1002	274	N30-E10	49	P03-0316	292	R03K-M06	308	R28-P1214	312		
N16-1003	274	N30-E12	49	P03-0519	292	R03K-NRC	308	R28-SC05	312		
N16-1004	274	N31-1105	282	P03-0525	292	R03K-PT	309	R28-SC06	312		
N16-1005	274	N31-12	282	P05-0316	291	R03K-RTC	309	R28-SC08	312		
N16-1110	274	N31-13	282	P05-0516	291	R03K-S04	308	R28-SC10	312		
N16-1116	274	N31-14	282	P05-0519	291	R03K-S05	308	R28-SC12	312		
N17-052208	274	N31-APW2	282	P05-0525	291	R03K-S06	308	R28-SC14/1	312		
N17-052211	274	N33-01BMC2/MS	282	P05-1025	291	R04K	308	R28S-P1420	312		
N17-052708	274	N33-01BPF	282	P05A-0316	291	R04K-A5	308	R30-06	313		
N17-05L14	275	N33-01SPF	282	P05A-0519	291	R04K-M04	308	R30-08	313		
N17-05L17	275	N33-02CW	282	P05-AD2	292	R04K-M05	308	R30-10	313		
N17-05L19	275	N33-02DE	283	P05B-0519	291	R04K-M06	308	R30-12	313		
N17-E09	56	N33-02HE	283	P05B-1025	291	R04K-M08	308	R30-R04	313		
N18-1522S	275	N33-02PW	282	P05S-0519	291	R04K-M10	308	R32-08	313		
N18-1522SL	275	N33-02PWC	283	P07-20	292	R04K-S04	308	R32-10	313		
N18-CC	275	N33-02TO	283	P07-30	292	R04K-S05	308	R32-11	313		
N18-CCR	275	N33-02UA	282	P07-50	292	R04K-S06	308	R32-12	313		
N21-0102	275	N33-03DS	283	P10-10	292	R04K-S08	308	R32-13	313		
N21-0302	275	N33-03SL	283	P10-20	292	R04K-S10	308	R32-14	313		
N21-04P12	276	N33-03SS	283	P10-30	292	R05-1000	312	R32-15	313		
N21-04P21	276	N33-04	283	P15-015	293	R05-200	312	R32-16	313		
N21-05	276	N33-04F	283	P15-030	293	R05-300	312	R32-17	313		
N21-10	276	N33-04R	283	P15-050	293	R05-500	312	R32-18	313		
N21-20BC	276	N33-04R1C	283	P15-100	293	R08-500	312	R32-19	313		
N21-20BCW	276	N33-04R1D	283	P17-B03	292	R08-500SN	312	R32-21	313		
N21-30DST	276	N33-04R2C	283	P21-012M	294	R08-FSN	312	R32-22	313		
N22-01K05	277	N33-04R2D	283	P21-030	294	R08-FSY	312	R32-24	313		
N22-0202	277	N33-04R3D	283	P21-040	294	R09B-125	307	R32-27	313		
N23-011	277	N33-05C	284	P21-050	294	R09B-150	307	R32-P11	313		
N23-032038	277	N36-1002	284	P21-060	294	R09B-200	307	R35CT	314		
N23-03K1AU	278	N36-CS0722	284	P21-060M	294	R10-CLR	300	R35DE	314		
N23-03K1BMW	278	N36-E04	56	P21-070	294	R10-COM1	302	R36-1	314		
N23-03K1VW	278	N36-WH2	284	P21-080	294	R10F-SLIM01	301	R36-2	314		
N23-03K2BMW	278	N36-WRT	284	P21-080M	294	R10F-SLIM2	301	R36-3	314		
N23-03K2VW	278	N37-02AJ1	285	P21-100	294	R10-MAX01	298	R36-4	314		
N23-0525	278	N37-02FR1	285	P21-100M	294	R10-MAX02	298	R36-B04	314		
N23-0604	278	N37-02HD1	285	P21-120	294	R10-MIDI	299	R37-25	314		


Technical Tables

Dimensions of Profiles


TORX Recess Screws

 	
	Ref. (mm)
T5	1.37
T6	1.65
T7	1.95
T8	2.28
T9	2.46
T10	2.72
T15	3.25
T20	3.84
T25	4.39
T27	4.95
T30	5.49
T40	6.60
T45	7.70
T50	8.79
T55	11.16
T60	13.20
T70	15.49
T80	17.68


TORX PLUS Recess Screws

	
	Ref. (mm)
IP10	2.72
IP15	3.25
IP20	3.84
IP25	4.39
IP30	5.49
IP40	6.60


TRI-WING Recess Screws

	
	Ref. (mm)
TW 1	0.57
TW 2	0.75
TW 3	0.95
TW 4	1.08
TW 5	1.23


RIBE Recess Screws

	
	Ref. (mm)
M04	3.80
M05	4.80
M06	5.80
M07	6.80
M08	7.80
M09	8.80
M10	9.80
M12	11.80
M14	13.80


XZN Recess Screws

	
	Ref. (mm)
M4	3.58
M5	4.80
M6	6.00
M8	7.20
M10	9.60
M12	11.41
M14	13.22
M16	15.63



TORX IPR Recess Screws

	
	Ref. (mm)
IPR9	2.42
IPR10	2.66
IPR15	3.10
IPR20	3.70
IPR25	4.20
IPR27	4.72
IPR30	5.28
IPR40	6.30



TORQ-SET Recess Screws

	
	Ref. (mm)
No:2	0.35
No:3	0.40
No:4	0.43
No:5	0.48
No:6	0.56
No:8	0.71
No:10	0.84
No: 1/4"	1.10

Square Recess Screws

		
	Ref. (mm)	Ref. (mm)
No: 1	2.31	2.5
No: 2	2.85	3.1
No: 3	3.37	3.7

PH/PZ Recess Screws

		
		
	Ref. (mm)	
00	2	
0	3	
1	4.5	
2	6	
3	8	
4	10	

Technical Tables

Corresponding Unit									
Units to be	=mN.m	=cN.m	=N.m	=ozf.in	=lbf.in	=lbf.ft	-gf.cm	=kgf.cm (kp.cm)	=kgf.cm (kp.m)
1 mN.m	1	0.1	0.001	0.142	0.009	0.0007	10.2	0.01	0.0001
1 cN.m	10	1	0.01	1.416	0.088	0.007	102	0.102	0.001
1 N.m	1000	100	1	141.6	8.851	0.738	10197	10.2	0.102
1 ozf.in	7.062	0.706	0.007	1	0.0625	0.005	72	0.072	0.0007
1 lbf.in	113	11.3	0.113	16	1	0.083	1152.1	1.152	0.0115
1 lbf.ft	1356	135.6	1.356	192	12	1	13826	13.83	0.138
1 gf.cm	0.098	0.01	0.0001	0.014	0.0009	0.00007	1	0.001	0.00001
1 kgf.cm(kp.cm)	98.07	9.807	0.098	13.89	0.868	0.072	1000	1	0.01
1 kgf.m(kp.m)	9807	980.7	9.807	1389	86.8	7.233	100000	100	1

Conversion Nm in kgf.m (kp.m)						1Nm = 0.102 kgf.m				
Nm	0	1	2	3	4	5	6	7	8	9
0	0.00	0.10	0.20	0.31	0.41	0.51	0.61	0.71	0.82	0.92
10	1.02	1.12	1.22	1.33	1.43	1.53	1.63	1.73	1.84	1.94
20	2.04	2.14	2.24	2.35	2.45	2.55	2.65	2.75	2.86	2.96
30	3.06	3.16	3.26	3.37	3.47	3.57	3.67	3.77	3.87	3.98
40	4.08	4.18	4.28	4.38	4.49	4.59	4.69	4.79	4.89	5.00
50	5.10	5.20	5.30	5.40	5.51	5.61	5.71	5.81	5.91	6.02
60	6.12	6.22	6.32	6.42	6.53	6.63	6.73	6.83	6.93	7.04
70	7.14	7.24	7.34	7.44	7.55	7.65	7.75	7.85	7.95	8.06
80	8.16	8.26	8.36	8.46	8.57	8.67	8.77	8.87	8.97	9.08
90	9.18	9.28	9.38	9.48	9.59	9.69	9.79	9.89	9.99	10.10
100	10.20	10.30	10.40	10.50	10.60	10.71	10.81	10.91	11.01	11.11

Conversion kgf.m (kp.m) in N.m						1kgf.m (kp.m)=9.807 N.m				
Nm	0	1	2	3	4	5	6	7	8	9
0	0.00	9.81	19.61	29.42	39.23	49.03	58.84	68.65	78.45	88.26
10	98.07	107.87	117.68	127.49	137.29	147.10	156.91	166.71	176.52	186.33
20	196.13	205.94	215.75	225.55	235.36	245.17	254.97	264.78	274.59	284.39
30	294.20	304.01	313.81	323.62	333.43	343.23	353.04	362.85	372.65	382.46
40	392.27	402.07	411.88	421.69	431.49	441.30	451.11	460.91	470.72	480.53
50	490.33	500.14	509.95	519.75	529.56	539.37	549.17	558.98	568.79	578.59
60	588.40	598.21	608.01	617.82	627.63	637.43	647.24	657.05	666.85	676.66
70	686.47	696.27	706.08	715.89	725.69	735.50	745.31	755.11	764.92	774.73
80	784.53	794.34	804.15	813.95	823.76	833.57	843.37	853.18	862.99	872.79
90	882.60	892.41	902.21	912.02	921.83	931.63	941.44	951.25	961.05	970.86
100	980.67	990.47	1000.28	1010.08	1019.89	1029.70	1039.50	1049.31	1059.12	1068.92

Conversion Nm in lbf.ft						1N.m = 0.7376 lbf.ft				
Nm	0	1	2	3	4	5	6	7	8	9
0	0.00	0.74	1.48	2.21	2.95	3.69	4.43	5.16	5.90	6.64
10	7.38	8.11	8.85	9.59	10.33	11.06	11.80	12.54	13.28	14.01
20	14.75	15.49	16.23	16.96	17.70	18.44	19.18	19.91	20.65	21.39
30	22.13	22.86	23.60	24.34	25.08	25.81	26.55	27.29	28.03	28.76
40	29.50	30.24	30.98	31.72	32.45	33.19	33.93	34.67	35.40	36.14
50	36.88	37.62	38.35	39.09	39.83	40.57	41.30	42.04	42.87	43.52
60	44.25	44.99	45.73	46.47	47.20	47.94	48.68	49.42	50.15	50.89
70	51.63	52.37	53.10	53.84	54.58	55.32	56.05	56.79	57.53	58.27
80	59.00	59.74	60.48	61.22	61.96	62.69	63.43	64.17	64.91	65.64
90	66.38	67.12	67.86	68.59	69.33	70.07	70.81	71.54	72.28	73.02
100	73.76	74.49	75.23	75.97	76.71	77.44	78.18	78.92	79.66	80.39

Conversion lbf.ft in Nm						1lbf.ft = 1.356 N.m				
Nm	0	1	2	3	4	5	6	7	8	9
0	0.00	1.36	2.71	4.07	5.42	6.78	8.13	9.49	10.85	12.20
10	13.56	14.91	16.27	17.63	18.98	20.34	21.69	23.05	24.40	25.76
20	27.12	28.47	29.83	31.18	32.54	33.90	35.25	36.61	37.96	39.32
30	40.67	42.03	43.39	44.74	46.10	47.45	48.81	50.16	51.52	52.88
40	54.23	55.59	56.94	58.30	59.66	61.01	62.37	63.72	65.08	66.43
50	67.79	69.15	70.50	71.86	73.21	74.57	75.93	77.28	78.64	79.99
60	81.35	82.70	84.06	85.42	86.77	88.13	89.48	90.84	92.20	93.55
70	94.91	96.26	97.62	98.97	100.33	101.69	103.04	104.40	105.75	107.11
80	108.46	109.82	111.18	112.53	113.89	115.24	116.60	117.96	119.31	120.67
90	122.02	123.38	124.73	126.09	127.45	128.80	130.16	131.51	132.87	134.23
100	135.58	136.94	138.29	139.65	141.00	142.36	143.72	145.07	146.43	147.78

Conversion Nm in lbf.in						1N.m = 8.851 lbf.in				
Nm	0	1	2	3	4	5	6	7	8	9
0	0.00	8.85	17.70	26.55	35.40	44.25	53.10	61.96	70.81	79.66
10	88.51	97.36	106.21	115.06	123.91	132.76	141.61	150.46	159.31	168.16
20	177.02	185.57	194.72	203.57	212.42	221.27	230.12	238.97	247.82	256.67
30	265.52	274.37	283.22	292.08	300.93	309.78	318.63	327.48	336.33	345.18
40	354.03	362.88	371.73	380.58	389.43	398.28	407.14	415.99	424.84	433.69
50	442.54	451.39	460.24	469.09	477.94	486.79	495.64	504.49	513.34	522.20
60	531.05	539.90	548.75	557.60	566.45	575.30	584.15	593.00	601.85	610.70
70	619.55	628.40	637.26	646.11	654.96	663.81	672.66	681.51	690.36	699.21
80	708.06	716.91	725.76	734.61	743.46	752.32	761.17	770.02	778.87	787.22
90	796.57	805.42	814.27	823.12	831.97	840.32	849.67	858.52	867.38	876.23
100	885.08	893.93	902.78	911.63	920.48	929.33	938.18	947.03	955.88	964.73

Conversion lbf.in in N.m						1lbf.in = 0.113 N.m				
Nm	0	1	2	3	4	5	6	7	8	9
0	0.00	0.11	0.23	0.34	0.45	0.56	0.68	0.79	0.90	1.02
10	1.13	1.24	1.36	1.47	1.58	1.69	1.81	1.92	2.03	2.15
20	2.26	2.37	2.49	2.60	2.71	2.82	2.94	3.05	3.16	3.28
30	3.39	3.50	3.62	3.73	3.84	3.95	4.07	4.18	4.29	4.41
40	4.52	4.63	4.75	4.86	4.97	5.08	5.20	5.31	5.42	5.54
50	5.65	5.76	5.87	5.99	6.10	6.21	6.33	6.44	6.55	6.67
60	6.78	6.89	7.00	7.12	7.23	7.34	7.46	7.57	7.68	7.80
70	7.91	8.02	8.13	8.25	8.36	8.47	8.59	8.70	8.81	8.93
80	9.04	9.15	9.26	9.38	9.49	9.60	9.72	9.83	9.94	10.06
90	10.17	10.28	10.39	10.51	10.62	10.73	10.85	10.96	11.07	11.19
100	11.30	11.41	11.52	11.64	11.75	11.86	11.98	12.09	12.20	12.31

The Ceta Form Guarantee

Ceta Form offers a total quality guarantee for its tools against defects in material or workmanship. This guarantee covers the free repair or replacement of the faulty tool.

This guarantee is not valid for tools which have been misused or abused. A tool's normal wear and tear in the expected reasonable lifetime is also exempt from guarantee.

Exceptions of the Ceta Form Guarantee

Tool cabinets, tool cases, torque wrenches, tape measures, utility knives, lighting equipment, cutting tools and wire brushes are covered by a 2 year warranty against failures due to production defects.

Consumable items such as bits, hole saws, files, utility knife blades, hacksaw blades, jigsaw blades, plastic hammer heads and hand riveter spares are covered by a limited warranty only. This warranty is valid if the product is unusable when it is in new condition due to a possible production defect.

Examples of Improper Use

Compliance to the below mentioned instructions and avoiding misuse will ensure that your tools will serve you without any problems for years. This will also keep our warranties valid. In the event that our tools fail due to the one of the below shown types of misuses, the warranty will be invalid.



Never use extensions on tools unless it is specified that it is appropriate.



Ring ends of ratcheting combination wrenches should be used for rapid tightening. It is recommended that you use the open end for high torque final tightening.



Torque wrenches signal with a "click" sound when the preset torque is reached. Further application of power after this signal may destroy the ratchet or the spring mechanism.



Never use chromed sockets on impact wrenches. Use only impact sockets which are black coloured on impact wrenches.



Do not use your screwdriver as a lever or a chisel. Avoid exerting excess torque through using the hanging hole as a lever.



Always select the right type of screwdriver or screwdriver bit for the type of screw you are using. Too small or too big a screwdriver/bit compared to the screw may destroy the tool or the screw. Also be careful about the distinction between Phillips and Pozidrive screws.



Do not use pliers and cutters for cutting materials larger than the permissible capacities. Avoid short circuiting when working on live circuits as this may destroy the cutting edges.



Do not use cable shears to cut materials other than copper. Always conform to the cutting capacities when working on copper wires.



Do not use hammers on a material whose hardness is higher than the hammer head (50-58 HRC).




Tape measures should be used as a precision instrument. When being used in construction environment involving building chemicals etc., ensure that the tape is clear when rewinding. Keep away from water and moisture as this might rust the blade.



Do not use tools other than hammers for striking purpose.



Do not alter the sizes and dimensions of your tools.



Please conform to the capacities listed throughout the product tables.



The torque power of ballpoint hex tools is lower compared to normal hex tools. Please use them accordingly.

CETA FORM



CETA FORM EL ALETLERİ SANAYİ VE TİCARET A.Ş.
Mermerciler Sanayi Sitesi 3.Cadde No: 3
34520 Beylikdüzü / İstanbul
Tel : +90 212 876 46 41 (pbx)
Fax : +90 212 876 46 40
satisdestek@cetaform.com
www.cetaform.com



CETA FORM Limited
5,04 Windsor House Cornwall Road Harrogate
North Yorkshire HG1 2PW United Kingdom
Tel : +44 (0)845 308 1440
uksales@cetaform.com

www.cetaform.co.uk