



Product Catalogue | 2025



Shandong Lumax Innovative Lighting Co. Ltd.
www.sd-lumax.com

Who are Lumax

Who are Lumax

Lumax are a professional manufacturer of LED work-lights, based in Weihai, Shandong, China.

A joint venture between Ceta Form Hand Tools of Türkiye and Top-Power, China. Lumax supply private label work-lights to leading brands and distributors, worldwide. Incorporating innovation and the latest technology, Lumax aim is to be the leading manufacturers of work-lights in China.

Our Vision

Our vision is centered around delivering the most innovative LED work-lights for professional users. Whether it is a handy torch, a head-lamp, a hand-held work-light or a floor standing flood-light, all our products incorporate modern designs, high quality materials and high spec components. New and unique work-lights are being added to the range every month. Lumax work-lights are suitable for automotive, aviation, industrial, maintenance, electrical, plumbing and construction markets, to name but a few.

Product Index

**LED Inspection Lights
(Full Size)**

08



LED Headlamps

23



**LED Color Proofing
Lights**

34



**LED Inspection Lights
(Mid Size)**

13



LED Flood Lights (Heavy Duty)

26



**UV Leak Detection
Lights**

39



**Slim LED Inspection
Lights (Folding)**

16



LED Flood Lights (Compact)

29



Underhood Worklight

42



**LED Inspection Lights
(Compact)**

20



**Wireless LED Lights+
Charge Docks**

30



Multilight Body Connect

44



Quality Control Capabilities

Quality

Lumax Lighting Company takes quality seriously, making sure every light we produce meets the highest standards. We have a rigorous quality control process at every step of making our lights. This means our lights not only meet the industry standards but often surpass them.

Our Labs

Our cutting-edge labs are at the heart of Lumax's commitment to ensuring the quality of our lights. These well-equipped facilities are staffed by experts who excel in their field. In these labs, we rigorously test our lights to ensure they perform flawlessly in various situations

Quality Control

We test our lights in all sorts of ways. We check how bright they are, how they handle heat, and how they perform in different environments. This ensures that our lights last a long time and work well, just like they're supposed to.

Production Capabilities

Environment

In our labs, we don't just test the lights; we also scrutinize the materials we use. We ensure that the materials are not only durable but also environmentally friendly, minimizing any negative impact on the planet. This way, you can trust that our lights are both high-quality and environmentally responsible.

Innovation

Our labs are also where we come up with new ideas and technologies for lighting. We're always working on making better and more innovative lights. This way, we stay at the forefront of the lighting industry.

High-End Product

In a nutshell, Lumax Lighting Company is dedicated to producing high-quality lights that meet the highest standards. Our labs are pivotal in making sure our lights work well, last long, and are environmentally responsible. Plus, we're continually developing new and innovative lighting solutions to lead the industry.

Our quality, will be in your brand!





100% Bespoke Manufacturing

Have you got a unique design idea? No problem, we are a competent partner to realize your project. Our design team can cooperate with you to generate 3D models and prototypes.

Once approved, the necessary injection mold toolings, etc. will be developed for the desired model range. Your idea will be in serial production in truly short period.

Take advantage of our offer; please feel free to talk to us for details.




With the striking design, our polycarbon cover, keeps your logo safe for any damage



Packaging and Kits

The ultimate in quality deserves the ultimate in packaging. Therefore, we offer a limitless choice of packaging alternatives. Your brand could be on the forefront on the market with innovative packaging solutions from us.





LED Inspection Lights (Full Size)



LED Inspection Lights (Full Size)



LMA001-001

Rechargeable COB LED Inspection Light

1000
lumens
COB LED



Durable housing, hooks and lens
180 degree pivoting handle
Super strong magnets in the
handle and back
4 LED battery level indicators
show the charge status



Main light: 10W COB LED, 6500K, 80+CRI
Top light: 4W SMD LED, 6500K, 80+CRI



Main light: 250 / 500 / 1000 lumens
Top light: 150 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Main light: 8 h / 4 h / 2 h
Top light: 7 h



1m Type C USB
5V-1A



IP65




IK07



339 g



268x61x42 mm



- 1 Top Light
- 2 Magnet
- 3 Rigid plastic hook
- 4 USB-C Socket
- 5 On - Off switch & Dimmer

LMA001-002S

Rechargeable SMD LED Inspection Light

700
lumens
SMD LED



Durable housing, hooks and lens
180 degree pivoting handle
Super strong magnets in the
handle and back
4 LED battery level indicators
show the charge status



Main light: 7W COB LED, 6500K, 70+CRI
Top light: 4W SMD LED, 6500K, 70+CRI



Main light: 175 / 350 / 700 lumens
Top light: 150 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Main light: 8 h / 4 h / 2 h
Top light: 7 h



1m Type C USB
5V-1A



IP54




IK07



304 g



268x61x42 mm



- 1 Top Light
- 2 Magnet
- 3 Rigid plastic hook
- 4 USB-C Socket
- 5 On - Off switch & Dimmer

LED Inspection Lights (Full Size)



LMA001-002

Rechargeable COB LED Inspection Light

700
lumens
COB LED



Durable housing, hooks and lens
180 degree pivoting handle
Super strong magnets in the
handle and back
4 LED battery level indicators
show the charge status



Main light: 7W COB LED, 6500K, 80+CRI
Top light: 4W SMD LED, 6500K, 80+CRI



Main light: 175 / 350 / 700 lumens
Top light: 150 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Main light: 8 h / 4 h / 2 h
Top light: 7 h



1m Type C USB
5V-1A



IP65



IK07



330 g



268x61x42 mm



- 1 Top Light
- 2 Magnet
- 3 Rigid plastic hook
- 4 USB-C Socket
- 5 On - Off switch & Dimmer


LMA002-001

Rechargeable COB LED Inspection Light

500
lumens
COB LED



Durable housing, hooks and lens
180 degree pivoting handle
Super strong magnets on the
bottom
3 LED battery level indicators
show the charge status



Main light: 6W COB LED, 6500K, 80+CRI
Top light: 4W SMD LED, 6500K, 80+CRI



Main light: 250 / 500 lumens
Top light: 100 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Main light: 5 h / 3.5 h
Top light: 10 h



1m Type C USB
5V-1A



IP54




IK07



214 g



199x56x36 mm



- 1 Top Light
- 2 Rigid plastic hook
- 3 USB-C Socket
- 4 On - Off switch
- 5 Magnet

LED Inspection Lights (Mid Size)



LMA002-001S

Rechargeable SMD LED Inspection Light

500
lumens
COB LED



Durable housing, hooks and lens
180 degree pivoting handle
Super strong magnets on the bottom
3 LED battery level indicators show the charge status



Main light: 6W SMD LED, 6500K, 70+CRI
Top light: 3W SMD LED, 6500K, 70+CRI



Main light: 250 / 500 lumens
Top light: 100 lumens



Battery:
3.7 V 2200 mAh Li-ion



Charging time:
3.5 h



Main light: 5 h / 3.5 h
Top light: 10 h



1m Type C USB
5V-1A



IP54




IK07



208 g



198x57x40 mm



- 1 Top Light
- 2 Rigid plastic hook
- 3 USB-C Socket
- 4 On - Off switch
- 5 Magnet

LMA006-001

Rechargeable LED Inspection Light - Replaceable Lens

400
lumens
COB LED



Durable housing, hooks and lens
180 degree pivoting handle
Super strong magnets on the bottom
3 LED battery level indicators show the charge status



Main light: 6W COB LED, 6500K, 80+CRI
Top light: 3W SMD LED, 6500K, 80+CRI



Main light: 200 / 400 lumens
Top light: 100 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Main light: 5 h / 3.5 h
Top light: 10 h



1m Type C USB
5V-1A



IP54




IK07



235 g



198x57x40 mm



- 1 Top Light
- 2 Rigid plastic hook
- 3 USB-C Socket
- 4 On - Off switch
- 5 Magnet

LMA007-001

Rechargeable COB LED Inspection Light

400
lumens
COB LED



Long & thin design, making it easy to carry and apply.

Hook & rear magnet are suitable for various environments.

Sturdy & durable Aluminum alloy housing.



Flood light: 6W COB LED, 6500K, 80+CRI



Flood light: 200 / 400 lumens



Battery:
3.7 V 1800 mAh Li-ion



Charging time:
4 h



Main light: 3 h / 1.5 h



1m Type C USB
5V-1A



IPX4



IK07



120 g



249x32.5x10.5 mm

LMA008-001

Rechargeable COB LED Inspection Light

1000
lumens
COB LED

Long & thin design, making it easy to carry and apply.

Sturdy & durable Aluminum alloy housing.



Flood light: 10W COB LED, 6500K, 80+CRI



Flood light: 250 / 500 / 1000 lumens



Battery:
3.7 V 4400 mAh Li-ion



Charging time:
4 h



Main light: 12 h / 6 h / 3 h



1m Type C USB
5V-2A



IPX3



IK07




390 g



480x40x40 mm

LED Inspection Lights



LED Inspection Lights (Mid Size)



LMC001-001

Mini Rechargeable COB LED Inspection Light

150
lumens
COB LED



Durable housing and lens

Strong magnet on the clip

Led charging indicator:

Red while charging, green when full



Main light: 3W COB LED, 6500K, 80+CRI
Top light: 1W SMD LED, 6500K, 80+CRI



Main light: 150 lumens
Top light: 80 lumens



Battery:
3.7 V 800 mAh Li-ion



Charging time:
2 h



Main light: 3 h
Top light: 5 h



1m Type C USB
5V-1A



IP20



IK07



62 g



167x25x27 mm



- 1 Top Light
- 2 Magnet
- 3 Rigid plastic hook
- 4 On - Off switch
- 5 USB-C Socket

LMC001-001S

Mini Rechargeable SMD LED Inspection Light

150
lumens
COB LED



Durable housing and lens

Strong magnet on the clip

Led charging indicator:

Red while charging, green when full



Main light: 3W COB LED, 6500K, 80+CRI
Top light: 1W SMD LED, 6500K, 80+CRI



Main light: 150 lumens
Top light: 80 lumens



Battery:
3.7 V 800 mAh Li-ion



Charging time:
2 h



Main light: 3 h
Top light: 5 h



1m Type C USB
5V-1A



IP20



IK07



61 g



167x25x27 mm



- 1 Top Light
- 2 Magnet
- 3 Rigid plastic hook
- 4 On - Off switch
- 5 USB-C Socket

Aluminum alloy penlight



LMC002-001

Mini Rechargeable COB LED Aluminum alloy penlight

300
lumens
COB LED



Dual lights desian,spotlight & floodlight. Applied with a pen clip, it can be clipped to the pocket or something else.



Main light: 3W COB LED, 5500-6500K, 80+CRI
Top light: 1W SMD LED, 6000-7000K, 70+CRI



Main light: 300 lumens
Top light: 200 lumens



Battery:
3.7 V 650 mAh Li-ion



Charging time:
2 h



Main light: 2 h
Top light: 3 h



1m Type C USB
5V-1A



IPX0



IK07




58 g




210x20x174 mm



- 1 On - Off switch
- 2 Magnet
- 3 Rigid plastic hook
- 4 Top Light





Slim LED Inspection Lights (Folding)

LMF001-001

Folding Rechargeable SLIM LED Inspection Light

1000
lumens
COB LED



Durable plastic housing, aluminum LED frame
Strong magnet and hook at the bottom
180 degree rotating head in vertical position
4 LED battery level indicators show the charge status



Flood light: 10W COB LED, 6500K, 80+CRI
Spot light: Super Bright LED, 6500K, 80+CRI



Flood light: 1000 / 500 / 250 lumens
Spot light: 150 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Flood light: 2 / 4 / 8 h
Spot light: 7 h



1m Type C USB
5V-1A



IP65




IK07



292 g



Fold: 195x46x60 mm
Extend: 348x46x60 mm



- 1 Top light
- 2 Main light
- 3 Battery indicator
- 4 On-Off switch
- 5 USB-C socket
- 6 Hook and magnet



Slim LED Inspection Lights (Folding)




LMF002-001

Swivel Head Rechargeable LED Torch

1000
lumens
COB LED



Durable plastic housing, aluminum torch head
Strong magnet and hook at the bottom
135 degree pivoting torch head
4 LED battery level indicators show the charge status
Variable lighting focal length



Torch light: 10W Super Bright LED, 6500K, 70+CRI



Torch light: 1000 / 500 / 250 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Torch light: 2 / 4 / 7 h



1m Type C USB
5V-1A



IP65



IK07



325 g



251x46x60 mm



- 1 Torch Light
- 2 Battery level indicator
- 3 On - Off switch
- 4 USB-C Socket
- 5 Hook and magnet


LMF003-001

Folding Rechargeable SLIM LED Inspection Light - Mini

300
lumens
COB LED



Durable plastic housing, aluminum LED frame Strong magnet on the bottom and back 180 degree rotating head in vertical position During charging, the red led flashes, green led indicates fully charged.



Flood light: Super Bright COB LED, 6500K, 80+CRI
Spot light: Super Bright LED, 6500K, 80+CRI
Back light: COB LED, 6500 K, 80+CRI



Flood light: 300Lm
Flood Econ: 150Lm
Spot light: 80 lumens
Back light: 200 lumens



Battery:
3.7 V 800 mAh Li-ion



Charging time:
2 h



Flood light: 1.5h Econ: 3h
Spot light: 3 h
Back light: 2 h



1m Type C USB
5V-1A



IP54



IK07



95 g



Fold: 158x20x32 mm
Extend: 301x20x25 mm



- 1 Top Light
- 2 Main light
- 3 Magnet
- 4 Battery Indicator
- 5 On - Off switch
- 6 USB-C socket
- 7 Magnet
- 8 Magnet

LMF005-001

Folding Rechargeable SLIM LED Inspection Light

400
lumens
COB LED



The light strip can rotate 180 degrees and be folded up for easy storage and portability.

The bottom is equipped with a pull-out clamp function, which can be fixed to different thicknesses of plates, and the maximum stretching size can reach 45MM.

The magnet at the bottom can be attached to the engine hood, tool rack, etc. and the hook can be hung.



Flood light: 4W COB LED, 5500-7500K, 80+CRI
Spot light: 2W SMD LED, 6500-7500K, 70+CRI
Top light: 1W SMD LED, 6500-7500K, 70+CRI



Flood light: 400 lumens / Red light: 200 lumens
Spot light: 160 lumens
Top light: 60 lumens



Battery:
3.7 V 2600mAh Li-ion



Charging time:
4 h



Flood light: 5 h / Red light: 6 h
Spot light: 10 h
Top light: 35 h



1m Type C USB
5V-1A



IPX0



IK07



180 g



158x31x45mm

LMF006-001

Folding Rechargeable SLIM LED Inspection Light

240
lumens
COB LED



The light strip can rotate 180 degrees and be folded up for easy storage and portability.

The bottom is equipped with a pull-out clamp function, which can be fixed to different thicknesses of plates, and the maximum stretching size can reach 45MM.

The magnet at the bottom can be attached to the engine hood, tool rack, etc. and the hook can be hung.



Flood light: 3W COB LED, 5500-7500K, 80+CRI
Spot light: 2W SMD LED, 6500-7500K, 70+CRI
Top light: 1W SMD LED, 6500-7500K, 70+CRI



Flood light: 240 lumens / Red light: 12 lumens
Spot light: 160 lumens
Top light: 50 lumens



Battery:
3.7 V 1200mAh Li-ion



Charging time:
2 h



Flood light: 3 h / Red light: 12 h
Spot light: 4.5 h
Top light: 20 h



1m Type C USB
5V-1A



IPX0



IK07



119 g



130x27x41mm

LED Inspection Lights (Compact)



LED Inspection Lights (Compact)



LMB001-001

Compact Rechargeable COB LED Inspection Light

400
lumens
COB LED



Durable housing, hook & lens
360 degree pivoting frame
Strong magnet on clip and
bottom Led charging indicator:
Red while charging, green
when full



WIDE AREA LENS



Main light: 3W COB LED, 6500K, 80+CRI



Main light: 400 / 120 lumens



Battery:
3.7 V 1500 mAh Li-ion



Charging time:
3 h



Main light: 3 / 8 h



1m Type C USB
5V-1A



IP54




IK07



166 g



127x69x33 mm



- 1 Rigid plastic hook and belt clip
- 2 On - Off switch
- 3 USB-C Socket
- 4 Magnet

LMB001-001S

Compact Rechargeable SMD LED Inspection Light

300
lumens
SMD LED



Durable housing, hook & lens
360 degree pivoting frame
Strong magnet on clip and
bottom Led charging indicator:
Red while charging, green
when full



WIDE AREA LENS



Main light: 3W SMD LED, 6500K, 80+CRI



Main light: 300 / 100 lumens



Battery:
3.7 V 1500 mAh Li-ion



Charging time:
3 h



Main light: 3 / 8.5 h



1m Type C USB
5V-1A



IP54




IK07



160 g



127x69x33 mm



- 1 Rigid plastic hook and belt clip
- 2 On - Off switch
- 3 USB-C Socket
- 4 Magnet

LED Inspection Lights (Compact)



LMB003-001

Compact Rechargeable COB LED Inspection Light

1200
lumens
COB LED



Strong magnet on clip and bottom

Led charging indicator:
Red while charging, green when full
AL case



Main light: 10W COB LED, 5500-7500K, 70+CRI
Top light: 2W SMD LED, 5500-7500K, 70+CRI



Main light: 80 / 600 / 1200 lumens
Top light: 100 lumens



Battery:
3.7 V 2000 mAh Li-ion



Charging time:
3 h



Main light: 10 / 5.5 / 1.5 h
Top light: 12 h



1m Type C USB
5V-1A



IPX7



IK07



147 g



115x46x26 mm





LED Headlamps

LMD001-001

Rechargeable LED Headlamp with Motion Sensor

400
lumens
COB LED



Durable housing and lens

Strong belt with non-slip grip

Smart motion sensor

Led charging indicator: Flashing green while charging,
solid green when full



Main light: 4W COB LED, 6500K, 80+CRI



Main light: 200 / 400 lumens



Battery:
3.7 V 1500 mAh Li-ion



Charging time:
2.5 h



Main light: 6 / 2 h



1m Type C USB
5V-1A



IP65




IK07



110 g



78.5x47.5x42 mm



- 1 IR sensor switch
- 2 On - Off switch
- 3 USB-C Socket

LMD003-001

Rechargeable LED Headlamp with Motion Sensor

500
lumens
COB+SMD LED



SPOTLIGHT / FLOODLIGHT

Durable housing and lens

Strong belt with non-slip grip, 3 strong magnets on
back Smart motion sensor

Led charging indicator: Flashing green while
charging, solid green when full



Flood light: 3W COB LED, 6500K, 80+CRI
Spot light: 4W SMD LED, 6500K, 80+CRI



Flood light: 250 lumens
Spot high: 300 lumens
Spot low: 120 lumens
Spot+Flood: 500 lumens



Battery:
3.7 V 1500 mAh Li-ion



Charging time:
2.5 h



Flood light: 3h
Spot High: 3h
Spot Low: 8h
Flood +Spot: 1.5h



1m Type C USB
5V-1A



IP65




IK07



128 g



78.5x47.5x42 mm



- 1 IR sensor switch
- 2 On - Off switch
- 3 USB-C Socket

LMD002-001

LED Headlamp - 3xAAA

150
lumens
COB LED



Durable housing and lens
Strong belt with non-slip grip



Main light: 3W COB LED, 6500K, 80+CRI



Main light: 40 / 150 lumens



Battery:
3xAAA (not included)



Warning light burst - SOS



Main light: 8 / 2 h




IP20



65 g



78x50x43 mm



1 On-Off switch



Heavy Duty LED Floodlights



Heavy Duty LED Floodlights



LME009-001

Rechargeable Heavy Duty LED Floodlight

6000
lumens
COB LED



Hybrid system, can be used both
on battery and AC adapter power supply
Durable aluminum housing
LED charge level indicators on back
Pivoting stand with tripod mount
housings Sold separately



Main light: 60W COB LED, 80+CRI



Main light: 600 - 6000 lumens



Battery:
14.8 V 4400mAh (60Wh)



Charging time:
2 h



Main light: 12 h / 2 h



DC 3.5
24V-2.5A



IP65



IK07



2300 g



258x255x122 mm



- 1 On/Off Switch
- 2 Dc 3.5 input
- 3 Usb output 5V/2A
- 4 Power Indication
- 5 Lm Indication

LME009-002

Heavy Duty LED Floodlight - for use with battery packs

6000
lumens
COB LED



Can be fitted by market leading
power tool battery packs, ships
with adaptors for each brand
Durable aluminum housing
LED charge level indicators on back
Pivoting stand with tripod mount
housings Sold separately



Main light: 60W COB LED, 80+CRI



Main light: 600 - 6000 lumens



Battery:
Built-in Powerbank



Main light:
Depends on the
branded battery



DC 3.5
24V-2.5A



IP65



IK07



2100 g



258x255x122 mm



- 1 On/Off Switch
- 2 Dc 3.5 input
- 3 Usb output 5V/2A
- 4 Power Indication
- 5 Lm Indication

Heavy Duty LED Floodlights



LME010-001

Rechargeable Heavy Duty LED Floodlight - with diffusor, non-blinding

6000
lumens
COB LED



Hybrid system, can be used both on battery and

AC adapter power supply

Diffusor secures non-blinding light source

Durable aluminum housing

LED charge level indicators on

back Pivoting stand with tripod

mount housings Sold separately



Main light: 60W COB LED, 80+CRI



Main light: 600 - 6000 lumens



Battery:
14.8 V 4400mAh (60Wh)



Charging time:
2 h



Main light: 12 h / 2 h



DC 3.5
24V-2.5A



IP65



IK07



2100 g



258x255x122 mm



- 1 On/Off Switch
- 2 Dc 3.5 input
- 3 Usb output 5V/2A
- 4 Power Indication
- 5 Lm Indication

LME010-002

Heavy Duty LED Floodlight with Diffusor - for use with battery packs

6000
lumens
COB LED



Can be fitted by market leading power
tool battery packs, ships with adaptors
for each brand

Diffusor secures non-blinding light source

Durable aluminum housing

LED charge level indicators on back

Pivoting stand with tripod mount

housings Sold separately



Main light: 60W COB LED, 80+CRI



Main light: 600 - 6000 lumens



Battery:
Built-in Powerbank



Main light:
Depends on the
branded battery



DC 3.5
24V-2.5A



IP65



IK07



1900 g



258x255x122 mm



- 1 On/Off Switch
- 2 Dc 3.5 input
- 3 Usb output 5V/2A
- 4 Power Indication
- 5 Lm Indication

LED Flood Lights (Compact)



LME001-001

Compact Rechargeable LED Floodlight

1000
lumens
COB LED



Durable housing and lens. 180 degree flexible handle.
Super strong magnet on the handle.
4 LED battery level indicators during charging and discharging.



Flood light: 10W COB LED, 5500-6500K
Spot light: Super Bright LED, 5500-6500K, 70+CRI



Flood light: 250 / 500 / 1000 lumens
Spot light: 250 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Flood light: 10 / 5 / 2 h
Spot light: 6 h



1m Type C USB
5V-1A



IP65




IK07



267 g



91x84x52 mm



- 1 Battery level indicator
- 2 On - Off switch
- 3 USB-C Socket
- 4 Magnet on bottom

LME002-001

Compact Rechargeable LED Floodlight

2000
lumens
COB LED



Durable housing and lens. 180 degree flexible handle.
Super strong magnet on the handle.
4 LED battery level indicators during charging and discharging.



Flood light: 20W COB LED, 5500-6500K
Spot light: Super Bright LED, 5500-6500K, 70+CRI



Flood light: 500 / 1000 / 2000 lumens
Spot light: 450 lumens



Battery:
3.7 V 5000 mAh Li-ion



Charging time:
4 h



Flood light: 7 / 4 / 2 h
Spot light: 5 h



1m Type C USB
5V-2A



IP65




IK07



380 g



113x104x62 mm



- 1 Battery level indicator
- 2 On - Off switch
- 3 USB-C Socket
- 4 Magnet on bottom

Wireless LED Lights + Charge Docks



Lumax Wireless Charging System

Ideal for workshops and garages where LED work lights are frequently used. Wall mounted dock wireless charging system eliminates the need for multiple number of chargers and charge points. Increased efficiency in workshops.



Charging docks can be connected to each other for max 3 lights charging



LMA001-001W

Rechargeable COB LED Inspection Light -
Wireless Charge

1000
lumens
COB LED



Durable housing, hooks and lens
180 degree pivoting handle
Super strong magnets in the
handle and back
4 LED battery level indicators
show the charge status



Main light: 10W COB LED, 6500K, 80+CRI
Top light: 4W SMD LED, 6500K, 80+CRI



Main light: 250 / 500 / 1000 lumens
Top light: 150 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Main light: 8 h / 4 h / 2 h
Top light: 7 h



Wireless charging
time: 3.5



1m Type C USB
5V-1A



IP65




IK07



345 g



268x61x42 mm



- 1 Top Light
- 2 Hook
- 3 Magnet
- 4 Wireless Area
- 5 On - Off switch
- 6 USB-C Socket
- 7 Hook
- 8 Magnet

LMF001-001W

Folding SLIM LED Inspection Light - Wireless Charge

1000
lumens
COB LED



Durable plastic housing, aluminum LED frame
Strong magnet and hook at the bottom
180 degree rotating head in vertical position
4 LED battery level indicators show the charge status



Flood light: 10W COB LED, 6500K, 80+CRI
Spot light: Super Bright LED, 6500K, 80+CRI



Flood light: 250 / 500 / 1000 lumens
Spot light: 150 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Flood light: 8 / 4 / 2 h
Spot light: 7 h



Wireless charging
time: 3.5



1m Type C USB
5V-1A



IP65



IK07




320 g



Fold: 195x46x60 mm
Extend: 348x46x60 mm

- 1 Top light
- 2 Main light
- 3 Battery indicator
- 4 On-Off switch
- 5 USB-C socket
- 6 Hook and magnet



LMF002-001W

Swivel Head LED Torch - Wireless Charge

1000
lumens
COB LED



Durable plastic housing, aluminum
torch head
Strong magnet and hook at the bottom
180 degree pivoting torch head
4 LED battery level indicators show the
charge status
Variable lighting focal length



Torch light: 10W Super Bright LED, 6500K, 70+CRI



Torch light: 250 / 500 / 1000 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Torch light: 7 / 4 / 2 h



Wireless charging
time: 3.5



1m Type C USB
5V-1A



IP65



IK07



330 g



251x46x44 mm

- 1 Torch Light
- 2 Battery level indicator
- 3 On - Off switch
- 4 USB-C Socket
- 5 Hook and magnet
- 6 Wireless charge area



LME002-001W

Compact LED Floodlight - Wireless Charge

2000
lumens
COB LED



Durable housing and lens.
180 degree flexible handle.
Super strong magnet on the handle.
4 LED battery level indicators during charging and discharging.



Flood light: 20W COB LED, 5500-6500K
Spot light: Super Bright LED, 5500-6500K, 70+CRI



Flood light: 500 / 1000 / 2000 lumens
Spot light: 450 lumens



Battery:
3.7 V 5000 mAh Li-ion



Charging time:
4 h



Flood light: 7 / 4 / 2 h
Spot light: 5 h



Wireless charging
time: 6.5 h



1m Type C USB
5V-2A



IP65




IK07



380 g



113x104x62 mm



- 1 Battery level indicator
- 2 On - Off switch
- 3 Wireless area
- 4 USB-C Socket
- 5 Magnet on bottom

LMZ001-001 LMZ001-002L LMZ001-003 LMZ001-002R

Wireless Charging Dock

Charging distance: 0-6mm

Bottom Magnetic (Adsorption of 1mm iron plate): $\geq 34N$

Working Temperature: -10~+40°C



1m Type C USB
5V-2A



IK07



153 g



116x112x17 mm



It is possible to charge the mobile phone, and it can charge the working light and the mobile phone at the same time.

LED Color Proofing Lights



4PCS COLOR MATCH LIGHT



LMD001-002

Colour Match Rechargeable LED Headlamp with Motion Sensor

200
lumens
COB LED

2700K 4500K 6500K
3 Colour Light



Provides different levels of CRI, ideal for detailing jobs
Durable housing and lens
Strong belt with non-skip grip
Smart motion sensor
Led charging indicator: Flashing green while charging, solid green when full



Main light: 6W COB LED,
2700K /4500K /6500K, 96+CRI



Main light: 200 lumens



Battery:
3.7 V 1500 mAh Li-ion



Charging time:
2.5 h



Main light: 3.5 h



1m Type C USB
5V-1A



IP65




IK07



110 g



78.5x47.5x42 mm



- 1 IR sensor switch
- 2 On - Off switch
- 3 USB-C Socket

LMA006-003


Colour Match Rechargeable LED Inspection Light - Replaceable Lens

300
lumens
COB LED

2700K 4500K 6500K
3 Colour Light



Durable housing, hooks and lens
180 degree pivoting handle
Super strong magnets on the bottom
3 LED battery level indicators show the charge status



Main light: 10W COB LED, 2700K/4500K/6500K, 96+CRI
Top light: 3W SMD LED, 6500K, 96+CRI



Main light: 250 / 270 /300 lumens
Top light: 100 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Main light: 3.5 h
Top light: 10 h



1m Type C USB
5V-1A



IP54




IK07



235 g



198x57x40 mm



- 1 Top Light
- 2 Rigid plastic hook
- 3 USB-C Socket
- 4 On - Off switch
- 5 Magnet

LME003-002

Colour Match Compact Rechargeable LED Floodlight

700
lumens
COB LED

2700K 4500K 6500K
3 Colour Light



Provides different levels of CRI,
ideal for detailing jobs
Durable housing and lens.
180 degree flexible handle.
Super strong magnet on the
handle.
4 LED battery level indicators
during charging and dis
charging.



Flood light: 10W COB LED,
2700K /4500K /6500K, 96+CRI



Flood light: 700 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Flood light: 2 h



1m Type C USB
5V-1A



IP65




IK07



267 g



91x84x52 mm



- 1 Battery level indicator
- 2 On - Off switch
- 3 USB-C Socket
- 4 Magnet on bottom

LME004-002


Colour Match Compact Rechargeable LED Floodlight

1400
lumens
COB LED

2700K 3500K 4500K 5500K 6500K
ALLDAY LIGHT



Provides different levels of CRI, ideal
for detailing jobs
Durable housing and lens.
180 degree flexible handle.
Super strong magnet on the
handle.
4 LED battery level indicators
during charging and
discharging.



Flood light: 20W COB LED,
2700K/3500K/4500K/5500K/6500K, 96+CRI



Flood light: 1400 lumens



Battery:
3.7 V 5000 mAh Li-ion



Charging time:
3.5 h



Flood light: 2 h



1m Type C USB
5V-2A



IP65




IK07



380 g



113x104x62 mm



- 1 Battery level indicator
- 2 On - Off switch
- 3 USB-C Socket
- 4 Magnet on bottom

LME009-003

Colour Match Heavy Duty LED Floodlight



Hybrid system, can be used both
on battery and AC adapter power supply
Durable aluminum housing
LED charge level indicators on back
Pivoting stand with tripod mount
housings Sold separately



Main light: 60W COB LED, 80+CRI



Main light: 600 - 6000 lumens



Battery:
14.8 V 4400mAh (60Wh)



Charging time:
2 h



Main light: 12 h / 2 h



DC 3.5
24V-2.5A



IP65



IK07



2300 g



258x255x122 mm



- 1 On/Off Switch
- 2 Dc 3.5 input
- 3 Usb output 5V/2A
- 4 Power Indication
- 5 Lm Indication





Leak Detection UV Lights




LMA002-002

Rechargeable UV Leak Detection Light



For detection of leakages in cooling systems, used with UV detection liquid
Durable housing, hook and lens
180 degree pivoting handle
Super strong magnets on the bottom
3 LED battery level indicators show the charge status



Main light: 3W UV COB LED
Top light: 4W SMD LED, 6500K, 80+CRI



Main light: 395 nm
Top light: 100 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Main light: 4.5 h
Top light: 10 h



1m Type C USB
5V-1A



IP54




IK07



212 g



199x56x36 mm



- 1 Top Light
- 2 Rigid plastic hook
- 3 USB-C Socket
- 4 On - Off switch
- 5 Magnet

LMA006-002

Rechargeable UV Leak Detection Light - Replaceable Lens



For detection of leakages in cooling systems, used with UV detection liquid
Durable housing, hook and lens
180 degree pivoting handle
Super strong magnets on the bottom
3 LED battery level indicators show the charge status



Main light: 3W UV COB LED
Top light: 3W SMD LED, 6500K, 80+CRI



Main light: 395 nm
Top light: 100 lumens



Battery:
3.7 V 2600 mAh Li-ion



Charging time:
3.5 h



Main light: 4.5 h
Top light: 10 h



1m Type C USB
5V-1A



IP54




IK07



235 g



198x57x40 mm



- 1 Top Light
- 2 Rigid plastic hook
- 3 USB-C Socket
- 4 On - Off switch
- 5 Magnet


LMF003-002

Folding Rechargeable SLIM UV Detection Light - Mini

395
Nanometer
COB LED



For detection of leakages in cooling systems,
used with UV detection liquid
Durable plastic housing, aluminum LED frame
Strong magnet on the bottom and back
180 degree rotating head in vertical position
During charging, the red led flashes, green led
indicates fully charged.



Flood light: Super Bright COB LED, 6500K, 80+CRI
Spot light: Super Bright LED, 6500K, 80+CRI
UV light: UV LED, 395 nm



Flood light: 300 lumens
Spot light: 80 lumens
Back light: 395 nm



Battery:
3.7 V 800 mAh Li-ion



Charging time:
3.5 h



Flood light: 1.5h
Spot light: 3 h
UV light: 3 h



1m Type C USB
5V-1A



IP54



IK07





95 g



Fold: 158x20x32 mm
Extend: 301x20x25 mm

- 1 Top Light
- 2 Main light
- 3 Magnet
- 4 Battery Indicator
- 5 On - Off switch
- 6 USB-C socket
- 7 Magnet
- 8 Magnet



Underhood worklight



LMU001-001

Underhood worklight

2000
lumens
COB LED



Each light has its own handy hanging hooks.
Both lights detach for convenient hand-held use.
This underhood can expanded from 90° to 180°.



Flood light: 2x10W COB LED, 6500K, 70+CRI



Flood light: 2x250 /2x500 /2x1000 lumens



Battery:
2x 3.7V 4400mAh Li-ion



Charging time:
4 h



Flood light: 12 h /6 h /3 h



1m Type C USB
5V-2A



IPX3



IK07



1900 g



1240x80x125 mm



LMG001-001

MULTILIGHT BODY CONNECT



MULTILIGHT CONNECT provides you with complete freedom to choose and tailor exactly the work light solution you need. Either you choose the MULTILIGHT BODY CONNECT handle and combine it with a selected light head, or you choose to acquire the body and more individual light heads to obtain a work light solution covering different purposes. Due to the flexible part of the body all light heads can be adjusted in an angle of 120°.



-  Battery: 18/20V 2.0Ah Li-ion
-  Charging time: 2.4A 45m
-  IP30
-  IK07
-  14.4-18V-2.4A

LMG001- F01

MULTILIGHT FLEX CONNECT



MULTILIGHT CONNECT provides you with complete freedom to choose and tailor exactly the work light solution you need. Either you choose the MULTILIGHT BODY CONNECT handle and combine it with a selected light head, or you choose to acquire the body and more individual light heads to obtain a work light solution covering different purposes. Due to the flexible part of the body all light heads can be adjusted in an angle of 120°.



Slim, compact and extremely powerful inspection light head providing up to 800 lumen
Rotates in all directions
2 light settings: 50 % - 100 %
Long operating time, up to 24 h

-  Flood light: 800 lumens
-  Battery: 18/20V 2.0Ah Li-ion
-  Charging time: 2.4A 45m
-  Flood light: 24 h
-  IP30
-  IK07
-  14.4-18V-2.4A

LMG001-F02

MULTILIGHT SEARCH CONNECT

800
lumens
COB LED



MULTILIGHT CONNECT provides you with complete freedom to choose and tailor exactly the work light solution you need. Either you choose the MULTILIGHT BODY CONNECT handle and combine it with a selected light head, or you choose to acquire the body and more individual light heads to obtain a work light solution covering different purposes. Due to the flexible part of the body all light heads can be adjusted in an angle of 120°.



Extremely powerful search light head providing up to 800 lumen
Focus function zooming beam angle 10°-70°
2 lighting settings: 50 % - 100 %
Long operating time, up to 24 h



Flood light: 800 lumens



Battery:
18/20V 2.0Ah Li-ion



Charging time:
2.4A 45m



Flood light: 24 h



IP30



IK07



14.4-18V-2.4A

LMG001-E02

MULTILIGHT FLOOD CONNECT

1500
lumens
COB LED



MULTILIGHT CONNECT provides you with complete freedom to choose and tailor exactly the work light solution you need. Either you choose the MULTILIGHT BODY CONNECT handle and combine it with a selected light head, or you choose to acquire the body and more individual light heads to obtain a work light solution covering different purposes. Due to the flexible part of the body all light heads can be adjusted in an angle of 120°.



Sturdy and extremely powerful floodlight head providing up to 1500 lumen 2 light settings: 50 % - 100 %
Long operating time, up to 13 h



Flood light: 1500 lumens



Battery:
18/20V 2.0Ah Li-ion



Charging time:
2.4A 45m



Flood light: 13 h



IP30



IK07



14.4-18V-2.4A

LMX001-001 work light TRIPOD



Folded: 620mm



Extended: 1600mm




Section: 3



Max.Load: 1900g

Work Light Tripod



A partnership with Ceta Form Hand Tools, Türkiye

Factory:

WhatsApp: +86 18 9063 18277
WeChat: 1386 312 4456
ben.yu@sd-lumax.com PC: 264400
No.27-8, Sichan Road, Wendeng
Economic Development Zone, Weihai,
Shandong, China
www.sd-lumax.com

UK Sales Office:

Phone: +44 845 308 1440
Email: uksales@cetaform.com
Address: 5.03 Windsor House, Cornwall
Road, Harrogate, HG1 2PW, UK